

ZUM WINDPARK 1  
23738 LENSÄHN, GERMANY

TEL: +49 40 72374760

export@keysurgical.de keysurgical.de




a STERIS company



a STERIS company

CSSD



## Ordering Information

### PLACING ORDERS AND PRODUCT ADVICE

If you require advice or wish to place an order, you can contact Key Surgical from Monday to Friday between 8.30am to 5.00pm as follows

- 1 TELEPHONE +49 40 72374760
- 2 E-MAIL [export@keysurgical.de](mailto:export@keysurgical.de)
- 3 WEBSITE [keysurgical.de](http://keysurgical.de)
- 4 MAIL Zum Windpark 1  
23738 Lensahn, Germany

### FURTHER INFORMATION

If you need any more information, our knowledgeable Customer Service Team is available to answer any of your questions about product characteristics or use of products. Alternatively, you can reach out to your Commercial contact directly regarding product availability in your market.

Our user-friendly website contains not only details of all our products but also downloadable material and industry news.



## THE KEY SURGICAL STORY

Key Surgical was founded in 1988 by three entrepreneurial women with years of experience in both the nursing profession and the medical supply industry. Motivated by the growing need for a single source supplier that would provide excellent Customer service, the partners began building an extensive product line based on market need.

Over 30 years later, Key Surgical continues to be the leading brand for sterile processing, operating room, and endoscopy products; supporting a wide range of processes and procedures in hospitals, same-day surgery facilities, GI centers, and more.

## OUR MISSION

We've recently joined STERIS as a leading global product brand, continuing to support patient safety with an emphasis on infection prevention and reprocessing.

This relationship is designed to enhance your Customer experience by providing you with more of what you need in infection prevention for sterile processing, the operating room, and endoscopy.

Our dedication to your team and advocating for excellence in the industry remains the same; and together we will create a HEALTHIER AND SAFER WORLD.

## A NOTE ABOUT QUALITY

Key Surgical is committed to manufacturing and distributing the highest quality medical products, and to maintaining the highest level of compliance to FDA and ISO regulations. Nobody can claim to be perfect, but we strive to continuously improve our processes and systems so that we will always be closer to perfect tomorrow than we are today.

## CUSTOMER LETTER

Thank you for being our Customer and for choosing us to be your trusted supplier for products and solutions for your CSSD. Our Customers are at the forefront of everything we do; we are dedicated to meeting the healthcare industry's highest quality standards for patient care, safety, and efficiency in hospitals, clinics, and surgical centers around the world. As your partner, we promise to continue providing a comprehensive selection of products and personalized service you won't find anywhere else.

Our Customer base of hospitals, theatre centers, and distributors continues to expand throughout the world. We're committed to continuously making investments in our products, quality system, regulatory and compliance efforts, and operations with the goal of being the easiest company with which to do business.

Although seemingly simple, focusing on delivering an exceptional experience with us every step of the way is, and will continue to be, the foundation of why we do what we do. Our entire team works hard every day to be recognized by you as a company of dedication, honesty, and integrity. In striving toward that recognition, we promise to keep our feet planted firmly on the ground and to make sure we brighten both your day and ours in the process.



If we can ever be of assistance, please call or email us. Businesses grow because they do the right things for their Customers and their employees. We intend to keep doing those things and to keep growing, and we truly appreciate your business and thank you for your continued support.

Sincerely,













From all of us, Thank you.



a STERIS company



## TABLE OF CONTENTS

-  000 – Instrument Cleaning and Maintenance
-  066 – Wraps and Liners
-  088 – Instrument Protection
-  104 – Tags
-  138 – Trays and Accessories
-  188 – Container Accessories
-  218 – Personal Protective Equipment
-  232 – Instrument Identification
-  278 – Quality Monitoring and Assurance
-  304 – Documentation
-  336 – CSSD Equipment
-  368 – Index



## INSTRUMENT CLEANING & MAINTENANCE

The manual (pre) cleaning of surgical instruments and products is a basic requirement for successful preparation. As the variety of medical products to be reprocessed is increasing and the instruments are becoming more complex, Key Surgical offers a selection of different brushes, material cleaners, and care products for a wide range of purposes.

Our cleaning brushes are available in various sizes and materials for the most common surgical instruments, for flexible endoscopes, and for special preparation requirements.

Material cleaners and care products not only support you in your preparation, but also in the subsequent maintenance of your instruments.

Cleaning accessories, such as brush strips and preparation aids that helps with the cleaning of instruments that cannot be dismantled.

Toothbrush-Style Brushes

Channel Cleaning Brushes

Endoscope Cleaning Brushes and Sets

Pipe Cleaners

Cleaning Products

Preparation Aids

Unless otherwise stated, our products are not made with natural rubber latex.



## Instrument Cleaning & Maintenance - Toothbrush-Style Brushes

### TOOTHBRUSH-STYLE CLEANING BRUSHES

The special brushes from Key Surgical are ideal for cleaning the outside of the surfaces of instruments before automated disinfection and sterilization is provided. Regardless of the stubbornness of the soiling of your instruments to be cleaned, you are sure to find the right solution thanks to the varying degrees of hardness, sizes, and shapes of the brushes. Even coagulated blood residues can be easily removed due to specially developed nylon bristles. Key Surgical specialized brushes are also suitable for cleaning pan burrs and removing residues in the joints of needle holders and scissors.

### TOOTHBRUSH-STYLE CLEANING BRUSHES

REF	Description	Brush head length (mm)	Bristle length (mm)	Working length (mm)	Qty
<b>A</b> 09320	plastic bristles for stubborn contamination - extra hard	30/45	12/12	165	10 pcs
<b>B</b> 09325	stainless steel bristles for stubborn contamination - extra hard	40	15	180	1 pc
S-2100-50	stainless steel, three rows				50 pcs
<b>C</b> 09459	plastic bristles for stubborn contamination - extra hard	40/30	10/10	175	2 pcs
N-2221-50	extra rigid nylon, double-ended, three rows/one row				50 pcs
<b>D</b> 09478	plastic bristles - soft	75	15	215	1 pc
<b>E</b> 09485	plastic bristles for stubborn contamination, angled handle - hard	75	15	235	2 pcs
N-2200	extra rigid nylon, angled handle				2 pcs
<b>F</b> 26491	plastic bristles - medium soft	75	15	215	1 pc
<b>G</b> 26492	plastic bristles - hard	75	15	215	1 pc
<b>H</b> 09488	plastic bristles	40	15	180	1 pc
N-2100-50	nylon, three rows				50 pcs



## Instrument Cleaning & Maintenance - General Instrument Cleaning Brushes




A



B



C



D



E



F

### TOOTHBRUSH-STYLE BRUSHES


Standard bristles made of nylon and stainless steel on a sturdy plastic handle. Developed for exterior cleaning.

REF	Description	Bristle length (mm)	Working length (mm)	Qty
A	N-3000 made of nylon	9.5	178	1 pc
B	N-4000 made of nylon	9.5	184	1 pc
C	BR-04-003 made of stainless steel		100	1 pc

### DOUBLE CLEANING BRUSH

REF	Description	Bristle length (mm)	Brush head length (mm)	Working length (mm)	Qty
D	BR-5450 brush bristles made of nylon, stainless steel wire	13/25	50/82	300	1 pc
E	09084 soft nylon bristles	10/5	35/25	175	2 pcs
	N-2121-50 nylon, double-ended, three rows/one row				50 pcs
F	09098 hard nylon bristles	10/5	35/25	175	2 pcs

## Instrument Cleaning & Maintenance - Instrument and Sterilizer Cleaning Brushes



### STERILIZER CLEANING BRUSHES

Nylon bristles on twisted stainless steel handle with rosebud tip or on a sturdy, plastic handle.


REF	Description	Format Ø (mm)	Length (mm)	Qty
A	BR-5455 finger loop brush, made of nylon	25 x 270	267	1 pc
B	BR-5600 sterilizer cleaning brush, with stainless steel wire	50 x 610	710	1 pc
C	BR-5500 sterilizer cleaning brush, made of nylon with a plastic handle	35 x 710	710	1 pc
D	BR-4000 with nylon bristles, plastic handle	41 x 200	410	1 pc
E	BR-5000 sterilizer cleaning brush, made of polyester	152 x 127	800	1 pc

## Instrument Cleaning & Maintenance - Channel Cleaning Brushes

### CHANNEL CLEANING BRUSHES

Made of stainless steel, with nylon bristles.

REF	Color	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
A	-	1	13	450	2 pcs
B	-	1.8	13	450	2 pcs
C	white	1.6	22	215	3 pcs
D	black	2	21	215	3 pcs
E	bright pink	2.5	21	215	3 pcs
F	orange	3	18	215	3 pcs
G	blue	4	19	215	3 pcs
H	BR-08-087	2.2	13	200	2 pcs



H






## Instrument Cleaning & Maintenance - Channel Cleaning Brushes

### CHANNEL CLEANING BRUSHES

Channel cleaning brushes featuring nylon bristles on a twisted stainless steel handle with loop end. Quantities available 2 pcs and 50 pcs.

REF	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
<b>A</b> BR-06-039	1	6.35	152	2 pcs
<b>B</b> BR-08-039	1	12.7	203.2	2 pcs
BR-18-039	1	6.35	457	2 pcs
<b>C</b> BR-06-062	1.58	12.7	152	2 pcs
BR-18-062	1.58	12.7	457	2 pcs
<b>D</b> BR-08-070	1.77	12.7	203.2	2 pcs
BR-18-070	1.77	12.7	457	2 pcs
BR-24-070	1.77	12.7	609.6	2 pcs
<b>E</b> BR-06-079	2	12.7	152	2 pcs
<b>F</b> BR-08-079	2	19.05	203.2	2 pcs
BR-12-079	2	19.05	305	2 pcs
<b>G</b> BR-24-080	2	25.4	609.6	2 pcs
<b>H</b> BR-08-087	2.2	12.7	203.2	2 pcs
BR-18-087	2.2	12.7	457	2 pcs
<b>I</b> BR-08-092	2.3	12.7	203.2	2 pcs
<b>J</b> BR-24-098	2.49	12.7	609.6	2 pcs
<b>K</b> BR-08-105	2.67	25.4	203.2	2 pcs
BR-18-105	2.67	25.4	457	2 pcs
<b>L</b> BR-12-118	3	69.85	305	2 pcs




BRUSH TIP DETAILS SHOWN ACTUAL SIZE

## Instrument Cleaning & Maintenance - Channel Cleaning Brushes

### CHANNEL CLEANING BRUSHES

Channel cleaning brushes featuring nylon bristles on a twisted stainless steel handle with loop end. Quantities available 2 pcs and 50 pcs.

REF	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
<b>A</b> BR-08-131	3.3	19.05	203.2	2 pcs
<b>B</b> BR-08-158	4	19.05	203.2	2 pcs
BR-12-158	4	19.05	305	2 pcs
<b>C</b> BR-12-197	5	76.2	305	2 pcs
BR-16-197	5	76.2	406	2 pcs
BR-18-197	5	76.2	457	2 pcs
<b>D</b> BR-24-200	5.08	50.8	609.6	2 pcs
<b>E</b> BR-12-236	6	50.8	305	2 pcs
BR-16-236	6	50.8	406	2 pcs
BR-24-236	6	50.8	609.6	2 pcs




BRUSH TIP DETAILS SHOWN ACTUAL SIZE

## Instrument Cleaning & Maintenance - Channel Cleaning Brushes

### CHANNEL CLEANING BRUSHES

Channel cleaning brushes featuring nylon bristles on a twisted stainless steel handle with loop end. Quantities available 2 pcs and 50 pcs.

REF	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
<b>A</b> BR-06-250	6.35	50.8	152	2 pcs
BR-08-250	6.35	50.8	203.2	2 pcs
BR-18-250	6.35	50.8	457	2 pcs
<b>B</b> BR-16-276	7	76.2	406	2 pcs
BR-24-276	7	76.2	609.6	2 pcs
<b>C</b> BR-24-312	7.9	76.2	609.6	2 pcs
<b>D</b> BR-06-375	9.5	38.1	152	2 pcs
<b>E</b> BR-24-375	9.5	76.2	609.6	2 pcs
<b>F</b> BR-16-393	10	76.2	406	2 pcs
BR-18-393	10	76.2	457	2 pcs
BR-24-393	10	76.2	609.6	2 pcs
<b>G</b> BR-24-425	10.8	76.2	609.6	2 pcs



BRUSH TIP DETAILS SHOWN ACTUAL SIZE

## Instrument Cleaning & Maintenance - Channel Cleaning Brushes

### CHANNEL CLEANING BRUSHES

Channel cleaning brushes featuring nylon bristles on a twisted stainless steel handle with loop end. Quantities available 2 pcs and 50 pcs.

REF	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
<b>A</b> BR-08-440	11.18	76.2	203.2	2 pcs
BR-24-440	11.18	76.2	609.6	2 pcs
<b>B</b> BR-16-443	11.25	76.2	406	2 pcs
BR-24-443	11.25	76.2	609.6	2 pcs
<b>C</b> BR-16-472	12	76.2	406	2 pcs
<b>D</b> BR-06-500	12.7	50.8	152	2 pcs
<b>E</b> BR-16-591	15	50.8	406	2 pcs
BR-18-591	15	50.8	457	2 pcs


**A**

**B**

**C**

**D**

**E**

BRUSH TIP DETAILS SHOWN ACTUAL SIZE

## Instrument Cleaning & Maintenance - Channel Cleaning Brushes

### CHANNEL CLEANING BRUSHES

Channel cleaning brushes featuring nylon bristles on a twisted stainless steel handle with loop end. Quantities available 2 pcs and 50 pcs.

REF	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
<b>A</b> BR-08-630	16	50.8	203	2 pcs
<b>B</b> BR-16-787	20	50.8	406	2 pcs
<b>C</b> BR-18-880	22.35	88.9	457	2 pcs
<b>D</b> BR-24-880	22.35	107.95	609.6	2 pcs



BRUSH TIP DETAILS SHOWN ACTUAL SIZE



## Instrument Cleaning & Maintenance - Channel Cleaning Brushes

### CHANNEL CLEANING BRUSHES

Channel cleaning brushes featuring nylon bristles on a twisted stainless steel handle with loop end (pull through style excluded).

REF	Description	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
A	BR-3044	0.5	6.35	76	10 pcs
B	BR-3045	0.5	6.35	203.2	10 pcs
C	BR-3047	0.9	12.7	101.6	10 pcs
D	BR-4120	6.35 to 15.24	50.8	457.2	2 pcs
E	BR-4140	12.7	76.2	609.6	6 pcs



A



B



C



D

(PULL THROUGH)



E

(PULL THROUGH)

BRUSH TIP DETAILS SHOWN ACTUAL SIZE

## Instrument Cleaning & Maintenance - Channel Cleaning Brushes

### CHANNEL CLEANING BRUSHES


Standard bristles, stainless steel wire.

REF	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
<b>A</b> BR-08-118	3	38	200	2 pcs
<b>B</b> BR-18-125	3	51	450	2 pcs
<b>C</b> BR-08-144	3.7	19	203	2 pcs
<b>D</b> BR-18-158	4	19	450	2 pcs
<b>E</b> BR-24-197	5	76	610	2 pcs



BRUSH TIP DETAILS SHOWN ACTUAL SIZE

## Instrument Cleaning & Maintenance - Channel Cleaning Brushes




### CHANNEL CLEANING BRUSHES

Standard bristles, stainless steel wire.

REF	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
A BR-8110	9.5	25	95	3 pcs
B BR-8115	13	101	203	3 pcs
C BR-8210	4.8	13	178	3 pcs
D BR-8410	13	76	152	3 pcs

BRUSH TIP DETAILS SHOWN ACTUAL SIZE

## Instrument Cleaning & Maintenance - Cleaning Brushes



A

### CLEANING BRUSHES

With nylon bristles.

REF	Description	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
A 09303	nozzle brush, made of nylon	10	45	140	5 pcs
B 09458	for thoracic drainage bottles, wire made of V2A	40	60	650	5 pcs
C 09490	leaning brush for medullary reamer brush tip deburred, V2A wire	3	100	800	3 pcs
D 09491	for medullary reamers, V2A stainless wire tip with cap	7	100	800	3 pcs
E 09492	for medullary reamers, stainless steel wire (V2A), tip with end cap	5	100	800	3 pcs

B

C

### CLEANING BRUSHES

Not suitable for washer-disinfectors and not heat-resistant, with nylon bristles. For single use.

REF	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
F 09049	5	20	150	100 pcs
F 09322	5	20	200	100 pcs

D

E

F

BRUSH TIP DETAILS SHOWN ACTUAL SIZE

## Instrument Cleaning & Maintenance - Cleaning Brushes

### CLEANING BRUSHES FOR SUCTION TUBES


Cannot be reprocessed, individually packed, with pipe cleaner and nylon brush. Single use.

REF	Description	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
A 26480	2 brush heads, with pipe cleaner	3	20/30	440	10 pcs
B 26481	2 brush heads, with pipe cleaner	6	20/30	440	10 pcs
96280	for Frazier suction tubes, pink	2.5	21	215	3 pcs
96280.0	for Frazier suction tubes, black	2.5	21	215	3 pcs

### BRUSHES WITH ROUND BRUSH HEAD

Nylon bristles, stainless steel wire. Reusable.

REF	Description	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
C 09331	for rectoscopes	20	150	450	5 pcs
D 09366	front 90 mm without trim	0.6	8	450	5 pcs
E 09388	front 90 mm without trim	1.4	8	450	5 pcs
F 09338	with plastic handle, not suitable for washer-disinfectors	3.5	60	265	2 pcs




A

B




C



D

E



F

BRUSH TIP DETAILS SHOWN ACTUAL SIZE




# Instrument Cleaning & Maintenance - Cleaning Brushes

## CLEANING BRUSHES FOR MINIMALLY INVASIVE SURGICAL INSTRUMENTS

With nylon bristles, stainless steel wire.

REF	Description	Ø (mm)	Brush length (mm)	Working length (mm)	Qty
<b>A</b> 09050	one-sided	2.5	30	500	5 pcs
<b>B</b> 09051	one-sided	7	80	350	5 pcs
<b>C</b> 09052	one-sided	4	100	300	5 pcs
<b>D</b> 09053	one-sided	6	100	300	5 pcs
<b>E</b> 09054	one-sided	8	100	300	5 pcs
<b>F</b> 09055	one-sided	10	100	300	5 pcs
<b>G</b> 09056	one-sided	15	100	300	5 pcs
<b>H</b> 09059	one-sided	30	80	300	5 pcs
<b>I</b> 09058	one-sided	7	50	405	5 pcs
<b>J</b> 09066	one-sided	15	100	800	5 pcs
<b>K</b> 09064	double-sided	10/15	30/12-15	155	10 pcs




BRUSH TIP DETAILS SHOWN ACTUAL SIZE



# Instrument Cleaning & Maintenance - Cleaning Brushes

## CLEANING BRUSHES FOR MINIMALLY INVASIVE SURGICAL INSTRUMENTS

With nylon bristles, stainless steel wire.



BRUSH TIP DETAILS SHOWN ACTUAL SIZE

- A
- B
- C
- D
- E
- F
- G
- H
- I
- J
- K
- L
- M


REF	Ø (mm)	Brush length (mm)	Working length (mm)	Qty
A 09308	2.5	50	300	5 pcs
B 09313	2.5	50	610	5 pcs
C 09306	5	100	300	5 pcs
D 09312	5	100	610	5 pcs
09307	7	100	300	5 pcs
E 09311	7	100	610	5 pcs
F 09316	7	100	650	5 pcs
G 09076	10	100	180	5 pcs
H 09068	10	100	500	5 pcs
I 09310	10	100	610	5 pcs
J 09315	10	100	650	5 pcs
K 09309	12	100	610	5 pcs
L 09314	12	100	650	5 pcs
M 09083	50	100	1400	5 pcs

# Instrument Cleaning & Maintenance - Cleaning Brushes

## CLEANING BRUSHES FOR MINIMALLY INVASIVE SURGICAL INSTRUMENTS

With nylon bristles, stainless steel wire.

REF	Ø (mm)	Brush length (mm)	Working length (mm)	Qty
<b>A</b> 09339	2	100	300	5 pcs
<b>B</b> 09342	2	60	350	5 pcs
<b>C</b> 09340	2.5	100	300	5 pcs
<b>D</b> 09343	2.5	80	400	5 pcs
<b>E</b> 09341	3	100	300	5 pcs
<b>F</b> 09344	3	100	450	5 pcs
<b>G</b> 09335	3.5	100	250	5 pcs
<b>H</b> 09346	3.5	35	500	5 pcs
<b>I</b> 09345	4	100	500	5 pcs
<b>J</b> 09317	5	100	650	5 pcs
<b>K</b> 09318	5	80	405	5 pcs
<b>L</b> 09324	5	35	500	5 pcs
<b>M</b> 09336	5	100	250	5 pcs
<b>N</b> 09332	20	100	500	5 pcs
<b>O</b> 09334	40	60	500	5 pcs



BRUSH TIP DETAILS SHOWN ACTUAL SIZE

# Instrument Cleaning & Maintenance - Cleaning Brushes

## CLEANING BRUSHES FOR MINIMALLY INVASIVE SURGICAL INSTRUMENTS

With nylon bristles, stainless steel wire.




	REF	Ø (mm)	Brush length (mm)	Working length (mm)	Qty
A	09499	10	50	405	5 pcs
B	09745	4	80	400	1 pc
C	09746	8	80	400	1 pc
D	09747	10	80	400	1 pc
E	BR-2300	11	50	152	2 pcs

## FRENCH CATHETER SCALE

Convenient two-sided french catheter scale with built-in 6" ruler.

	REF	Description	Qty
F	MJ-370	plastic card with die-cut holes	4 pcs





## Instrument Cleaning & Maintenance - Cleaning Brushes



### CLEANING BRUSHES WITH FAN TIP

Standard nylon bristles, stainless steel wire, with eyelet, without tip protection.  
Also available as a pack of 50.

REF	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
<b>A</b> FT-12-197	5	50	300	2 pcs
<b>A</b> FT-18-197	5	50	460	2 pcs
<b>A</b> FT-24-197	5	50	610	2 pcs
<b>B</b> FT-12-250	6.4	50	300	2 pcs
<b>B</b> FT-18-250	6.4	50	460	2 pcs
<b>B</b> FT-24-250	6.4	50	610	2 pcs
<b>C</b> FT-12-276	7	50	300	2 pcs
<b>C</b> FT-18-276	7	50	460	2 pcs
<b>C</b> FT-24-276	7	50	610	2 pcs
<b>D</b> FT-12-375	9.5	76	300	2 pcs
<b>D</b> FT-18-375	9.5	76	460	2 pcs
<b>D</b> FT-24-375	9.5	76	610	2 pcs
<b>E</b> FT-12-440	11	76	300	2 pcs
<b>E</b> FT-18-440	11	76	460	2 pcs
<b>E</b> FT-24-440	11	76	610	2 pcs

### BONE REAMER BRUSHES

Nylon bristles, stainless steel wire.

REF	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
<b>F</b> BR-31-118	3	76	780	3 pcs
<b>G</b> BR-31-197	5	76	780	3 pcs
<b>H</b> BR-31-276	7	76	780	3 pcs
<b>I</b> 26023	40	45	190	3 pcs
<b>I</b> N-2000-3	40	45	190	3 pcs

### LUMEN GUARD BRUSH

Standard handle made of stainless steel with tip protection. Also available as a pack of 50.

REF	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
<b>J</b> BZ-18-062	1.6	51	457	2 pcs





## Instrument Cleaning & Maintenance - Cleaning Brushes

### CLEANING BRUSHES FOR INSTRUMENT CAVITIES

Nylon bristles brushes with a plastic shaft handle and a twisted stainless steel handle with loop end (pull through style excluded).

REF	Ø (mm)	Shaft diameter (mm)	Working length (mm)	Qty
26474	3 x 20	1.7	610	5 pcs
<b>A</b> 26475	5 x 50	3.2	610	5 pcs
<b>B</b> 26476	7 x 50	3.2	610	5 pcs
<b>C</b> 26477	10 x 50	4	610	5 pcs
<b>D</b> 26478	15 x 50	4	610	5 pcs
<b>E</b> BR-4120	6 - 15	NA	46	2 pcs
<b>F</b> BR-4140	13	NA	610	6 pcs





## Instrument Cleaning & Maintenance - Cleaning Brushes

### ACRYLIC TIP CLEANING BRUSHES

Channel cleaning brushes featuring a protective acrylic tip for an extra level of protection during cleaning. Nylon bristles on a flexible handle. No loop end.

	REF	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
A	AT-12-062	1.6	25	300	2 pcs
B	AT-18-062	1.6	25	457	2 pcs
C	AT-24-062	1.6	25	610	2 pcs
D	AT-12-087	2.2	25	300	2 pcs
E	AT-18-087	2.2	25	457	2 pcs
F	AT-24-087	2.2	25	610	2 pcs
G	AT-12-105	2.7	25	300	2 pcs
H	AT-18-105	2.7	25	457	2 pcs
I	AT-24-105	2.7	25	610	2 pcs
J	AT-12-118	3	25	300	2 pcs
K	AT-18-118	3	25	457	2 pcs
L	AT-24-118	3	25	610	2 pcs
M	AT-12-125	3.2	25	300	2 pcs
N	AT-18-125	3.2	25	457	2 pcs
O	AT-24-125	3.2	25	610	2 pcs
P	AT-12-131	3.3	25	300	2 pcs
Q	AT-18-131	3.3	25	457	2 pcs
R	AT-24-131	3.3	25	610	2 pcs
	AT-12-158	4	38	300	2 pcs
	K AT-18-158	4	38	457	2 pcs
	K AT-24-158	4	38	610	2 pcs
	AT-12-197	5	51	300	2 pcs
	M AT-18-197	5	51	457	2 pcs
	M AT-24-197	5	55	610	2 pcs
	N AT-12-250	6.4	51	300	2 pcs
	N AT-18-250	6.4	51	457	2 pcs
	N AT-24-250	6.4	55	610	2 pcs
	O AT-12-276	7	51	300	2 pcs
	P AT-18-276	7	51	457	2 pcs
	P AT-24-276	7	55	610	2 pcs
	Q AT-12-375	9.5	76	300	2 pcs
	Q AT-18-375	9.5	76	457	2 pcs
	Q AT-24-375	9.5	76	610	2 pcs
	R AT-12-440	11	76	300	2 pcs
	R AT-18-440	11	76	457	2 pcs
	R AT-24-440	11	76	610	2 pcs








# Instrument Cleaning & Maintenance -Endoscope Cleaning Brushes

## ENDOSCOPE CLEANING BRUSHES

Endoscopes are complex and often difficult to prepare, so choosing the right brushes is critical to effective manual cleaning. For single use.






## CHANNEL BRUSHES

REF	Description	Brush head (mm)	Length (mm)	Working channel (mm)	Working length (mm)	Qty
A	26020 double cleaning brush	5	20	2.8 - 4.2	2300	50 pcs
B	26025 double cleaning brush	4-6/ 3-5	20/13	2.8 - 4.5	2300	50 pcs
C	26482 double cleaning brush	6	20	2.8 - 4.5	3600	50 pcs
D	09352 double cleaning brush	2	12	1.2 -1.5	1000	1 pc
E	26024 single cleaning brush	2.5	14	1.4	2300	50 pcs
F	09349 double cleaning brush	5	23	ab 2.8	2300	1 pc
G	26305 pipe cleaner double-sided	3	300	2.0 - 2.8	2300	50 pcs






## Instrument Cleaning & Maintenance -Endoscope Cleaning Brushes






### CHANNEL BRUSHES

REF	Description	Brush head (mm)	Working channel (mm)	Working length (mm)	Qty
<b>A</b> EB10100	double cleaning brush	5/10	2.8 - 4.2	2500	50 pcs
<b>B</b> EB10102	double cleaning brush	3	2 - 2.4	2300	50 pcs
<b>C</b> EB10103	double cleaning brush	6	2.8 - 4.2	2500	50 pcs
<b>D</b> EB10104	double cleaning brush with handle	5/10	2.8 - 4.2	2300	25 pcs
<b>E</b> EB10136	double cleaning brush (Broncho)	3	1.4 - 2.4	1200	100 pcs
EB10136.5mm	double cleaning brush (Broncho)	5	2 - 2.4	1200	1 pc
EB10137	double cleaning brush	3	1.4 - 2.4	2300	100 pcs
<b>F</b> EB10103.3	cleaning brush with 3 brushes	6	2.8 - 4.2	2500	50 pcs
<b>G</b> EB10106	bronchoscope cleaning brush	2	1.2 - 1.5	1200	50 pcs
EB10106.2	double cleaning brush (Broncho)	2	1.2 - 1.5	2300	100 pcs
<b>H</b> EB10105	pipe cleaning brush	5	2.8 - 4.2	2300	50 pcs
EB10106.2L	bronchoscope cleaning brush	2	1.2 - 1.5	2300	100 pcs



## Instrument Cleaning & Maintenance - Brush Sets




BRUSH TIP DETAILS  
SHOWN ACTUAL SIZE

### BRUSH SETS

REF	Set	Qty
<b>A</b> EB10103.3C	colonoscopy brush set 3-head (incl. cleaning brush with 3 brushes EB10103.3 & valve/biopsy channel cleaning brush)	50 pcs
<b>B</b> EB10107C	colonoscopy brush set (including double cleaning brush 5mm diameter and 2300mm length & valve/biopsy channel cleaning brush)	50 pcs
<b>C</b> EB10107G	gastroscopy brush set (including double cleaning brush 3mm diameter and 2300mm length & valve/biopsy channel cleaning brush)	50 pcs


### VALVE BRUSH AND ALBARRAN CHANNEL

REF	Description	Brush head (mm)	Length (mm)	Qty
<b>D</b> 26027	valve cleaning brush	5.2 /11	156	100 pcs
<b>E</b> EB10108	albarran channel cleaning brush	2.3	13	100 pcs





## Instrument Cleaning – Pipe Cleaners



### FLEXISTEM AND MICROCLENE

Flexistem and Microcylene are unique cleaners for all small-bore cannula. Various diameters from 3mm to 15mm are available, constructed from very soft to hard bristles. Single use. Flexistem FLEX007A and FLEX007B has a wavy bristle configuration to reduce buckling which can occur in long instruments.

#### FLEXISTEM

REF	Type	Material	Ø (mm)	Length (cm)	Qty
<b>A</b> FLEX001	soft cleaner	cotton	3	1000	1 reel
<b>B</b> FLEX002	super bristle	polyester/nylon	3	1000	1 reel
FLEX003	double ended	polyester/nylon	3	30	100 pcs
FLEX004	fleece	polyester	9	30	50 pcs
<b>C</b> FLEX005	fleece	polyester	12	30	50 pcs
<b>D</b> FLEX006	bristle stem	polyester	15	30	20 pcs
<b>E</b> FLEX007	bristle stem	polyester/nylon	15	500	1 reel
FLEX007A	bristle stem	polyester/nylon	15	500	1 reel
FLEX007B	bristle stem	polyester/nylon	N/A	6.65	10 pcs
<b>F</b> FLEX033	fleece	polyester	3	30	50 pcs

#### MICROCLENE

REF	Type	Material	Ø (mm)	Length (cm)	Qty
<b>G</b> FLEX021	super fine	polyester/nylon	3	750	1 reel
<b>H</b> FLEX022	medium fine	polyester/nylon	6	750	1 reel
<b>I</b> FLEX023	super brush	polyester/nylon	3	750	1 reel
<b>J</b> FLEX024	medium brush	polyester/nylon	6	750	1 reel

## Instrument Cleaning & Maintenance - Cleaning Products

### CLEANING PRODUCTS

Care products and cleaning accessories are available for a wide range of applications.

REF	Description	Format (mm)	Qty
1138042	wiping and cleaning cloth 'Volume R' 80g/m2	600 x 380	500 pcs
<b>A</b> 1210001	wiping and cleaning cloth, 100 g/m2	330 x 370	600 pcs
<b>B</b> 1138040	wiping and cleaning cloth with tear-off perforation, 500 wipes/roll	300 x 380	2 pcs

### HYGO TOPP DISPENSERS

REF	Description	Qty
<b>C</b> 02018	fleece wet wipes dispenser, empty, lid color: white	1 pc
<b>D</b> 02023	fleece roll white 60 g/m 2, package: 6 rolls of 90 wipes	6 rolls

**A**

**B**

**C**

**D**


## Instrument Cleaning & Maintenance - Maintenance Products

A



B



C



D



E



F




### CLEANING AGENTS

REF	Description	Sizes	Qty
02005	slide rail oil for microtomes elbows and air motors	100ml	1 bottle
A 02008	'Lubrifluid' lubricant for the care of Bien-Air Hand and 500 ml 1 bottle	500ml	1 bottle
B 02006	special oil 'Enginol' for compressed air machines	50ml	1 bottle
C 02004	'Lubrinol' instrument care spray maintenance oil for surgical instruments with a high creeping effect and optimal joint lubrication properties, suitable for steam sterilization at 134 °C	400ml	1 tin

### CLEANING ACCESSORIES

REF	Description	Format (mm)	Qty
D 02120	metal eraser 'Poraflex' W8 Ultra for cleaning metallic surfaces	40 x 25 x 12	1 pc
E 02121	metal eraser 'Poraflex' W8 stick set for cleaning metallic surfaces	80 x 10 x 10	1 set
02122	metal eraser 'Poraflex' W8 stick 2 fine pencil leads (without holder)	80 x 10 x 10	1 pc
F 02117	stain and rust remover pad - gray, very fine, for the removal of rust and other dirt caution: The pads can change the surface structure and should therefore not be used on (high-gloss) coated or chrome-plated surfaces. Test the pads in a prominent place beforehand.	150 x 100	3 pcs
02118	stain and rust remover pad - brown, coarse (see REF 02117)	150 x 100	3 pcs

## Instrument Cleaning & Maintenance - Preparation Aids



### PREPARATION AIDS

The Key Surgical clamps are made of plastic keep to joints and jaws open, such as in bone forceps, and allow the cleaning of all critical areas. The new conchotome opener makes it easier to dismantle instruments such as rongeurs, conchotomes, Blakesley forceps and similarly constructed instruments. These clamps keep instrument parts open throughout the high level disinfection process. Heat resistant up to 134 °C. Single use.



REF	Description	Color	Internal (mm)	Qty
A 20414	holder for microclip	red	4.8	50 pcs
A 20419	holder for clamp	red	6	50 pcs
A 20424	holder for clamp	red	10	50 pcs
B 20415	holder for microclip	green	4.8	50 pcs
B 20420	holder for clamp	green	6	50 pcs
B 20425	holder for clamp	green	10	50 pcs
C 20416	holder for microclip	blue	4.8	50 pcs
C 20421	holder for clamp	blue	6	50 pcs
C 20426	holder for clamp	blue	10	50 pcs
D 20417	holder for microclip	yellow	4.8	50 pcs
D 20422	holder for clamp	yellow	6	50 pcs
D 20427	holder for clamp	yellow	10	50 pcs
E 20462	conchotome opener stainless steel	-	-	1 pc



## Instrument Cleaning & Maintenance - Preparation Aids

### PREPARATION AIDS - FOR MULTIPLE USE

REF	Description	Color	Material	Diameter (mm)	Qty
<b>A</b> 20413	holder for microclip	-	stainless steel	4.8	1 pc
<b>B</b> 20409	holder for clamps	-	stainless steel	6	5 pcs
<b>C</b> 20429	holder for clamps	-	stainless steel	8.4	5 pcs
<b>D</b> 20410	holder for clamps	-	stainless steel	10	5 pcs
<b>E</b> 20430	holder for clamps	-	stainless steel	14	5 pcs
<b>F</b> 20460	clamp	white	stainless steel with silicone cover	40	1 pc
<b>G</b> 20411	clamp	yellow	stainless steel with silicone cover	50	1 pc
<b>H</b> 20408	clamp	blue	stainless steel with silicone cover	60	1 pc
<b>I</b> 20406	clamp	red	stainless steel with silicone cover	70	1 pc
<b>J</b> 20412	clamp	green	stainless steel with silicone cover	80	1 pc
<b>K</b> 20407	holder for instruments with a ring handle	-	stainless steel	-	1 pct





## Instrument Cleaning & Maintenance - Preparation Aids

### MANIFOLD ACCESSORIES - LUER LOCK MALE

REF	Distance between the connections (mm)	Connections	Qty
<b>A</b> 25000	17	6	1 pc
25001	27	6	1 pc
25029	17	10	1 pc

### FLUSHING NOZZLE

REF	Description	Sizes (mm)	Qty
<b>B</b> 07502	flushing nozzle with luer lock connection, for cleaning in the washer-disinfector	up to 160	1 pc
07503	flushing nozzle with luer lock connection, for cleaning in the washer-disinfector	up to 60	1 pc
07504	cap set made of silicone for flushing nozzle REF 07502 and REF 07503 Set consists of: 1 x protective cap with a single slot 1 x protective cap with cross slot	10 x 19	2 kits
07001	Lid for drill wire container with flushing connection. Suitable for drill wire container made of stainless steel REF 07400-07402, 07421, 07465-07468	NA	1 pc

### TUBE CONNECTORS

REF	Description	Format (mm Ø)	Qty
<b>C</b> 25014	luer lock male	4 x 28	1 pc
<b>C</b> 25015	luer lock male	5 x 30	1 pc
<b>C</b> 25030	luer lock male	6 x 10	1 pc
<b>D</b> 25013	luer lock male	6 x 29	1 pc
<b>D</b> 25016	luer lock male	6 x 30	1 pc
<b>D</b> 25017	luer lock male	8 x 29	1 pc
<b>E</b> 25018	luer lock female	4 x 26	1 pc
<b>E</b> 25019	luer lock female	5 x 28	1 pc
<b>E</b> 25020	luer lock female	6 x 28	1 pc
<b>E</b> 25021	luer lock female	8 x 28	1 pc
25026	luer lock female	6 x 32	1 pc



## Instrument Cleaning & Maintenance - Preparation Aids




### MANIFOLD ACCESSORIES

REF	Description	Format (mm Ø)	Qty
A	25022 closing cap, luer lock male	11	1 pc
B	25023 closing cap, luer lock female	6 x 11	1 pc
B	25027 sealing caps for flushing strips REF 25000 and 25001	6 x 11	1 pc
C	25025 fine filter made of stainless steel including sealing ring made of silicone flushing strip REF 25000, 25001	NA	1 pc

### CONNECTORS FOR ATTACHMENT

REF	Description	Format (mm Ø)	Length (mm)	Qty
D	25004 2 x luer lock male	2 x 10	26	1 pc
E	25007 luer lock male	5 x 6	19	1 pc
E	25008 luer lock male	6 x 10	23	1 pc
E	25009 luer lock male	8 x 10	23	1 pc
F	25010 luer lock female	5 x 6	18	1 pc
F	25011 luer lock female	6 x 10	22	1 pc
F	25012 luer lock female	8 x 10	22	1 pc
G	25006 luer lock male - luer lock female	10 x 6	20	1 pc
H	25005 luer record male	2 x 4	24	1 pc
I	25002 luer record male to luer lock female	6 x 23	23	1 pc
J	25003 luer lock female	6 x 11	11	1 pc




## Instrument Cleaning & Maintenance - Preparation Aids



### Y-SHAPED TUBE CONNECTORS


REF	Description	Material	Ø (mm)	Qty
25028	lumen 4 mm	stainless steel	3 x 8	1 pc
<b>A</b> 25100	lumen 4 mm	polypropylene	3 x 5	10 pcs
<b>A</b> 25101	lumen 6 mm	polypropylene	5 x 7	10 pcs
<b>A</b> 25102	lumen 8 mm	polypropylene	7 x 9	10 pcs



### ACCESSORIES

Suitable for washer-disinfectors, blue or stainless steel. Heat resistant 134 °C.

REF	Description	Outer dimensions (mm)	Inner dimensions (mm)	Qty
08881	for 1/1 strainer baskets, frames flexible made of silicone	430 x 230	415 x 210	1 pc
<b>B</b> 09020	for 1/1 strainer baskets, frames rigid made of silicone	445 x 230	425 x 210	1 pc
08114	for 1/1 strainer baskets, frames bendable up to a maximum of 90°, made of silicone	445 x 230	425 x 210	1 pc
<b>C</b> 08846	for 1/2 strainer baskets, frame flexible made of silicone	230 x 205	210 x 185	1 pc
<b>C</b> 08845	for 1/2 strainer baskets, frame rigid made of silicone	235 x 210	215 x 190	1 pc
<b>D</b> 08847	grille cover off stainless steel, rigid	445 x 230	-	1 pc



### PREPARATION ACCESSORIES

REF	Description	Format (mm)	Qty
<b>E</b> 20459	for 8 kidney dishes	460 x 220 x 165	1 pc



## WRAPS & LINERS

Our flexible production methods ensure that the best sizes of wrap can be produced for our Customers, even if these are not industry standard sizes, without compromising performance or protection levels.

Our Barrier Wraps provide a bacterial barrier and protect the contents of a set or pack from contamination. When classed as alcohol repellent, barrier wraps can be used within the sterile field.

Choice Wrap is designed to reduce the risk of rips, tears, and wet packs. Choice SMS are made of polypropylene. Choice Wraps can be interleaved in blue or green to meet the sterilization service user requirements.

All Transport Wraps must be used in conjunction with one compliant Barrier Wrap to completely prevent the ingress of microorganisms. Use of a single barrier layer with Transport Wrap can be a cost-effective solution that reduces damage in handling and transport. If adopted, changes to both wrapping and unwrapping procedures may be required to ensure aseptic opening.

Choice Wrap

Double Wrap


Crepe Wrap

Tray Liners

Indicator Tape and Dispenser

Transport Wrap

Unless otherwise stated, our products are not made with natural rubber latex.





**CHOICE WRAP 55GSM**

A fully synthetic SMS product designed to offer flexibility and enable users to pack conventionally or with 'two layers' at once. Choice Wrap is strong and available with alcohol repellence in both green and blue for use within the sterile field. Wraps are also available with blue and green interleaved. Compatible with steam sterilization. Single use.

**A CHOICE WRAP BLUE**

REF	Format (cm)	Qty
CB060	60 x 60	350 pcs
CB075	75 x 75	300 pcs
CB090	90 x 90	300 pcs
CB100	100 x 100	200 pcs
CB120	120 x 120	120 pcs
CB140	140 x 140	100 pcs
CB1315	130 x 150	100 pcs

**B CHOICE WRAP GREEN**

REF	Format (cm)	Qty
CG060	60 x 60	350 pcs
CG075	75 x 75	300 pcs
CG090	90 x 90	300 pcs
CG100	100 x 100	200 pcs
CG120	120 x 120	120 pcs

**CHOICE WRAP COMBINATION (GREEN /BLUE)**

REF	Format (cm)	Qty
CG/CB060	60 x 60	500 pcs
CG/CB075	75 x 75	200 pcs
CG/CB090	90 x 90	200 pcs
CG/CB100	100 x 100	200 pcs
CG/CB120	120 x 120	100 pcs

A



B







## Wraps & Liners – Choice Wrap



### A CHOICE BLUE ULTRA 73GSM

Choice Blue Ultra is extra strong, drapeable, and available with alcohol repellence for use within the sterile field. Compatible with steam sterilization. Single use.

REF	Format (cm)	Qty
CBU120	120 X 120	120 pcs
CBU140	140 x 140	100 pcs
CBU150	150 x 150	100 pcs
CBU1014	100 x 140	120 pcs

### B CHOICE GREEN WRAP 55GSM

A fully synthetic SMS product designed to offer flexibility and enable users to pack conventionally or with 'two layers' at once. Available with alcohol non repellent in green for use within the sterile field. Compatible with steam and EO sterilization. Single use.

REF	Format (cm)	Qty
CGX090	90 x 90cm	300 pcs
CGX0100	100 x 100cm	200 pcs

A



B





## Wraps & Liners – Double Wrap Choice Together



### A RELIANCE® SOLO WRAP

A two-sheet wrap system, with two colors joined together along the sides. Each sheet is a five-layer nonwoven tray wrap, manufactured from spun-bonded and melt blown polypropylene, providing a wet and dry microbiological barrier. Bonding the wrap simplifies the wrapping process whilst increasing durability to avoid rips, tears or punctures. Wraps are also available interleaved with other compliant barrier layers, or transportation wrap. Compatible with steam and EO sterilization. Single use. Choice Wrap variants meet ISO 11607-1 and EN 868-2 requirements.

#### RELIANCE® SOLO WRAP 200B/G

REF	Format (cm)	GSM	Qty
CT43LGT-90	90 x 90	43gsm	50 pcs
CT43LGT-100	100 x 100	43gsm	50 pcs
CT43LGT-140	140 x 140	43gsm	25 pcs

#### RELIANCE® SOLO WRAP 300B/G

REF	Format (cm)	GSM	Qty
CT50MED-75U	75 x 75	50gsm	66 pcs
CT50MED-90U	90 x 90	50gsm	54 pcs
CT50MED-120U	120 x 120	50gsm	54 pcs
CT50MED-140U	140 x 140	50gsm	36 pcs

#### RELIANCE® SOLO WRAP 400B/G

REF	Format (cm)	GSM	Qty
CT60HVY-120U	120 x 120	60gsm	36 pcs
CT60HVY-140U	140 x 140	60gsm	36 pcs

A







**RELIANCE® NON-WOVEN WRAP 60GSM**

Non-woven wrap is high-performance sterilization material that is suitable for inner and outer wrapping of medium to large trays and packs. Wet laid wrap with 50% cellulose and 50% synthetic fibers that improve strength and increase softness. These products are also available in interleaved green and blue wrap. Single use.

REF	Color	Format (cm)	Qty
<b>A</b> RELBLU100U	blue	100 x 100	204 pcs
RELBLU120	blue	120 x 120	100 pcs
<b>B</b> RELGRN100U	green	100 x 100	204 pcs
RELGRN1315U	green	130 x 150	120 pcs

**RELIANCE® CREPE WRAP 60GSM**

Crepe wrap is suitable for lighter instruments and sets. Manufactured from 100% medical quality cellulose fibers and combines most economical wrapping with good drapeability. Compatible with steam and EO sterilization. Single use.

REF	Color	Format (cm)	Qty
<b>C</b> GRNCREPE060N	green	60 x 60	750 pcs
GRNCREPE075NU	green	75 x 75	174 pcs
GRNCREPE090U	green	90 x 90	126 pcs
GRNCREPE100U	green	100 x 100	126 pcs
GRNCREPE120U	green	120 x 120	126 pcs
<b>D</b> WHCREPE050N	white	50 x 50	750 pcs
WHCREPE060N	white	60 x 60	750 pcs
WHCREPE075NU	white	75 x 75	348 pcs
WHCREPE090U	white	90 x 90	252 pcs
WHCREPE100U	white	100 x 100	252 pcs
WHCREPE120U	white	120 x 120	126 pcs
WHCREPE1315U	white	130 x 150	126 pcs



A



A



#### A TRAY LINERS

Our Tray Liners have high absorbency and rapid dispersion to help remove condensation which encourages dry packs and an effective sterilization process. To be used above or beneath trays. 80 gsm thickness. Compatible with steam sterilization. Single use.

REF	Format (mm)	Qty
TLC004	200 x 305	2000 pcs
TLC005	250 x 250	2400 pcs
TLC006	250 x 500	1200 pcs
TLC007	305 x 410	1000 pcs
TLC008	457 x 550	800 pcs
TLC009	305 x 305	2000 pcs
TLC010	305 x 457	1000 pcs
TLC011	305 x 610	1000 pcs
TLC012	457 x 457	1000 pcs
TLC013	457 x 610	600 pcs
TLC014	250 x 490	1200 pcs
TLC018	305 x 540	1000 pcs
TLC020	350 x 457	1000 pcs
TLC022	360 x 540	1000 pcs
TLC023	356 x 457	1000 pcs
TLC027	350 x 500	1000 pcs
TLC029	250 x 400	1200 pcs
TLC030	350 x 550	1000 pcs
TLC031	270 x 350	1000 pcs
TLC034	330 x 450	1000 pcs
TLC036	305 x 500	1000 pcs
TLC045	400 x 500	1000 pcs
TLC051	250 x 305	2000 pcs
TLC052	305 x 520	1000 pcs
TLC055	250 x 550	1200 pcs
TLC071	240 x 457	1000 pcs
TLC072	178 x 279	2400 pcs
TLC081	305 x 355	1000 pcs
TLC085	250 x 480	1000 pcs
TLC086	180 x 280	1000 pcs
TLC095	290 x 560	1000 pcs
TLC096	250 x 530	1200 pcs
TLC098	275 x 290	2000 pcs
TLC100	305 x 350	1000 pcs

A



#### A TRAY LINERS CONTINUED

Our Tray Liners have high absorbency and rapid dispersion to help remove condensation which encourages dry packs and an effective sterilization process. To be used above or beneath trays. 80 gsm thickness. Compatible with steam sterilization. Single use.

REF	Format (mm)	Qty
TLC102	160 x 260	2400 pcs
TLC108	350 x 610	1000 pcs
TLC109	130 x 230	2000 pcs
TLC110	150 x 250	2000 pcs
TLC114	250 x 415	1000 pcs
TLC115	315 x 525	1000 pcs
TLC116	457 x 500	1000 pcs
TLC122	457 x 630	400 pcs
TLC220	220 x 305	2000 pcs
TLC340	250 x 340	2000 pcs
TLC3535	350 x 350	1000 pcs
TLC3548	350 x 480	1000 pcs

A







Key Surgical tapes are designed for sealing sterilization packaging, such as fleece, paper, and crepe. They are offered with and without an indicator and are used to visually check whether the sterilization process has been carried out.

**INDICATOR TAPES**

For single use.

REF	Format (mm)	Adhesive	Color	Indicator	Color change	Qty
<b>A</b> 01506	25 x 50	strong	blue	steam	green to dark	1 roll
<b>B</b> 01500	19 x 50	strong	blue	steam	green to dark	1 roll
<b>C</b> 01505	24 x 50	standard	white	steam	green to dark	1 roll
<b>D</b> 01130	18 x 50	standard	white	steam (unleaded)	green to black	1 roll
<b>E</b> 01131	19 x 50	standard	beige	EO	red to green	1 roll
<b>F</b> 01151	19 x 50	standard	white	steam	green to brown	1 roll
<b>G</b> LF25TAPE 3390PLAS	25 x 25	standard	white	H <sub>2</sub> O <sub>2</sub>	purple/blue to pink/ red	1 roll




**ADHESIVE TAPES**

For single use.

REF	Format (mm)	Adhesive	Color	Qty
<b>A</b> 01132	19 x 50	standard	white	1 roll
<b>B</b> 01507	25 x 50	standard	white	1 roll
<b>C</b> 01501	19 x 50	strong	blue	1 roll
<b>D</b> 01508	25 x 50	strong	blue	1 roll
<b>E</b> 01502	50 x 50	crepe	brown	1 roll





**LABELED ADHESIVE TAPES**


For single use, not heat resistant.

REF	Format (mm)	Caption	Font	Color	Qty
A 01527	50 x 66	INCOMPLETE	red	white	6 rolls
B 01798	50 x 50	USED MEDICAL INSTRUMENT	red	white	6 rolls
C 01799	50 x 50	DISINFECTED AND STERILE MEDICAL PRODUCTS	green	white	6 rolls

**ACCESSORIES FOR ADHESIVE TAPES**

REF	Description	Qty
D 09000	table dispenser for adhesive labels 120mm wide	1 pc
E 09001	table dispenser for 1 roll of indicator tape	1 pc
F 09002	table dispenser for 2 rolls of indicator tape	1 pc
09005	replacement knife for table dispenser REF 09001	1 pc
09007	replacement knife for table dispenser REF 09035	1 pc
09008	replacement knife for table dispenser REF 09002	1 pc
G 09035	table dispenser for indicator tape up to 25mm strip length can be preset (from approx. 1–10cm)	1 pc
H 09063	table dispenser for 4 rolls of indicator tape and tape up to 25mm, heavy version	1 pc
I 06013	table dispenser for adhesive labels for inside and outside rolls 250mm wide	1 pc

\* Images in German only for reference





A



## Wraps & Liners– Transport Wrap

K

Wraps &amp; Liners

### A TRANSPORT COVER BAGS

Our Transport Cover Bags are made of the same material as the Dry Transport Cover Wraps and can alternatively be sealed with indicator tape. Available in different colors (purple, red, yellow, and orange) and sizes.

REF	Format (mm)	Qty
TCOVER001	400 x 700 x 90	200 pcs
TCOVER002	500 x 700 x 90	200 pcs

### B TRANSPORT WRAP DRY 60GSM

Protection against damaged packs, with strength and tear resistance with a patented absorbent layer. Particularly suitable for use when handling heavy orthopaedic sets. Available in purple, to distinguish from barrier wraps and also helps to support identification during transport and storage. Compatible with steam sterilization. Single use.

REF	Format (cm)	Qty
TDRY090	90 x 90	300 pcs
TDRY120	120 x 120	120 pcs

### CHOICE BLUE AND TRANSPORT WRAP COMBINATIONS

REF	Format (cm)	Qty
CB/TDRY060	60 x 60	350 pcs
CB/TDRY090	90 x 90	300 pcs
CB/TDRY100	100 x 100	200 pcs
CB/TDRY120	120 x 120	120 pcs

B





## INSTRUMENT PROTECTION

The protection of instruments has never been more important. As a result of increasing centralization, the merger of CSSDs and external reprocessing, transport routes are becoming ever longer. This means that sensitive and complex instruments have to be protected not only within your own hospital, but often when being transported off-site.

Instrument Sleeves are made of special cardboard or transparent film and are used to protect high-quality instruments from damage during preparation, transport and storage. The shape of the protectors is not directly adapted to the respective instrument. This has the advantage that these protective sleeves are suitable for the most common instruments as well as for special shapes (such as hooks or knives).

Instrument Tip Caps are designed to extend the life of your instruments. Our tip caps protect your valuable instruments from unnecessary wear or damage, helping reduce repair costs while giving you the peace of mind that your instrument investment is being protected. In addition to protecting and extending the life of your valuable instruments, tip caps also help to protect sterilization packs from puncture and protect employees from sharp instruments.

Available in a variety of shapes and sizes to fit all your instrument protection needs, we have the perfect tip cap for each of your various instruments, from flat caps to twin caps to retractor caps, and they are available with or without perforations, depending on your preference. Our tip caps are radiopaque, single use, and compatible with steam sterilization.

Instrument Sleeves

Instrument Protection Caps Round

Instrument Organizers

Instrument Protection Caps Flat

Special Instrument Protection Caps

Unless otherwise stated, our products are not made with natural rubber latex.



A



B



C



D




## Instrument Protection – Instrument Sleeves

### INSTRUMENT SLEEVES

Instrument Sleeves are used to protect high-quality instruments from damage during preparation, transport, and storage. They are therefore suitable for the most common instruments as well as for special shapes (such as hooks or knives). For single use.

REF	Description	Material	Format* (mm)	Qty
A	01455 hybrid instrument sleeve	cardboard/ film	120 x 32	100 pcs
B	01457 hybrid instrument sleeve to hold hinged instruments open	cardboard/ film	160 x 40	100 pcs
C	01476 instrument sleeve	film	60 x 10	1000 pcs
D	01471 folding borders can be folded inwards to prevent narrow instruments from slipping out	cardboard	105 x 25	1000 pcs
	01477 folding borders can be folded inwards to prevent narrow instruments from slipping out	film	140 x 50	100 pcs
E	01479 for amputation knives, with 8 holes	cardboard	123 x 33	100 pcs
F	01478 for amputation knives, with 8 holes	cardboard	246 x 33	100 pcs
	PPT001 white card		160 x 50	2000 pcs
	PPT002 white card		160 x 50	1000 pcs
	PPT004 white card		160 x 50	1000 pcs

\* Useful length x max. instrument width



K

Instrument Protection

## Instrument Protection – Round Caps

Guards and caps are used to protect premium instruments from damage during transportation, handling and sterilization. Furthermore, they help to protect personnel from cut wounds and minimize reprocessing costs caused by rips or punctures in sterilization packaging.



### ROUND CAPS

For single use.

REF	Description	Color	Format (mm) Ø	Qty
A	3-04-01 perforated	clear	1.6 x 19	100 pcs
B	3-08-01 perforated	white transparent	1.6 x 19	100 pcs
C	3-15-01 perforated	white	1.6 x 19	100 pcs
D	01856 for Verres needles	clear	2.0 x 19	50 pcs
E	3-04-02 perforated	clear	2.0 x 19	100 pcs
F	3-08-02 perforated	blue transparent	2.0 x 19	100 pcs
G	3-15-02 perforated	blue	2.0 x 19	100 pcs
H	3-04-03 perforated	clear	2.8 x 19	100 pcs
I	3-08-03 perforated	green transparent	2.8 x 19	100 pcs
J	3-15-03 perforated	green	2.8 x 19	100 pcs
K	3-04-04 perforated	clear	3.2 x 25	100 pcs
L	3-08-04 perforated	red transparent	3.2 x 25	100 pcs
M	3-15-04 perforated	red	3.2 x 25	100 pcs
N	3-04-99 perforated	clear	4.7 x 38	100 pcs
O	3-04-05 perforated	clear	5.0 x 25	100 pcs
P	3-08-05 perforated	yellow transparent	5.0 x 25	100 pcs
Q	3-15-05 perforated	yellow	5.0 x 25	100 pcs
R	3-04-06 perforated	clear	10 x 19	100 pcs
S	3-08-06 perforated	purple transparent	10 x 19	100 pcs
T	3-15-06 perforated	purple	10 x 19	100 pcs
U	01859 for obturators	clear	10 x 20	25 pcs
V	3-07-03 for MIS instruments	green	4.3 x 29	50 pcs
W	3-07-05 for MIS instruments	yellow	4.3 x 51	50 pcs
X	01857 for obturators	clear	5.0 x 25	25 pcs
Y	01858 for obturators	clear	5.0 x 43	20 pcs
Z	01860 for obturators	clear	9.1 x 66	20 pcs
AA	3-07-09 for MIS instruments	clear	9.0 x 66	50 pcs



PRODUCTS SHOWN ACTUAL SIZE



# Instrument Protection – Tapered Caps

## ROUND CAPS – TAPERED CAPS

For single use.

REF	Color	Format (mm) Ø	Qty	
A	3-11-01	white transparent	2.0 - 3.0 x 38	70 pcs
B	3-12-01	white transparent	2.0 - 3.0 x 51	70 pcs
C	3-11-02	blue transparent	3.0 - 4.0 x 38	70 pcs
D	3-12-02	blue transparent	3.0 - 4.0 x 51	70 pcs
E	3-11-03	green transparent	4.0 - 5.0 x 51	70 pcs
F	3-12-03	green transparent	4.0 - 5.0 x 38	70 pcs
G	3-11-04	red transparent	5.0 - 6.0 x 51	70 pcs
H	3-12-04	red transparent	5.0 - 6.0 x 38	70 pcs
I	3-11-05	yellow transparent	6.0 - 7.0 x 38	70 pcs
J	3-12-05	yellow transparent	6.0 - 7.0 x 51	70 pcs
K	3-11-06	purple transparent	7.0 - 8.0 x 38	70 pcs
L	3-12-06	purple transparent	7.0 - 8.0 x 51	70 pcs
M	3-11-07	orange transparent	8.0 - 9.0 x 38	70 pcs
N	3-12-07	orange transparent	8.0 - 9.0 x 51	70 pcs
O	3-11-08	brown transparent	9.0 - 10 x 38	70 pcs
P	3-12-08	brown transparent	9.0 - 10 x 51	70 pcs
Q	3-11-09	black transparent	10 - 11 x 38	70 pcs
R	3-12-09	black transparent	10 - 11 x 51	70 pcs
S	3-13-03	green transparent	13 - 14 x 38	50 pcs
T	3-14-03	green transparent	15 - 16 x 51	50 pcs
U	3-13-05	yellow transparent	15 - 16 x 38	50 pcs
V	3-14-05	yellow transparent	19 - 20 x 51	50 pcs
W	3-13-07	orange transparent	15 - 16 x 38	50 pcs
X	3-14-07	orange transparent	19 - 20 x 51	50 pcs



PRODUCTS SHOWN ACTUAL SIZE





## Instrument Protection – Flat Caps



### FLAT CAPS

For single use.

REF	Description	Color	Format (mm)	Qty
A	3-04-07 for osteotomes	clear	2.0 x 9.0 x 25	100 pcs
B	3-08-07 for osteotomes	orange transparent	2.0 x 9.0 x 25	100 pcs
C	3-15-07 for osteotomes	orange	2.0 x 9.0 x 25	100 pcs
D	3-04-08 for osteotomes	clear	2.0 x 16 x 25	100 pcs
E	3-08-08 for osteotomes	brown transparent	2.0 x 16 x 25	100 pcs
F	3-15-08 for osteotomes	brown	2.0 x 16 x 25	100 pcs
G	3-04-09 for osteotomes	clear	3.0 x 25 x 25	100 pcs
H	3-08-09 for osteotomes	black transparent	3.0 x 25 x 25	100 pcs
I	3-15-09 for osteotomes	black	3.0 x 25 x 25	100 pcs
J	3-04-11 for osteotomes	clear	6.4 x 19	50 pcs
K	3-08-11 for osteotomes	white transparent	6.4 x 19	100 pcs
L	01807 for osteotomes	clear	9.5 x 25	50 pcs
M	3-08-12 for osteotomes	blue transparent	9.5 x 25	100 pcs
N	01808 for osteotomes	clear	13 x 25	50 pcs
O	3-08-13 for osteotomes	green	13 x 25	100 pcs
P	3-08-15 for osteotomes	yellow	18 x 25	100 pcs
Q	3-04-15 for osteotomes	clear	19 x 25	50 pcs
R	3-04-09 for osteotomes	clear	25 x 25	50 pcs
S	3-04-17 for osteotomes	clear	32 x 32	50 pcs
T	3-08-17 for osteotomes	purple transparent	32 x 32	100 pcs
U	3-04-18 for osteotomes	clear	38 x 38	50 pcs
V	3-08-18 for osteotomes	red	38 x 38	100 pcs
W	3-04-19 for osteotomes	clear	45 x 32	100 pcs
X	01813 for osteotomes	clear	45 x 32	50 pcs
Y	3-08-19 for osteotomes	orange	45 x 32	100 pcs

PRODUCTS SHOWN ACTUAL SIZE

## Instrument Protection – Skin Hook Caps and Retractor Caps



PRODUCTS SHOWN ACTUAL SIZE

### SKIN HOOK CAPS

Protect delicate single and double prong skin hook instrumentation. Radiopaque. Compatible with sterilization. Single use.

REF	Description	Color	Format (mm)	Qty
A	double prong. 2mm apart	clear	4.0 x 19	100 pcs
B	single prong. 2.5-3.5mm hook	clear	4.8 x 19	100 pcs
C	single prong. 5mm hook	clear	6.3 x 19	100 pcs
D	double prong. 5mm apart	clear	6.7 x 19	100 pcs
E	double prong. 7mm apart	clear	9.1 x 19	100 pcs

### SELF-RETAINING AND GELPI RETRACTOR CAPS

Protect a variety of self-retaining retractors including Weitlaner, D'Errico-Adson, Beckman, and Adson retractors. Radiopaque. Compatible with steam sterilization. Single use.

REF	Description	Color	Format (mm)	Qty
F	self-retaining retractor cap	blue transparent	22 x 20	100 pcs
G	self-retaining retractor cap	purple	25 x 25	100 pcs
H	self-retaining retractor cap	orange	25 x 32	100 pcs
I	self-retaining retractor cap	green	45 x 13	100 pcs
J	Gelpi retractors	clear	51	100 pcs
K	Gelpi retractors	clear	76	100 pcs
L	Gelpi retractors	clear	38	100 pcs

## Instrument Protection – Twin Caps

K

Instrument Protection



### TWIN CAPS

For single use.

REF	Description	Color	Format (mm) Ø	Qty
A	3-06-01 NA	white transparent	1.6 x 19	50 pcs
B	3-06-02 NA	blue transparent	2.0 x 19	50 pcs
C	3-06-03 NA	green transparent	2.8 x 19	50 pcs
D	3-06-07 NA	orange transparent	2.0 x 25	50 pcs
E	3-06-04 NA	red transparent	3.2 x 25	50 pcs
F	3-06-05 NA	yellow transparent	5.0 x 25	50 pcs
3-06-50	assortment (1 package of each) 3-06-01, 3-06-02, 3-06-03, 3-06-04, 3-06-05, 3-06-07	clear	-	1 set

### AIRFLOW CAPS™

An alternative to perforated caps, grips on the inside of the cap allow more airflow during sterilization process and assist in easy removal. Radiopaque. Compatible with steam sterilization. Single use.




REF	Color	Format (mm)	Qty
G	clear	2.0 x 16 x 25	100 pcs
H	clear	4.8 x 25	100 pcs
I	clear	9.5 x 25	100 pcs
J	clear	10 x 20	100 pcs
K	clear	25 x 25	100 pcs

PRODUCTS SHOWN ACTUAL SIZE





## Instrument Protection – Instrument Organizers



### INSTRUMENT ORGANIZERS

Designed to help with efficient organization and protection of surgical instruments during the sterilization process. Must be used in conjunction with a sterile barrier system, the organizers feature multiple slots and rows to hold and protect your instruments.

REF	Description	Length (mm)	Width (mm)	Qty
<b>A</b>	CS-DH100 2 rows of 6 pockets	317.5	438.1	100 pcs
<b>B</b>	CS-DH102 2 rows of 6 pockets with slots in pocket	304.8	444.5	100 pcs
<b>C</b>	CS-DH200 2 rows of 6 notched pockets with tape closure strips	273	482.6	100 pcs
<b>D</b>	CS-DH300 2 rows of 6 pockets with foldover flap	412.7	444.5	100 pcs
<b>E</b>	CS-DH505 single pocket	127	146	100 pcs
<b>F</b>	CS-DH512 single pocket	127	305	100 pcs





## TAGS

Our tags allow you to indicate special handling instructions, secure trays and carts from tampering and quickly identify priority instruments for repair and sterilization. Tags are available in a wide range of styles, colors and locking configurations. Printed tags with special handling instructions, as well as uniquely numbered tags, are available as a standard product. Need a customized tag? We can do that for you!

Write-On Tags allow you to write specific handling instructions on each tag when more detailed communication is necessary. These tags attach to instruments and trays with ties, and are larger and more visible than other tags, ensuring that detailed instructions will be seen easily.

Metal Tray Tags clip onto the edge of a tray and provide ample space for identification, tracking and barcoding needs. Made with stainless steel for durability.

[Plastic Tray Tags](#)

[Clamp Tag Holders](#)

[Metal Tray Tags](#)

[Tags Accessories](#)

[One-Loop Tags](#)

[Self-Tie Tags](#)

[Write-On Tags](#)



Unless otherwise stated, our products are not made with natural rubber latex.

## Tags - Plastic Tray Tags





### TRAY TAGS FOR COLOR CODING

Durable, plastic tags designed for use on instrument trays. Tray tags provide a flat surface for barcode placement. Great for color coding. Compatible with steam and H<sub>2</sub>O<sub>2</sub> sterilization. Designed to be attached to a tray using a fastener such as a ring or clip.

REF	Color	Format (mm)	Qty
A 01900	red	90 x 33	100 pcs
B 01901	green	90 x 33	100 pcs
C 01902	light blue	90 x 33	100 pcs
D 01904	white	90 x 33	100 pcs
E 01905	orange	90 x 33	100 pcs
F 01912	black	90 x 33	100 pcs
G 01956	brown	90 x 33	100 pcs
H 01962	dark blue	90 x 33	100 pcs
I 01976	pink	90 x 33	100 pcs
J 01977	purple	90 x 33	100 pcs
<b>K</b> 02274	light red	90 x 33	100 pcs
L 02275	gray	90 x 33	100 pcs

FIRST TAG SHOWN ACTUAL SIZE

## Tags- Plastic Tray Tags



### TAGS FOR BASKET IDENTIFICATION WITH 2 HOLES

Durable, plastic tags designed for use on instrument trays. Tray tags provide a flat surface for barcode placement. Great for color coding. Compatible with steam and H<sub>2</sub>O<sub>2</sub> sterilization. The tags are designed to be attached to a tray using a fastener such as a ring or clip.

REF	Color	Format (mm)	Qty
<b>A</b> 01948	white	60 x 40	100 pcs
<b>B</b> 01949	red	60 x 40	100 pcs
<b>C</b> 01950	green	60 x 40	100 pcs
<b>D</b> 01969	dark blue	60 x 40	100 pcs
<b>E</b> 01951	light blue	60 x 40	100 pcs
<b>F</b> 01952	orange	60 x 40	100 pcs
<b>G</b> 01953	black	60 x 40	100 pcs
<b>H</b> 01954	yellow	60 x 40	100 pcs
<b>I</b> 01990	pink	60 x 40	100 pcs
<b>J</b> 01991	purple	60 x 40	100 pcs
<b>K</b> 02278	brown	60 x 40	100 pcs
<b>L</b> 02279	ochre yellow	60 x 40	100 pcs

FIRST TAG SHOWN ACTUAL SIZE

K


Tags



## PLASTIC TRAY TAGS

Tray tags simplify the identification of sets or instruments and provide a useful means of labelling items for tracking and tracing. All tags are produced to withstand the rigorous decontamination cycle. Available in 18 colors. Tray tags can be attached to trays using either a split ring or a cable tie.

REF	Color	Format (mm)	Qty
<b>A</b> TAG020	black	90 x 38	100 pcs
<b>B</b> TAG018	gray	90 x 38	100 pcs
<b>C</b> TAG027	sky blue	90 x 38	100 pcs
<b>D</b> TAG026	royal blue	90 x 38	100 pcs
<b>E</b> TAG023	turquoise	90 x 38	100 pcs
<b>F</b> TAG017	green	90 x 38	100 pcs
<b>G</b> TAG021	lime	90 x 38	100 pcs
<b>H</b> TAG013	yellow	90 x 38	100 pcs
<b>I</b> TAG014	orange	90 x 38	100 pcs
<b>J</b> TAG015	red	90 x 38	100 pcs
<b>K</b> TAG012	brown	90 x 38	100 pcs
<b>L</b> TAG011	white	90 x 38	100 pcs
TAG016	blue	90 x 38	100 pcs
TAG019	purple	90 x 38	100 pcs
TAG022	pink	90 x 38	100 pcs
TAG024	mustard	90 x 38	100 pcs
TAG025	terracotta	90 x 38	100 pcs
TAG55WH	white	90 x 55	100 pcs



WHITE TAG SHOWN ACTUAL SIZE






A



B

C



D

**PTL TAGS**

Our PTL tray tags are compatible with P-touch and laser inscription including text and barcode. For multiple use and heat-resistant up to 134 °C.

REF	Color	Format Ø (mm)	Qty
A 01546	gray	25	100 pcs

**PTL TIE-ON TAGS WITH 4 HOLES**

PTL tie-on tags are designed for multiple use. They can be attached to the tray by using REF 01589. These are compatible with P-touch and laser inscribed including text and barcode. Heat-resistant up to 134 °C.


REF	Color	Format (mm)	Qty
B 02253	light blue	90 x 40	100 pcs
C 02254	white	90 x 40	100 pcs

**MESH TRAY TAGS**

These reusable tags are not suitable for P-touch, and laser marking is not possible. Heat-resistant up to 134 °C.

REF	Description	Format (mm)	Qty
D 01421	perforated	90 x 50	150 pcs
D 01422	perforated	90 x 33	200 pcs

## Tags - Plastic Tray Tags




### PLASTIC TRAY TAGS

Durable, plastic tags designed for use on instrument trays. Tray tags provide a flat surface for barcode placement. Great for color coding. Compatible with steam and H<sub>2</sub>O<sub>2</sub> sterilization. Tags include a built-in clip on the back.

REF	Color	Format (mm)	Qty
A 01563	yellow	30 x 30	25 pcs
B 01913	white	30 x 30	25 pcs
C 01914	red	30 x 30	25 pcs
D 01915	green	30 x 30	25 pcs
E 01916	light blue	30 x 30	25 pcs
F 01917	orange	30 x 30	25 pcs
G 01919	ochre yellow	30 x 30	25 pcs
H 01961	brown	30 x 30	25 pcs
I 01981	purple	30 x 30	25 pcs
J 01561	yellow	55 x 30	25 pcs
K 01920	white	55 x 30	25 pcs
L 01921	red	55 x 30	25 pcs
M 01922	green	55 x 30	25 pcs
N 01923	light blue	55 x 30	25 pcs
O 01924	orange	55 x 30	25 pcs
P 01925	black	55 x 30	25 pcs
Q 01926	ochre yellow	55 x 30	25 pcs
R 01960	brown	55 x 30	25 pcs
S 01965	dark blue	55 x 30	25 pcs
T 01982	pink	55 x 30	25 pcs
U 01983	purple	55 x 30	25 pcs

FIRST TAG SHOWN ACTUAL SIZE

## Tags - Plastic Tray Tags







### PLASTIC TRAY TAGS

Durable, plastic tags designed for use on instrument trays. Tray tags provide a flat surface for barcode placement. Great for color coding. Compatible with steam and H<sub>2</sub>O<sub>2</sub> sterilization. Tags include a built-in clip on the back.

REF	Color	Format (mm)	Qty
A 01927	white	70 x 30	25 pcs
B 01928	red	70 x 30	25 pcs
C 01929	green	70 x 30	25 pcs
D 01930	light blue	70 x 30	25 pcs
E 01931	orange	70 x 30	25 pcs
F 01932	black	70 x 30	25 pcs
G 01933	ochre yellow	70 x 30	25 pcs
H 01966	dark blue	70 x 30	25 pcs
I 01985	purple	70 x 30	25 pcs
J 01564	yellow	90 x 30	25 pcs
<b>K</b> 01934	white	90 x 30	25 pcs
L 01935	red	90 x 30	25 pcs
M 01936	green	90 x 30	25 pcs
N 01937	light blue	90 x 30	25 pcs
O 01938	orange	90 x 30	25 pcs
P 01939	black	90 x 30	25 pcs
Q 01940	ochre yellow	90 x 30	25 pcs
R 01958	brown	90 x 30	25 pcs
S 01967	dark blue	90 x 30	25 pcs

FIRST TAG SHOWN ACTUAL SIZE

## Tags - PTL Insert Labels



FIRST TAG SHOWN ACTUAL SIZE


### PTL INSERT LABELS

PTL insert labels are reusable. They are suitable for REF 01548, 01497, 01498 and 01995 as well as container holders. These are P-touch compatible and laser labeling including text and barcode is possible. Compatible with steam sterilization and heat-resistant up to 134 °C.

REF	Color	Format (mm)	Qty
A	white	55 x 35	25 pcs
B	red	55 x 35	25 pcs
C	green	55 x 35	25 pcs
D	light blue	55 x 35	25 pcs
E	yellow	55 x 35	25 pcs
F	orange	55 x 35	25 pcs
G	dark blue	55 x 35	25 pcs
H	pink	55 x 35	25 pcs
I	purple	55 x 35	25 pcs
	black	55 x 35	25 pcs
K	white	56 x 18	25 pcs
L	red	56 x 18	25 pcs
M	green	56 x 18	25 pcs
N	light blue	56 x 18	25 pcs
O	yellow	56 x 18	25 pcs
P	orange	56 x 18	25 pcs
Q	black	56 x 18	25 pcs
R	dark blue	56 x 18	25 pcs
S	pink	56 x 18	25 pcs
T	purple	56 x 18	25 pcs
U	gray	56 x 18	25 pcs
V	coral red	56 x 18	25 pcs
W	white	70 x 35	25 pcs
X	red	70 x 35	25 pcs
Y	green	70 x 35	25 pcs
Z	dark blue	70 x 35	25 pcs
AA	yellow	70 x 35	25 pcs
BB	black	70 x 35	25 pcs
CC	white	90 x 35	25 pcs
DD	red	90 x 35	25 pcs
EE	green	90 x 35	25 pcs
FF	light blue	90 x 35	25 pcs
GG	dark blue	90 x 35	25 pcs
HH	yellow	90 x 35	25 pcs
	black	90 x 35	25 pcs



## Tags - Clamp Holders



### CLAMP HOLDER MADE OF STAINLESS STEEL

Durable and reusable holders made of stainless steel and heat-resistant.

REF	Description	Format (mm)	Qty
A 01548	tag holder with side flap, suitable for PTL insertion labels	60 x 40	25 pcs
B 01497	tag holder, suitable for PTL insert and aluminum tags	50 x 20	25 pcs
C 01498	tags holder, suitable for PTL tags	60 x 40	25 pcs
D 01995	tag holder for wire baskets	80 x 30	25 pcs

### ALUMINUM LABELS


Suitable for narrow inserts on containers and laser marking.

REF	Color	Format (mm)	Qty
E 28500	silver	18 x 50	25 pcs
F 28501	blue	18 x 50	25 pcs
G 28502	red	18 x 50	25 pcs
H 28503	yellow	18 x 50	25 pcs
I 28504	green	18 x 50	25 pcs
J 28505	black	18 x 50	25 pcs



FIRST TAG SHOWN ACTUAL SIZE


## Tags - Metal Tags



### TAGS MADE OF STAINLESS STEEL FOR SIEVE TRAY LABELING

Durable tags made of stainless steel. Reusable and heat-resistant.

REF	Description	Format (mm)	Qty
<b>A</b> 01444	label	90 x 50	50 pcs
<b>B</b> 01445	label	90 x 33	50 pcs
<b>C</b> 01452	tag with hole (4 x 9mm)	Ø 25	50 pcs
<b>D</b> 01453	tag with hole (4 x 9mm)	Ø 50	50 pcs
<b>E</b> 01588	tie-on tag with hole (6 x 10mm)	65 x 24	50 pcs
<b>F</b> 01449	clip label	90 x 30	50 pcs
<b>G</b> 01454	clip label	90 x 50	50 pcs
<b>H</b> 01559	clip label	55 x 30	50 pcs
<b>I</b> 01493	clip label	30 x 30	50 pcs
<b>J</b> 01590	clip label, suitable for double frame	75 x 35	50 pcs
<b>K</b> 01520	clip label, suitable for double frame	42 x 36	50 pcs



FRONT

BACK

TAGS SHOWN ACTUAL SIZE



**STOPPERS FOR TRAY ACCESSORIES**

Stoppers designed to secure tray accessories such as labels, tags, corner protectors, among others.

REF	Description	Material	Color	Qty
A 09097	-	silicone	white	100 pcs
B 09225	-	silicone	blue	100 pcs
C 09226	-	silicone	red	100 pcs
D 09227	-	silicone	yellow	100 pcs
E 09228	-	silicone	green	100 pcs
F 09230	-	plastic	white	100 pcs
G 09465	modell 2013	silicone	pink	100 pcs
H 09466	modell 2013	silicone	transparent	100 pcs
I 09468	modell 2013	silicone	red	100 pcs
J 09470	modell 2013	silicone	green	100 pcs
K 09487	mini, for attaching sieve tray labels to perforated plate mesh trays	silicone	transparent	100 pcs


**ACCESSORIES TO SECURE TRAY ACCESSORIES**

REF	Description	Format (mm)	Qty
L 01589	clipper for tie-on tag; with holes REF 01588 and in particular REF 02253 - 02255	40	5 pcs
M 01458	key ring for affixing sieve tray tags	Ø 20	100 pcs
N 08443	bolts with raised head	4.0 x 8.0	50 pcs
O 08952	bolts	1.6 x 6.0	100 pcs
P 08953	flat washers	1.6 x 4.0	100 pcs
Q 08954	flat washers	2.0 x 7.0	100 pcs
R 08444	cap nuts for bolts (REF 08443)	4.0 x 8.0	50 pcs
S 08955	nuts	1.6	100 pcs
T 08477	clamping fixture set comprising: - 1 x cap nut - 1 x flat washer - 1 x fixing plate	4.0	100 pcs





## Tags – One-Loop Tags




### ONE-LOOP TAGS

One-Loop Tags are used for color identification of trays and containers between departments. They are heat-resistant and can be used throughout the entire reprocessing cycle. In addition to the standard labels, we offer customized prints and colors (for more information, please contact your local sales representative). Single use.

REF	Color	Format (mm)	Qty
<b>A</b> 09634	white	160 x 35	250 pcs
<b>B</b> 09637	red	160 x 35	250 pcs
<b>C</b> 09636	green	160 x 35	250 pcs
<b>D</b> 09638	yellow	160 x 35	250 pcs
<b>E</b> 09676	brown	160 x 35	250 pcs
<b>F</b> 09635	blue	160 x 35	250 pcs
09268	white	206 x 110	250 pcs
<b>G</b> 9599	white	206 x 110	250 pcs
<b>G</b> 9751	white	240 x 50	250 pcs






**ONE-LOOP TAGS CONTINUED**

One-Loop Tags are used for color identification of trays and containers between departments. They are heat-resistant and can be used throughout the entire reprocessing cycle. In addition to the standard labels, we offer customized prints and colors (for more information, please contact your local sales representative). Single use.

REF	Color	Format (mm)	Qty
A 09264	blue	236 x 50	250 pcs
A 09566	blue one-sided	240 x 50	250 pcs
B 09267	yellow	236 x 50	250 pcs
B 09569	yellow one-sided	240 x 50	250 pcs
C 09265	green	236 x 50	250 pcs
C 09567	green one-sided	240 x 50	250 pcs
D 09269	orange	236 x 50	250 pcs
E 09266	red	236 x 50	250 pcs
E 09568	red one-sided	240 x 50	250 pcs
F 09244	white	236 x 50	250 pcs
F 09244SP	white	240 x 50	250 pcs
G 08338	pink one-sided	240 x 50	250 pcs
08337	light blue	240 x 50	250 pcs



Tags



## Tags – One-Loop Tags

### PREPRINTED LABELS

Available in various colors and sizes . Minimum order requirement of 3,000 labels.

	REF	Description	Color	Format (mm)	Qty
A	09570	URGENT	green	240 x 50	250 pcs
B	08378	URGENT	red	240 x 50	250 pcs
C	08320	à réparer	red	240 x 50	250 pcs
D	09564	Defective Product	red	240 x 50	250 pcs
E	09755	Team-Time-out	red	240 x 50	250 pcs
F	09790	Endovesical	red	240 x 50	250 pcs
G	09752	Sharpen	red	150 x 35	250 pcs
H	08328	incomplet	yellow	240 x 50	250 pcs
I	08327	En dépôt	orange	240 x 50	250 pcs
J	09753	Repair	orange	150 x 35	250 pcs
K	09789	Station	blue	240 x 50	250 pcs
L	08319	En prêt	violet	240 x 50	250 pcs
M	18038	En prêt	violet	150 x 35	250 pcs
N	09565	ORSOS	white	240 x 50	250 pcs
O	09762	Calendar	white	240 x 50	250 pcs

K

Tags

## Tags – Self-Tie Tags



### SELF-TIE TAGS


Self-Tie Tags are designed for the identification of trays that are to be steam sterilized. Plain tag with dumbbell self-tie. Single use.

REF	Description	Format (mm)	Qty
A 09691	reel 5,000 pcs	160 x 19	1 roll
B 09399	reel 600 pcs	254 x 42	1 roll

### POLYPROPYLENE TRAY TAGS


Compatible with steam sterilization and heat-resistant up to 134 °C, suitable for washer-disinfectors.

REF	Color	Lettering field size (mm)	Length (mm)	Qty
C 09679	white	50 x 30	200	100 pcs
D 09681	green	50 x 30	200	100 pcs
E 09683	yellow	50 x 30	200	100 pcs



### STAINLESS STEEL RACK FOR TRAY TAGS

REF	Description	Format (mm)	Qty
F 20441	3 hooks, 4 self-adhesive feet (12.7 x 1.8mm)	188 x 100 x 255	1 pcs
G 20442	6 hooks, 4 self-adhesive feet (12.7 x 1.8mm)	368 x 100 x 255	1 pcs








**WRITE-ON TAGS**

Durable and economical. Identify and record specific instructions with these versatile tags. Tamper-resistant. Compatible with steam and H<sub>2</sub>O<sub>2</sub> sterilization. Customizable. 76 x 127mm. Each package includes 100 cable ties and a lab marker. Single use.


REF	Description	Color	Qty
A WT-0009	BLANK	black	100 pcs
B WT-0102	VENDOR	blue	100 pcs
C WT-0203	LOANER	green	100 pcs
D WT-0304	PRIORITY	red	100 pcs
E WT-0405	RE-RUN	yellow	100 pcs
F WT-0507	BROKEN	orange	100 pcs
G WT-1911	MISSING	pink	100 pcs
H RT-100	BROKEN DO NOT USE	white	100 pcs
I RT-200	BLANK	white	100 pcs







A DOUBLE-SIDED



B DOUBLE-SIDED



C DOUBLE-SIDED

**WRITE-ON TAGS**

Durable and economical. Identify and record specific instructions with these versatile tags. Tamper-resistant. Compatible with steam and H<sub>2</sub>O<sub>2</sub> sterilization. Customizable. 76 x 127mm. Each package includes 100 cable ties and a lab marker. Single use.

	REF	Description	Color	Qty
A	WT-2614	LOANER	light green	100 pcs
B	WT-2715	VENDOR	light blue	100 pcs
C	WT-3217	QUICK TURNOVER	blue	100 pcs

## TRAYS & ACCESSORIES

Strict requirements have to be met when it comes to the reprocessing of various instruments and medical devices. Key Surgical offers a wide range of solutions for the optimization of the reprocessing cycle.

In order to meet the needed requirements, we offer sieve baskets and sterilization trays in a variety of designs, sizes and made of premium material for versatile use (e.g., ophthalmology).

In the Key Surgical product portfolio you will also find comprehensive sieve tray accessories for multiple applications and to protect your sensitive instruments.

Wire Containers

Perforated Plate Mesh Trays

Wire Baskets

Special Sieve Trays

Plastic Sterilization Trays

Instrument Stringers

Silicone Inserts and Sieve Organization

Unless otherwise stated, our products are not made with natural rubber latex.





## Trays & Accessories - Wire Containers

Key Surgical supplies a wide range of stainless steel sieve trays which supports optimal and efficient processes. Our wire containers (Kögel sieve baskets) with a long shelf life are available in DIN and ISO formats in the most widely used sizes, with different mesh grid size and designs.

### SIEVE TRAY WITH DROP HANDLES

Made of high quality stainless steel.

REF	Lid	Format (mm)	Mesh size (mm)	Qty
<b>A</b> 08909	no	250 x 240 x 50	6.0 x 6.0	1 pc
<b>B</b> 08951	no	280 x 160 x 30	5.0 x 5.0	1 pc
<b>B</b> 08908	no	400 x 250 x 70	6.0 x 6.0	1 pc
<b>C</b> 08580	yes	540 x 250 x 50	3.0 x 3.0	1 pc
<b>D</b> 08801	yes	725 x 275 x 113	5.0 x 5.0 x 1.0	1 pc



## Trays & Accessories – Wire Containers



### SMALL PARTS SIEVES WITH LID

Made of stainless steel.

REF	Lid	Format (mm)	Mesh size (mm)	Qty
<b>A</b> 08910	yes	40 x 40 x 25	1.0 x 1.0	1 pc
<b>B</b> 08896	yes	40 x 40 x 25	3.0 x 3.0	1 pc
<b>C</b> 08897	yes	80 x 40 x 20	3.0 x 3.0	1 pc
<b>C</b> 08935	yes	80 x 40 x 25	1.0 x 1.0	1 pc
<b>D</b> 08435	yes	80 x 40 x 30	1.6 x 1.6	1 pc
<b>E</b> 08900	yes	80 x 40 x 40	3.0 x 3.0	1 pc
<b>F</b> 08901	yes	80 x 80 x 40	3.0 x 3.0	1 pc
<b>F</b> 08763	yes	80 x 80 x 40	5.0 x 5.0	1 pc
08902	yes	90 x 90 x 50	3.0 x 3.0	1 pc
08903	yes	140 x 110 x 20	3.0 x 3.0	1 pc
<b>G</b> 08911	yes	80 x 80 x 40	1.0 x 1.0	1 pc
08931	yes	150 x 110 x 20	1.0 x 1.0	1 pc
<b>H</b> 08434	yes	80 x 80 x 40	1.6 x 1.6	1 pc
<b>I</b> 08912	yes	160 x 40 x 20	1.0 x 1.0	1 pc
<b>K</b> 08898	yes	160 x 40 x 20	3.0 x 3.0	1 pc
<b>J</b> 08904	yes	180 x 130 x 20	3.0 x 3.0	1 pc

A



B



C



D



E



F



G



H



I



K





J





## Trays & Accessories – Wire Containers




### SMALL PARTS SIEVES

Made of stainless steel.

REF	Lid	Format (mm)	Mesh size (mm)	Qty
<b>A</b> 08936	yes	200 x 40 x 40	1.0 x 1.0	1 pc
<b>B</b> 08899	yes	200 x 40 x 40	3.0 x 3.0	1 pc
<b>C</b> 08948	yes	200 x 60 x 40	3.0 x 3.0	1 pc
<b>D</b> 08772	yes	210 x 80 x 40	5.0 x 5.0	1 pc
<b>E</b> 08905	yes	210 x 170 x 20	3.0 x 3.0	1 pc
08945	yes	220 x 140 x 54	1.6 x 1.6	1 pc
<b>F</b> 08957	yes	230 x 150 x 50	1.0 x 1.0	1 pc
08906	yes	250 x 200 x 20	3.0 x 3.0	1 pc
08875	yes	300 x 150 x 70	1.0 x 1.0	1 pc
<b>G</b> 08950	yes	300 x 150 x 70	4.0 x 4.0	1 pc



A



B



C



D



F



G




**KÖGEL SYSTEM SIEVE TRAYS AND SETS, COMPLYING WITH DIN STE STANDARD**

Material: chromium-nickel steel 18/10 (1.4301), electrolytically polished, burr-free, with double peripheral safety frame (DBGM).

REF	Description	DIN StE standard	Format (mm)	Mesh size	Qty
A 08400	1 x system small parts sieve with clamps lid for variable partitioning: 1 x lengthwise divider 1/1 1 x crosswise divider 1/1 1 x crosswise divider 2/3 1 x crosswise divider 1/3 8 x T-clamps	1/1	480 x 250 x 57	2.5 x 2.5 x 0.7	1 set
B 08402	1 x system small parts sieve with clamps lid	1/2	236 x 236 x 28	1.0 x 1.0 x 0.5	1 set
C 08403	system sieve with lid optional	1/2	236 x 236 x 28	1.0 x 1.0 x 0.5	1 pc
D 08469	1 x system small parts sieve with clamps lid	1/3	466 x 74 x 28	1.0 x 1.0 x 0.5	1 set
F 08471	1 x system small parts sieve with clamps lid	1/2	236 x 236 x 28	2.5 x 2.5 x 0.7	1 set
F 08472	1 x system small parts sieve with clamps lid	1/2	236 x 236 x 46	2.5 x 2.5 x 0.7	1 set
08922	system sieve with lid optional	1/2	236 x 236 x 46	2.5 x 2.5 x 0.7	1 pc
G 08827	2 x system sieves	1/2	240 x 240 x 70	4.0 x 4.0	1 set





**KÖGEL SYSTEM SIEVE COMPLYING WITH DIN AND ISO STANDARD**

Material: chromium-nickel steel (1.4301).

REF	Lid	DIN StE standard	Format (mm)	Mesh size (mm)	Qty
A 08415	no	1/2	240 x 250 x 50	4.0 x 4.0	1 pc
B 08416	no	1/1	480 x 250 x 50	4.0 x 4.0	1 pc
B 08417	no	1/1	480 x 250 x 70	5.0 x 5.0	1 pc
B 08808	no	1/1	480 x 250 x 100	5.0 x 5.0	1 pc
B 08809	no	XL	560 x 250 x 50	4.0 x 4.0	1 pc
B 08810	no	XL	560 x 250 x 70	5.0 x 5.0	1 pc

**KÖGEL LID FOR SYSTEM SIEVES, COMPLYING WITH DIN STE STANDARD**


Material: chromium-nickel steel 18/10 (1.4301), electrolytically polished, burr-free, with double peripheral safety frame (DBGM).

REF	Description	Format (mm)	Mesh size (mm)	Qty
C 08446	suitable for REF 08401 and 08403, incl. 2 clamps	236 x 236 x 7.0	1.0 x 1.0	1 pc






B



C



D



**KÖGEL SYSTEM SCREENS, COMPLYING WITH DIN STE STANDARD**

Material: chromium-nickel steel 18/10.

REF	Description	Lid	DIN StE standard	Format (mm)	Mesh size (mm)	Qty
A	08830 system sieve	optional	1/1	480 x 240 x 50	4.0 x 4.0 x 1.0	1 pc
	08831 system sieve	optional	1/1	480 x 240 x 70	5.0 x 5.0 x 1.0	1 pc
B	08836 lid for REF 08831 incl. 2 fixed clamps	-	1/1	482 x 241 x 8	4.0 x 4.0	1 pc
B	08837 lid for REF 08831 incl. 2 removable clamps	-	1/1	482 x 241 x 8	4.0 x 4.0	1 pc
C	08832 system sieve	optional	1/2	240 x 250 x 50	4.0 x 4.0 x 1.0	1 pc
D	08840 lid for system sieve 1/2 incl. 2 fixed clamps	-	1/2	242 x 241 x 8	4.0 x 4.0	1 pc






## Trays & Accessories – Wire Containers

### KÖGEL SYSTEM SMALL PARTS SIEVE, COMPLYING WITH DIN STE STANDARD

Material: chromium-nickel steel 18/10 (1.4301), electrolytically polished, burr-free, with a safe double frame (DBGM).

REF	Description	Lid	DIN StE standard	Format (mm)	Mesh size (mm)	Qty
A	08463 set with lid and clamps	yes	1/4	236 x 121 x 28	1.0 x 1.0 x 0.5	1 set
A	08465 without lid and clamps	no	1/4	236 x 121 x 28	1.0 x 1.0 x 0.5	1 pc
A	08467 lid for REF Including 2 clamps	-	-	236 x 121 x 7,0	1.0 x 1.0 x 0.5	1 pc
B	08464 set with lid and clamps	yes	1/4	236 x 121 x 28	2.5 x 2.5 x 0.7	1 set
C	08466 without lid and clamps	no	1/4	236 x 121 x 28	2.5 x 2.5 x 0.7	1 pc
	08468 lid for REF Including 2 clamps	-	-	236 x 121 x 7,0	2.5 x 2.5 x 0.7	1 pc
D	08404 set with lid and clamps	yes	1/4	236 x 121 x 46	2.5 x 2.5 x 0.7	1 set
E	08405 without lid and clamps	no	1/4	236 x 121 x 46	2.5 x 2.5 x 0.7	1 pc
F	08454 set with lid and clamps	yes	1/6	236 x 121 x 28	1.0 x 1.0 x 0.5	1 set
G	08457 without lid and clamps	no	1/6	236 x 73,5 x 28	1.0 x 1.0 x 0.5	1 pc
	08461 lid for REF Including 2 clamps	-	-	236 x 73,5 x 7,0	1.0 x 1.0 x 0.5	1 pc
H	08448 set with lid and clamps	yes	1/8	121 x 121 x 29	1.0 x 1.0 x 0.5	1 set





### KÖGEL SYSTEM SMALL PARTS SIEVE, COMPLYING WITH DIN STE STANDARD

Material: chromium-nickel steel 18/10 (1.4301), electrolytically polished, burr-free, with double peripheral safety frame (DBGM).

REF	Description	Lid	DIN StE standard	Format (mm)	Mesh size (mm)	Qty
A	lid for REF including 2 clamps	yes	1/8	121 x 121 x 29	2.5 x 2.5 x 0.7	1 set
B	lid for REF including 2 clamps	no	1/8	121 x 121 x 47	2.5 x 2.5 x 0.7	1 set
C	set with lid and clamps	yes	1/16	121 x 73 x 29	1.0 x 1.0 x 0.5	1 set
D	set with lid and clamps	yes	1/32	63 x 63 x 23.4	1.0 x 1.0 x 0.5	1 set







**KÖGEL WIRE CONTAINERS**

Material: chromium-nickel steel 18/10 (1.4301), electrolytically polished with base stacking frame, closed wire loops welded centrally below the upper frame.

REF	Description	Lid	DIN StE standard	Format (mm)	Qty
A 08421	wire container	no	NA	230 x 150 x 125	1 pc
A 08420	wire container	no	NA	327 x 189 x 200	1 pc
B 08418	wire container	no	1/2	575 x 280 x 132	1 pc
B 08419	wire container	no	1/1	575 x 280 x 260	1 pc

**HUPFER STERILIZATION BASKETS , COMPLYING WITH DIN STE STANDARD**

Made of stainless steel.

REF	Description	Lid	DIN StE standard	Format (mm)	Qty
75.0005.9	sieve tray with drop handles	no	1/1	480 x 250 x 50	1 pc
75.0004.8	sieve tray with drop handles	no	1/1	480 x 250 x 70	1 pc
C 08958	sterile items basket, including foldable rails for stacking	no	1/2	600 x 292 x 138	1 pc
75.0007.0	sieve tray with drop handles	no	1/2	540 x 252 x 60	1 pc



**WIRE CONTAINERS**


Made of stainless steel.

REF	Description	Lid	Format (mm)	Qty
B BLSFL0130	mesh basket made of stainless steel	no	280 x 580 x 130	1 pc
B BLSFL0260	mesh basket made of stainless steel	no	280 x 580 x 260	1 pc





## Trays & Accessories – Special Sieve Trays




### KÖGEL SYSTEM TRAYS AND MATCHING LIDS IN DIN STE STANDARD FOR RIGID SCOPES

Material: chormium-nickel steel 18/10 (1.4301), electrolytically polished, burr-free, sieve and lid with double peripheral safety frame (DBGM).

REF	Description	Lid	Format (mm)	Mesh size (mm)	Qty
A 08462	lid for system small parts sieve - REF 08459 incl. 2 clips	-	296 x 74 x 7.0	2.5 x 2.5 x 0.7	1 pc
B 08453	system small parts sieve incl. clamps	yes	236 x 74 x 47	2.5 x 2.5 x 0.7	1 pc
C 08470	system small parts sieve incl. clamps	yes	466 x 74 x 47	2.5 x 2.5 x 0.7	1 pc



## Trays & Accessories – Special Sieve Trays






### SIEVE TRAYS FOR SPECIAL APPLICATIONS

REF	Description	Lid	Format (mm)	Qty
<b>A</b> 64/5V	sterilization basket for Si® EndoWrist® instrument incl. 2 silicone instrument holders	yes	600 x 120 x 80	1 pc
<b>A</b> 64/5V000	sterilization basket for a Si EndoWrist instrument for Da Vinci®	yes	600 x 120 x 80	1 pc
<b>B</b> 08774	sieve basket with lid for Da Vinci arms, mesh size: 5.5 x 5.5 mm, made of stainless steel, suitable for: Silicone holder REF A327593, suitable for Da Vinci systems 470006 and 470179	yes	635 x 95 x 60	1 pc
08798	sterilization tray for an endoscope, with a small sieve basket	yes	640 x 150 x 77	1 pc
<b>C</b> 64/5DVXL-SLIM	sieve tray for Da Vinci XI system	no	640 x 340 x 100	1 pc
79DVXL-1	sterilization tray for an endoscope	yes	670 x 80 x 52	1 pc
<b>D</b> 79DVXL	sterilization basket for Da Vinci, with appropriate clamps and ideally suited for sterilization and cleaning, and rinsing connections can be locked with the lid	yes	683 x 354 x 101	1 pc



## Trays & Accessories – Plastic Sterilization Trays




### STERILIZATION TRAYS AND CASSETTES TO PROTECT INSTRUMENTS

Trays and cassettes exclusively for sterilization and instrument storage. Made of plastic.

REF	Description	Format (mm)	Heat resistance	Qty
A 08886	with lid and silicone studded mat	150 x 60 x 20	up to 134 °C	1 pc
B 08885	with lid and silicone studded mat	185 x 50 x 20	up to 134 °C	1 pc
08892	with lid and silicone studded mat	185 x 75 x 20	up to 134 °C	1 pc
08890	with lid and silicone studded mat	190 x 100 x 20	up to 134 °C	1 pc
C 08887	with lid (+ hinges) and silicone studded mat	270 x 160 x 15	up to 134 °C	1 pc
D 08888	with lid (+ hinges) and silicone studded mat	270 x 160 x 35	up to 134 °C	1 pc







### BALL & SOCKET


Highest quality German stainless steel stringers with stay-closed ball & socket design to prevent accidental opening. Expert hand-finishing eliminates sharp edges. To open or close, squeeze side bars together, then move cross bar.

REF	Length (mm)	Width (mm)	Qty
<b>A</b> IS-12504	100	60	1 pc
<b>B</b> IS-12506	150	60	1 pc
<b>C</b> IS-12508	200	60	1 pc
IS-12510	200	60	1 pc

### INSTRUMENT CLIPS

These clips can be used to bundle ring instruments so that instrument groups are stored together tidily in the sieve tray. Made of stainless steel.

REF	Total Length (mm)	Qty
<b>D</b> 20403	75	1 pc
<b>E</b> 20404	100	1 pc
<b>F</b> 20405	135	1 pc





**MAGNOLINE®**

Magnetic rack for micro instruments made of stainless steel, can be used on both sides, heat-resistant, suitable for washer-disinfectors. Warning: Instruments can be magnetized.

REF	Format (mm)	Qty
A 20400	150 x 70	1 pc

**LOCKING PINS FOR SIEVE TRAYS**

Used for guiding cables and storing instruments in instrument tray.

REF	Description	Format (mm) Ø	Qty
B 08531	with 2 hex nuts	3.0 x 49	1 pc
C 08765	with knurled wheel	5.0 x 45	1 pc
08532	with a hex nut	8.0 x 42	1 pc

**SILICONE INSERTS**

With pins for fastening in the wire mesh, ideally suited for a mesh size of 5 x 5mm to 6 x 6mm. To find out more about a further comprehensive range as a screw-on variant, please contact the sales representative.

REF	Description	Format (mm)	O opening (mm)	Qty
D 08949	round opening (5-slots)	125 x 25	4	6 pcs





## Trays & Accessories – Silicone Inserts & Sieve Organization

### KÖGEL CROSS/LENGTH DIVIDERS FOR SMALL PARTS SIEVES

Used for individual classification. Including 2 clamps.

REF	Description	Format (mm)	Mesh size (mm)	Qty	
A	08481	crosswise divider 1/1	62 x 24	1.0 x 1.0 x 0.5	1 pc
B	08437	crosswise divider 1/3	71 x 43	2.5 x 2.5 x 1.0	1 pc
B	08486	crosswise divider 1/3	71 x 43	1.0 x 1.0 x 0.7	1 pc
C	08484	crosswise divider 2/3	152 x 43	2.5 x 2.5 x 1.0	1 pc
D	08485	crosswise divider 2/3	152 x 43	1.0 x 1.0 x 0.7	1 pc
E	08410	lengthwise divider 1/1	224 x 24	1.0 x 1.0 x 0.5	1 pc
	08412	lengthwise divider 1/1	224 x 42	2.5 x 2.5 x 0.7	1 pc
C	08483	crosswise divider 1/1	232 x 43	2.5 x 2.5 x 1.0	1 pc
C	08480	crosswise divider 1/1	262 x 246	2.5 x 2.5	1 pc
C	08479	crosswise divider 1/2	278 x 118	1.0 x 1.0	1 pc
C	08482	lengthwise divider 2/3	300 x 43	2.5 x 2.5 x 1.0	1 pc
D	08436	lengthwise divider 1/1	465 x 43	2.5 x 2.5 x 0.7	1 pc





## Trays & Accessories – Silicone Inserts & Sieve Organization

### A KÖGEL FIXTURE SETS

REF	Description	Format (mm)	Suitable for REF	Qty
08913	for 2 scopes (Ø 2mm) set consists of: 2 x crosswise dividers 2 x silicone fixture 4 x T-clamps	60 x 38	08453 08455 08456 08459 08470	1 set
08842	for 3 scopes (Ø 5mm) set consists of: 2 x crosswise dividers 2 x 3-slots silicone fixture 4 x T-clamps	152 x 38	N/A	1 set
08843	for 5 scopes (Ø 10mm) set consists of: 2 x crosswise dividers 2 x 5-slots silicone fixture 4 x T-clamps	152 x 38	N/A	1 set



## Trays & Accessories – Silicone Inserts & Sieve Organization








### KÖGEL SILICONE FIXTURES

REF	Description	Format (mm)	Instrument-ø (mm)	Suitable for REF	Qty
A 08858	for 2 scopes	46 x 33 x 5.0	5 + 3	NA	1 pc
08861	for 3 scopes	137 x 35 x 5.0	10	NA	1 pc
08862	for 3 scopes	137 x 35 x 5.0	5	NA	1 pc
B 08864	for 5 scopes	137 x 35 x 5.0	5	NA	1 pc
C 08376	christmas tree (3-slots)	64 x 25 x 5.0	8 - 14.5	NA	1 pc

### PEEL POUCH STERILIZATION RACKS

Designed to help keep peel pouches on edge while providing enough space for effective sterilization. These stainless steel racks feature slots for peel pouched items, aiding in efficient assembly and drying after steam sterilization.

REF	Description	Format (mm)	Qty
D PR-090504-5	5 slots 38mm apart	220.9 x 119.3 x 101.6	1 pc
E PR-210806-4	4 slots 127mm apart	520.7 x 190.5 x 152.4	1 pc
PR-150504	10 slots 38mm apart	393.7 x 127 101.6	1 pc
F PR-210806-8	8 slots 63.5mm apart	520.7 x 203.2 x 152.4	1 pc
G PR-160604-21	21 slots 19mm apart	414 x 139.7 x 101.6	1 pc



## Trays & Accessories – Silicone Inserts & Sieve Organization



### KÖGEL ACCESSORIES

REF	Description	Material	Format (mm)	Mesh size (mm)	Qty
A	08577 clamp suitable for sieve REF 08408, 08450, 08460, 08448	stainless steel	40 x 20	NA	1 pc
B	08438 terminal insert 1/16 for REF 08408, 8 crosswise wires to accommodate the smallest clips and clamps	stainless steel	107 x 59 x 16	NA	1 pc
C	08921 lid for screw tray REF 08920, including a clip 18/10 (1.4301)	chromium-nickel steel	165 x 105 x 7	1 x 1 x 0.5	1 pc
D	08937 screw tray with 5 compartments lengthwise, for screws up to 140mm length	stainless steel	165 x 135 x 25	1 x 1 x 0.5	1 pc
E	08938 lid for screw tray REF 08937, incl. 2 clamps	chromium-nickel steel 18/10 (1.4301)	165 x 105 x 6	1 x 1 x 0.5	1 pc
	08946 for self-cutting, suitable for fixture REF 08850	blue	90 x 25 x 5		1 pc





## Trays & Accessories – Silicone Inserts & Sieve Organization



### KÖGEL ACCESSORIES

REF	Description	Material	Format (mm)	Mesh size (mm)	Qty
<b>A</b> 08920	screw tray with 8 compartments for screws up to 90mm in length, engraved length gauge plate	chrome-nickel steel 18/10 (1.4301)	184 x 135 x 25	1.0 x 1.0 x 0.5	1 pc
<b>B</b> 08944	plate storage set set consists of: 1 x plate storage 1 x lid for plate storage 26 x small styluses incl. nuts and washers	stainless steel	190 x 115	NA	1 set

### KÖGEL PERFORATED PLATE MESH TRAYS WITHOUT LID, COMPLYING WITH DIN STE STANDARD

Material: electrolytically polished (1.4301), burr-free shell made of perforated sheet, with drop handles.

REF	Lid	Floor stacking frame	DIN StE standard	Format (mm)	Mesh size of base (mm)	Qty
<b>C</b> 08473	no	no	1/1-60	480 x 250 x 60	4.0 x 4.0 x 1.0	1 pc

### HUPFER PERFORATED PLATE MESH TRAYS

REF	Description	Format (mm)	Qty
75.01297	with drop handles and stacking frame, welded mesh bottom	510 x 250 x 66	1 pc








**SILICONE NUB MATS**

Suitable for washer-disinfectors, flexible.

	REF	Color	Format (mm)	Heat resistance	Suitable for REF	Qty
A	08698	pink	245 x 1000	up to 230 °C	NA	1 pc
B	08324	blue	250 x 239	up to 40 °C	NA	1 pc
	12050	blue	263 x 153	up to 134 °C	08887 08888	1 pc
C	08321	blue	500 x 320	up to 40 °C	NA	1 pc
	08613	blue	238 x 248 x 7.0	up to 230 °C	NA	1 pc
	08609	blue	470 x 250 x 3.5	up to 230 °C	NA	1 pc
D	08757	gray	500 x 320	up to 40 °C	NA	1 pc




## Trays & Accessories – Corner Protectors


A




B




C



D



E



### CORNER PROTECTORS

Corner protectors are designed to protect the soft packaging from the sharp edges of the sterilization tray.


REF	Description	Color	Material	Format (mm)	Qty
A	42006 reusable	pink	silicone	73 x 73 x 19	80 pcs
B	CS-9113 reusable	lime green	silicone	71.12 x 71.12 x 30.48	80 pcs
C	CS-9125C reusable	blue	foam	152.4 x 152.4 x 31.75	80 pcs
D	CC002 single use	white	crepe 171 g/m <sup>2</sup>	200 x 150	100 pcs
E	CC001 single use	white	cardboard 171 g/m <sup>2</sup>	200 x 150	200 pcs
	42007 single use	white	cardboard 270 g/m <sup>2</sup>	100 x 100 x 50	600 pcs
	42010 single use	white	cardboard 270 g/m <sup>2</sup>	100 x 100 x 50	600 pcs






## Trays & Accessories – Silicone Inserts & Sieve organization


A




B




C




D




E



F



G



### GRID INSERTS AND MATS MADE OF SILICONE

Suitable for washer-disinfectors, honeycomb structure and flexible.

REF	Description	Color	Format (mm)	Heat resistance	Qty
A 08607	honeycomb structure	violet	215 x 229	up to 230 °C	1 pc
B 08612	honeycomb structure	violet	215 x 229 x 7.0	up to 230 °C	1 pc
08611	honeycomb structure	violet	460 x 229 x 7.0	up to 230 °C	1 pc
08602	honeycomb structure	dark blue	238 x 248	up to 230 °C	1 pc
08604	honeycomb structure, neutral presentation	dark blue	238 x 248	up to 230 °C	1 pc
C 08608	honeycomb structure	light green	270 x 120	up to 230 °C	1 pc
08806	silicone mounts for sieve basket 08959	creamy white	460 x 80 x 62	up to 134 °C	6 pcs
08614	honeycomb structure	light green	270 x 120 x 7.0	up to 230 °C	1 pc
D 08606	honeycomb structure	violet	460 x 229	up to 230 °C	1 pc
08603	honeycomb structure, neutral presentation	dark blue	480 x 250	up to 230 °C	1 pc
E 08601	honeycomb structure	dark blue	480 x 250	up to 230 °C	1 pc
F 08110	silicone grid insert, thickness 6mm	white	600 x 324	up to 134 °C	1 pc
G 08605	silicone grid insert, thickness 2mm	blue	600 x 400	-40° C up to +230°	1 pc
F 08974	silicone grid insert, thickness 3mm	white	540 x 280	up to 134 °C	1 pc
G 08600	silicone grid insert, thickness 2mm	blue	540 x 320	-60° C to +300 °C	1 pc



# Trays & Accessories – Kirschner Wire Sleeves



### MESH SLEEVES FOR KIRSCHNER WIRES

Suitable for washer-disinfectors, heat-resistant.

REF	Description	Cross-section	Material	Length (mm)	Ø/Width (mm)	Qty
A 07473	one chamber	square	stainless steel	170	20	1 pc
A 07474	one chamber	square	stainless steel	200	20	1 pc
A 07475	one chamber	square	stainless steel	330	20	1 pc
B 07476	4 chambers; outlet opening: -0.8 -1.0 -1.2 -1.4	square	stainless steel	170	20	1 pc
B 07499	4 chambers; outlet opening: -1.2 -1.4 -1.6 -1.8	round	stainless steel	330	20	1 pc
B 07478	4 chambers; outlet opening: -1.4 -1.6 -1.8 -2.0	round	stainless steel	170	20	1 pc
B 07501	4 chambers; outlet opening: 2.0 - 2.2 - 2.5 - an opening without a mark	round	stainless steel	330	20	1 pc
C 07430	one chamber, mesh size: 0.8mm max.	round	stainless steel	170	22	1 pc
C 07431	one chamber, mesh size: 0.8mm max.	square	stainless steel	200	22	1 pc
C 07461	one chamber, mesh size: 0.8mm max.	square	stainless steel	330	22	1 pc
D 07460	4 chambers; mesh size: 0.8 x 0.8 mm outlet opening: -0.8 -1.0 -1.2 -1.4	square	stainless steel	170	20	1 pc
E 07400	one chamber	round	stainless steel	160	10	1 pc
E 07466	one chamber	round	stainless steel	180	10	1 pc
E 07467	one chamber	round	stainless steel	200	10	1 pc
E 07402	one chamber	round	stainless steel	320	10	1 pc
F 07494	4 chambers, individually laserable	round	titanium	200	20	1 pc
G 07495	4 chambers, individually laserable	round	titanium	350	20	1 pc







**MESH SLEEVES FOR KIRSCHNER WIRES**

Suitable for washer-disinfectors, heat-resistant.

REF	Description	Cross-section	Material	Qty
A 07453	lid for REF 07400 - 07402, 07421, 07465 - 07468 with tip protection	round	stainless steel	1 pc
A 07454	lid for REF 07473, 07476, 07478, 07477, 07497, 07499, 07501	round	stainless steel	1 pc
B 07001	lid for drill wire container with flushing connection, suitable for drill wire container REF 07400-07402, 07421, 07465 – 07468	round	stainless steel	1 pc

**WASHING SLEEVES MADE OF STAINLESS STEEL FOR KIRSCHNER**

Includes 2 x silicone caps, 1 x key ring and 1 x stainless steel badge - outer Ø: 19 mm - inner Ø: 17mm, suitable for washer-disinfectors, heat-resistant.

REF	Length (mm)	Qty
C 07433	55	1 pc
C 07434	110	1 pc
C 07435	165	1 pc
C 07436	220	1 pc
C 07438	330	1 pc
C 07439	385	1 pc
C 07440	440	1 pc
C 07441	495	1 pc
C 07442	550	1 pc
C 07443	605	1 pc
C 07444	660	1 pc
C 07446	770	1 pc
C 07448	880	1 pc

**SILICONE END CAP FOR WASHING SLEEVES**

Transparent - Ø: 19mm - height: 7mm

REF	Description	Qty
E 07451	suitable for REF 07433	1 pc





## CONTAINER ACCESSORIES

Containers are used worldwide to provide a protective barrier during the sterilization, handling and storage of surgical instruments. Regardless of which container model you are using, Key Surgical has just the right accessories.

Container filters are available in various shapes and sizes for a variety of container systems in accordance with the applicable standards.

Colored plastic seals in various shapes can be used for color coding and as a sustainable container closure option, paper seals are perfect for easy handling.

Container Filters


Plastic Locking Seals

Paper Locking Seals

Insert Labels

Attachment Labels

Unless otherwise stated, our products are not made with natural rubber latex.



# Container Accessories – Container Filters

## CONTAINER FILTERS

We offer a variety of filters for containers compliant with EN ISO 11607 standard. These paper filters are available with or without a process indicator and come in different sizes and shapes. Single use.

## CONTAINER FILTERS FOR AESCULAP CONTAINERS

REF	Description	Format (mm)	Qty
A	01152 round filter with steam indicator, central hole punching Ø 6mm	Ø 190	500 pcs
B	01141 round filter without indicator, central hole punching Ø 6mm, white	Ø 190	500 pcs
C	01148 small set filter with steam indicator, rectangular, with pointed corners, white	118 x 235	200 pcs
D	01186 small set filter without indicator, rectangular, with pointed corners, white	118 x 235	200 pcs
E	01317 rectangular filter with steam indicator, with pointed corners	170 x 230	500 pcs
F	01153 rectangular filter with steam indicator, with bevelled corners, white	230 x 230	500 pcs
G	01142 rectangular filter without indicator, with bevelled corners, white	230 x 230	500 pcs
H	01149 rectangular filter without indicator, with pointed corners, white	230 x 230	500 pcs

## CONTAINER FILTERS

Rectangular, white, with steam indicator. Single use.

REF	Description	Format (mm)	Qty
I	01330 rectangular filter with steam indicator, with rounded corners and a punched hole (long)	104 x 104	250 pcs
J	01158 rectangular filter with steam indicator, with sharp corners and two punched holes (round)	110 x 240	200 pcs
K	01143 rectangular filter with steam indicator, with pointed corners	180 x 270	500 pcs
L	01321 rectangular filter with steam indicator, with pointed corners	180 x 255	500 pcs






Container Accessories

## Container Accessories – Container Filters

### CONTAINER FILTERS


Rectangular, white. Compliant with EN ISO 11607 standard. Single use.

REF	Description	Format (mm)	Qty
A 01144	without indicator, rectangular, pointed corners	240 x 240	250 pcs
A 01198	without indicator, rectangular, pointed corners	230 x 540	250 pcs
B 01304	without indicator, rectangular, 4 punched holes, with rounded corners	210 x 490	100 pcs
B 01318	without indicator, rectangular, 4 punched holes, with rounded corners	132 x 358	50 pcs
C 01346	with steam indicator	300 x 300	500 pcs
C 01347	with steam indicator	300 x 600	500 pcs






## Container Accessories – Container Filters



A



B



C

### CONTAINER FILTERS

Non-woven container filters, 67gsm according to EN ISO 11607. Round or square format. Single use.

REF	Description	Format (mm)	Qty
A 01145	square, green, with steam indicator, pointed corners, 2 punched holes	225 x 225	500 pcs
B 01378	round, blue, for H <sub>2</sub> O <sub>2</sub> sterilization, with steam indicator	190 x 6.0	500 pcs
01365	round, blue, with steam indicator	190 x 6.0	500 pcs
C 01368	round, green, without indicator, filter imprint: blank	Ø 92	1000 pcs
01188	pointed corners, blue, for H <sub>2</sub> O <sub>2</sub> sterilization, without indicator	120 x 235	500 pcs
01189	pointed corners, blue, for H <sub>2</sub> O <sub>2</sub> sterilization, without indicator	130 x 110	500 pcs



# Container Accessories – Container Filters

## CONTAINER FILTERS FOR OTHER CONTAINERS

Square and rectangular, white, with indicator. Single use.

REF	Description	Format (mm)	Qty
A	01314 rectangular filter, with indicator, with pointed corners	145 x 205	100 pcs
B	01315 rectangular filter, with indicator, with bevelled corners	240 x 240	250 pcs
C	01327 rectangular filter, with indicator, with pointed corners	240 x 540	100 pcs

## CONTAINER FILTERS FOR ALL WAGNER CONTAINERS


Round and rectangular, white, with indicator. Single use.

REF	Description	Format (mm)	Qty
F	01355 round, central hole punching Ø 10mm	Ø 190	500 pcs
G	01369 round, central hole punching Ø 10mm	Ø 75	1000 pcs
H	01363 rectangular, with pointed corners	245 x 400	100 pcs
I	01323 rectangular, with pointed corners	96 x 212	250 pcs

## STAINLESS STEEL DISPENSER FOR FILTERS

Including adhesive material for wall mounting.

REF	Format (mm)	Qty
J	20437 195 x 195 x 100	1 pcs



A



B




F



C



G



H





I



J



## Container Accessories – Plastic Locking Seals



### PLASTIC LOCKING SEALS

We offer a wide range of different designs to suit all type of containers. Our seals are available both with and without process indicators. They are used as a tamper free lock and have a predetermined breaking point for easy opening. We have options for all common container makes and a wide range of colors. We also offer numbered security seals (REF 02639) for the sealed return of loan instruments, implants, and containers. Single use.

### LOCKING SEAL - ANGULAR BRIDGE


Bridge length 19mm.

REF	Description	Color	Qty	
A	01020	without indicator	dark blue	1000 pcs
B	01021	without indicator	green	1000 pcs
C	01022	without indicator	white	1000 pcs
D	01023	without indicator	red	1000 pcs
E	01024	without indicator	yellow	1000 pcs
F	01234	without indicator	orange	1000 pcs
H	01286	without indicator	black	1000 pcs
I	02623	without indicator	light blue	1000 pcs
J	01228	with steam indicator	dark blue	1000 pcs
K	01229	with steam indicator	green	1000 pcs
L	01230	with steam indicator	white	1000 pcs
M	01231	with steam indicator	red	1000 pcs
N	01232	with steam indicator	yellow	1000 pcs
O	01235	with steam indicator	orange	1000 pcs
P	01294	with steam indicator	black	1000 pcs
Q	02670	with steam indicator	light blue	1000 pcs





## Container Accessories – Plastic Locking Seals



### UNIVERSAL LOCKING SEALS UNILOCK - ANGULAR BRIDGE

Bridge length 19mm. Single use.

REF	Description	Color	Qty
A 01240	without indicator	blue	1000 pcs
B 01241	without indicator	green	1000 pcs
C 01242	without indicator	white	1000 pcs
D 01244	without indicator	yellow	1000 pcs
E 01245	with steam indicator	blue	1000 pcs
F 01246	with steam indicator	green	1000 pcs
G 01247	with steam indicator	white	1000 pcs
H 01248	with steam indicator	red	1000 pcs
I 01249	with steam indicator	yellow	1000 pcs


### UNIVERSAL LOCKING SEALS UNILOCK XL - SQUARE BRIDGE

Bridge length 27mm. Single use.

REF	Description	Color	Qty
J 01250	without indicator	blue	1000 pcs
K 01251	without indicator	green	1000 pcs
L 01252	without indicator	white	1000 pcs
M 01254	without indicator	yellow	1000 pcs
N 02514	without indicator	violet	1000 pcs
O 02515	without indicator	orange	1000 pcs
P 01255	with steam indicator	blue	1000 pcs
Q 01256	with steam indicator	green	1000 pcs
R 01257	with steam indicator	white	1000 pcs
S 01258	with steam indicator	red	1000 pcs
T 01259	with steam indicator	yellow	1000 pcs



## Container Accessories – Plastic Locking Seals



### UNIVERSAL LOCKING SEALS - ANGULAR BRIDGE

Suitable for Aesculap and Wagner containers. Bridge length 34mm. Single use.

REF	Description	Color	Qty
A 01025	without indicator	dark blue	1000 pcs
B 01026	without indicator	red	1000 pcs
C 01027	without indicator	green	1000 pcs
D 01028	without indicator	yellow	1000 pcs
E 01029	without indicator	white	1000 pcs
F 02624	without indicator	orange	1000 pcs
G 02625	without indicator	violet	1000 pcs
H 01220	with steam indicator	dark blue	1000 pcs
I 01221	with steam indicator	red	1000 pcs
J 01233	with steam indicator	green	1000 pcs
K 01238	with steam indicator	yellow	1000 pcs
L 01239	with steam indicator	white	1000 pcs


### 'AW' SEALS - ROUND BAR

Suitable for Aesculap and Wagner containers. Bridge length 19mm. Single use.



REF	Description	Color	Qty
M 02612	without indicator	red	1000 pcs
N 02613	without indicator	blue	1000 pcs
O 02614	without indicator	green	1000 pcs
P 02615	without indicator	yellow	1000 pcs
Q 02661	without indicator	white	1000 pcs
R 02662	without indicator	black	1000 pcs
S 02632	with steam indicator	red	1000 pcs
T 02633	with steam indicator	blue	1000 pcs
U 02634	with steam indicator	green	1000 pcs
V 02635	with steam indicator	yellow	1000 pcs

## Container Accessories – Plastic Locking Seals



### UNIVERSAL SEALS - ROUND BRIDGE

Length 195mm. Single Use.

REF	Description	Color	Qty
<b>A</b> 01204	without indicator	dark blue	1000 pcs
<b>B</b> 02643	without indicator	yellow	1000 pcs
<b>C</b> 01205	with steam indicator	dark blue	1000 pcs

### UNIVERSAL SEALS - ANGULAR BRIDGE

Bridge length 80mm. Single use.

REF	Description	Color	Qty
<b>D</b> 01014	without indicator	blue	1000 pcs
<b>E</b> 01216	without indicator	red	1000 pcs
<b>F</b> 01217	without indicator	green	1000 pcs
<b>G</b> 01218	without indicator	yellow	1000 pcs
<b>H</b> 01219	without indicator	black	1000 pcs
<b>I</b> 01013	with steam indicator	blue	1000 pcs
<b>J</b> 01212	with steam indicator	red	1000 pcs
<b>K</b> 01213	with steam indicator	green	1000 pcs
<b>L</b> 01214	with steam indicator	yellow	1000 pcs
<b>M</b> 01215	with steam indicator	black	1000 pcs



## Container Accessories – Plastic Locking Seals




### PLASTIC SEALS FOR MARTIN CONTAINERS

REF	Description	Color	Qty
A 01011	without indicator	white	1000 pcs
B 01012	with steam indicator	white	1000 pcs

### SECURITY SEALS

REF	Description	Color	Qty
C 02639	290mm long, usable length 220mm	yellow	400 pcs



## Container Accessories – Printed Locking Tags



### LOCKING TAGS

Versatile, durable, and economical. Tamper-resistant. Compatible with steam and H<sub>2</sub>O<sub>2</sub> sterilization. Single use. Customizable. 25.4mm length.



REF	Details	Color	Qty
A LT-100N*	uniquely numbered	white	100 pcs
LT-100N-1000*			1000 pcs
B LT-300N*	uniquely numbered	green	100 pcs
LT-300N-1000*			1000 pcs
C LT-400N*	uniquely numbered	red	100 pcs
LT-400N-1000*			1000 pcs
D LT-500N*	uniquely numbered	yellow	100 pcs
LT-500N-1000*			1000 pcs
E LT-900N*	uniquely numbered	black	100 pcs
LT-900N-1000*			1000 pcs






## PAPER SEALS

We offer you an environmentally friendly way of closing containers. The seals can be attached to almost all common containers and follow a simple principle. With our paper seals you ensure safe closure for transport and storage due to thermal closure of the components. Available in different versions with and without documentation fields. In some cases, it is also possible to stick on labels. Single use.

REF	Description	Color	Format (mm)	Qty
A	01010	white	100 x 18	1000 pcs
B	01003	white	105 x 30	1000 pcs
C	01004	white	117 x 38	500 pcs
D	01005	white	117 x 38	500 pcs
E	02638	white	105 x 30	1000 pcs
F	04120	white	132 x 38	500 pcs
G	04179	white	145 x 35	750 pcs
H	01006	white	35 x 74	1000 pcs
I	04114	white	35 x 74	1000 pcs
J	01008	white	35 x 74	1000 pcs
K	01009	white	35 x 74	1000 pcs
L	04108	white	35 x 74	1000 pcs
M	04113	white	35 x 80	1000 pcs
61006	closure label, with indicator, self-adhesive, insert from the right, with documentation field	white	74 x 35	1000 pcs






A

B

C



D

E

F



G

H

**INSERT LABELS**

Insert labels make documentation easier for you, they can simply be pushed into the opening provided on the container. Available in different designs suitable for Aesculap, Martin, or other container systems. We also offer blank versions and with documentation fields in which sterilization data, batch numbers, and sieve names can be noted. Our insert labels are made of special cardboard compatible with sterilization. Single use.

**DOCUMENTATION LABELS FOR WAGNER CONTAINERS**


With indicator and documentation field.

REF	Self-adhesive	Format (mm)	Qty
A 01133	no	40 x 59	1000 pcs
B 01134	yes	40/10 x 59	1000 pcs
C 01169	yes	40 x 59/74	1000 pcs

**DOCUMENTATION LABELS FOR MISCELLANEOUS CONTAINERS**

REF	Description	Format (mm)	Qty
D 04067	with indicator, with documentation field, self-adhesive; for Geuder containers	23 x 60	1000 pcs
E 04116	with indicator, with documentation field, not self-adhesive; for CBM containers	39 x 55	1000 pcs
F 04112	with indicator, with documentation field, self-adhesive; for Microstop containers	39 x 63	1000 pcs
G 01116	with indicator, with documentation field, not self-adhesive; for sterilization containers	38 x 67	1000 pcs
H 04003	set label with indicator, self-adhesive, carrier material slotted from special cardboard 280gsm	40 x 80	1000 pcs
I 04105	without indicator, blank, self-adhesive; for sterilization containers	46 x 60	1000 pcs





**DOCUMENTATION LABELS FOR AESCULAP CONTAINERS**

For single use.

REF	Description	Format (mm)	Qty
A	04102 blank, not self-adhesive	39 x 68	1000 pcs
B	01400 with indicator, with documentation field, not self-adhesive	35 x 80	1000 pcs
C	04184 without indicator, blank, not self-adhesive	35 x 80	1000 pcs
D	01135 with indicator, with documentation field, not self-adhesive	39 x 68	1000 pcs
E	01136 with indicator, with documentation field, self-adhesive	39 x 67	1000 pcs
F	04000 with indicator, with documentation field, self-adhesive	18 x 60	1000 pcs
G	04005 with indicator, with documentation field, not self-adhesive, 100 pieces each packed	18 x 50	1000 pcs
	04107 with indicator 'STERILE', without frame, self-adhesive	39 x 67	1000 pcs

**DOCUMENTATION LABELS FOR MARTIN CONTAINERS**

With steam indicator and documentation field. Single use.

REF	Self-adhesive	Format (mm)	Qty
H	yes	46 x 50	1000 pcs
I	yes	46 x 60	1000 pcs

**DOCUMENTATION LABELS FOR MARTIN CONTAINERS**

For single use.

REF	Description	Format (mm)	Qty
J	01120 with indicator, with documentation field, self-adhesive	36 x 67	1000 pcs
K	04123 blank, not self-adhesive	36 x 67	1000 pcs
L	01121 with indicator, with documentation field, not self-adhesive	36 x 64	1000 pcs



## Container Accessories – Tag Labels


### TAG LABELS

Key Surgical tags help you to quickly label your containers and trolleys. They are heat-resistant up to 134 °C, not self-adhesive. Single use.


REF	Description	Format (mm)	Qty
A	04162 with hole, white, made of polyester	90 x 50 x 20	1000 pcs
B	04192 with hole, red on one side, made of polyester	90 x 50 x 20	1000 pcs
C	04193 with hole, blue on one side, made of polyester	90 x 50 x 20	1000 pcs
D	04194 with hole, yellow on one side, made of polyester	90 x 50 x 20	1000 pcs
E	04195 with hole, red on both sides, made of polyester	90 x 50 x 20	1000 pcs
	04216 with hole, white, made of polyester	110 x 60 x 20	1000 pcs
	04289 with hole, red on both sides, made of polyester	110 x 60 x 20	1000 pcs
G	04172 with cross-cut, white, made of polyester	75 x 40 x 20	1000 pcs



A




B



C



D



E



G



## PERSONAL PROTECTIVE EQUIPMENT

Face Shields are available in several styles to fit the preferences of every individual. We offer full and short face shields, with masks, with Tyvek™ expanders, with ties and with ear loops. All of our face shields offer different types of protection. Barrier Gowns are lightweight, comfortable, and breathable.

Nitrile gloves are powder-free, available in 24cm, 30cm and 40cm. They are treated with an antibacterial and anti-mildew agent.

We also offer sterilizer mitts made in silicone. These provide you with a protection barrier for removing hot trays and racks.

Protective Apparel

Face Shields and Masks

Gloves



Unless otherwise stated, our products are not made with natural rubber latex.



## Personal Protective Equipment – Protective Apparel

### CONVENIENT GOWN AND PROTECTIVE / VISITOR GOWN

We have a wide range of disposable gowns in various materials designed to protect personnel against contact with cleaning materials of weak action or prolonged contact with water. Our range is tailored to your needs, whether coated fronts and sleeves, for wet areas, convenient disposable visitor gowns or for short and less critical applications. We offer a large selection in all common sizes, as well as special XXL gowns. Single use.

REF	Description	Material	Color	Size (cm)	Weight (gms)	Qty
A 09437	spunbonded gown, non sterile, for single use, breathable, water resistant, long sleeves with elastic cuffs	mixed fleece	blue	130 long	72	50 pcs
EN10120B	uncoated, with thumb loops	SMS	blue	198 x 105	30	100 pcs
B EN10120G	coated, with thumb loops	SMS	yellow	198 x 105	30	100 pcs
B EN10120GL	coated, with thumb loops	SMS	yellow	202 x 115	30	50 pcs
EN10211.0	with knitted cuffs, completely coated gown	fleece	yellow	136 x 140	31	100 pcs
EN10120GB	coated, with knitted cuffs	SMS	yellow	198 x 105	30	100 pcs

### CONVENIENT GOWN

For special processes, we offer different examination gowns. The sleeves are made of woven material, which offers more protection, while the gown's back is made of a breathable non-woven material to provide comfort. Non-sterile. Single use.

REF	Description	Color	Size (cm)	Weight (gms)	Qty
EN10120.1G	with elastic cuffs	yellow	136 x 140	26	100 pcs
EN10120.0PLUS	with knitted cuffs	yellow	136 x 140	36	100 pcs
EN10120.3	with knitted cuffs	yellow	140 x 150	26	100 pcs
EN10120.0XL	with knitted cuffs	yellow	160 x 160	26	100 pcs



K

Personal Protective Equipment



## Personal Protective Equipment – Protective Apparel

### EXAMINATION GOWNS

Our examination gowns are equipped with cuffs and a color coded tie belt. They also have inside reinforcements at the seams in the chest and arm areas to reduce the risk of contamination. They are made from SMS and have a material thickness of 35 g/m<sup>2</sup>. Single use.

REF	Color	Size (cm)	Weight (gms)	Qty
<b>A</b> EN10119M	light blue	120 x 140	35	50 pcs
<b>A</b> EN10119L	light blue	125 x 155	35	50 pcs
<b>A</b> EN10119XL	light blue	130 x 160	35	50 pcs

### PROTECTIVE / VISITOR GOWNS

Our gowns are ideal for hospital visitors. They are made of fleece with elastic or knitted cuffs. Single use.

REF	Description	Color	Size (cm)	Weight (gms)	Qty
<b>B</b> EN10500.0	with knitted cuffs	green	137 x 140	20	100 pcs
EN10500.1	with elastic cuffs	green	136 x 140	20	100 pcs
EN10500.2	with knitted cuffs	light blue	140 x 138	20	100 pcs
<b>B</b> EN10525.0	with knitted cuffs	green	136 x 140	25	100 pcs
EN10525.1	with elastic cuffs	green	136 x 140	25	100 pcs
<b>B</b> EN10530.0	with knitted cuffs	green	136 x 140	30	100 pcs
EN10530.1	with elastic cuffs	green	140 x 140	30	100 pcs
EN10535.1	with elastic cuffs	green	136 x 140	35	100 pcs

### APRONS AND GASTROSCOPY BIBS

REF	Description	Size (cm)	Qty
EN10123B	colonoscopy aprons, made of PE film	81 x 125	100 pcs
EN10124	castroscopy bib, made of PE film	37 x 66	500 pcs



## Personal Protective Equipment – Face Shields & Masks



### FACE PROTECTION AND MASKS

Face and mouth protection are essential, especially when working in reprocessing areas. We are committed to high quality products such as full face visors, protective goggles, and face masks. Our face shields are designed to protect personnel against contact with cleaning materials or prolonged contact with water.

### MASKS

Our FFP2 mouth and nose protection masks offer additional safety on a daily basis.

REF	Description	Qty
A 09441	mask with visor, blue-white with elastic ear-loop	25 pcs
B 09440	mask, blue-white, with elastic ear-loop	50 pcs



### FULL FACE MASKS

REF	Description	Material	Qty
C 05TD3120ST	clear vision comfort face shield eco long, two face protective layer, gray foam, 21.5cm long	PTE	100 pcs
C EN10152AF	full face visor with foam pads and elastic strap	PTE	200 pcs

### FACE VISORS

REF	Description	Color	Qty
D 09081	frame for 2-piece safety goggles	yellow	10 pcs
E 09431	frame for 2-piece safety goggles	pink	10 pcs
F 09082	visors for 2-piece safety goggles made of plastic	NA	25 pcs
05TD0204	frame for 2-piece safety goggles suitable for REF 05TD0161	multicolor	50 pcs



## Personal Protective Equipment – Face Shields & Masks

### FACE PROTECTION SET- CLEARVIZOR®

Set consists of:

- 1x frame
- 10x foil shields
- No distortion of the field of vision
- Offers health protection during work
- Anti-glare
- Anti-static
- Equipped with anti-fog properties
- Scratch-resistant
- Resistant to liquids and chemicals
- Safe (resistant to breaking and chipping)
- The visor is protected on both sides with adhesive foils (incl. removal aids)
- Light and ergonomic

REF

- A** 09714
- B** 09715
- C** 09716
- D** 09717
- E** 09718
- F** 09719

Color

- white
- blue
- transparent
- pink
- yellow
- green

Qty

- 1 set
- 1 set
- 1 set
- 1 set
- 1 set
- 1 set



A



## Personal Protective Equipment – Gloves

### PROTECTIVE GLOVES

Our protective gloves range satisfies the requirements of various working areas. Our silicone gloves meet high quality standards and have been optimized for the tough demands of the CSSD in terms of ergonomics and performance. Flexibility, resistance, and comfort are our key quality criteria for heat-protective gloves.

### HEAT PROTECTION GLOVES

REF	Size	Length (cm)	Material	Heat resistance	W/D compatible	Color	Qty
A 09368	universal	35	silicone	-40 °C up to +240 °C	Yes	light blue	1 pair
B 09263	universal	37	silicone	-60 °C up to +260 °C	Yes	blue	1 pair

B



K

Personal Protective Equipment



A



**A 24CM EXAMINATION GLOVES**

Our examination gloves are made of nitrile, have a standard length of 24cm, and are available in different sizes. Single use.

REF	Size	Color	Qty
RNB01S	S (6½ – 7)	blue	200 pcs
RNB01M	M (7½ – 8)	blue	200 pcs
RNB01L	L (8½ – 9)	blue	200 pcs
RNB01XL	XL (9½ – 10)	blue	180 pcs

**B 30CM EXAMINATION GLOVES**

Our protective gloves are made of nitrile, have a standard length of 30cm, and are available in different sizes. Single use.

REF	Size	Color	Qty
MED1100.90	S (6½ – 7)	blue	100 pcs
MED1100.93	XL (9½ – 10)	blue	100 pcs

**40CM EXAMINATION GLOVES**

Our protective gloves are made of nitrile, have a standard length of 40cm, and are available in different sizes. Single use.

REF	Size	Color	Qty
09472	S (6½ – 7)	blue	50 pcs
09473	M (7½ – 8)	blue	50 pcs
09474	L (8½ – 9)	blue	50 pcs
09475	XL (9½ – 10)	blue	50 pcs

**CUFFS**

REF	Description	Material	Size	Color	Qty
EN10153	disposable cuffs	PE film	universal	blue	100 pcs

B



K

## INSTRUMENT IDENTIFICATION

The KeyDot® is a small, laser-etched, 2D Data Matrix barcode label that can be applied directly to an instrument's surface. Tested for sterilization compatibility for use on stainless steel surgical instruments, it has been conveniently incorporated into most of the instrument tracking software applications available today. With the KeyDot there is no specialized training or intricate equipment needed so application can be done on-site, eliminating the hassle of sending your instrument sets out for this tracking solution.

Our Identification Tape is designed to help you organize and identify instruments as they move between sterile processing and various departments. Using tape can help save you time, effort, and money by offering effective organization and identification of your surgical instrumentation. It is easy to apply and is compatible with steam and H<sub>2</sub>O<sub>2</sub> sterilization. We have the broadest selection of tape available and it is colorful, easy to use, and economical. Adhesive Remover is designed to dissolve tape residue on instruments, trays, basins, and other surfaces. Adhesive Remover is the citrus based solution you need to remove residue without causing any damage.

Color Coding

Adhesive Remover

Roll Tape

Sheet Tape

KeyDot

Repair Tags

Cable Binders


Bundling Strings

Silicone Tubes

Unless otherwise stated, our products are not made with natural rubber latex.



## Instrument Identification – Color Coding



Color coding simplifies the assignment of individual products to different application or specialist areas or stations. We offer a wide range of identification options that can be selected according to preference or circumstances.

### COLORED BEADS

Our colored beads made of silicone are ideal for marking instruments and are heat-resistant up to 134 °C. Available in different sizes and colors. Single use.


	REF	Color	Max. Ø (mm)	Qty
A	09652	turquoise	20	100 pcs
B	09653	green	20	100 pcs
C	09654	blue	20	100 pcs
D	09655	yellow	20	100 pcs
E	09656	black	20	100 pcs
F	09657	red	20	100 pcs
G	09658	white	20	100 pcs
H	09659	orange	20	100 pcs
I	09660	brown	20	100 pcs
J	09661	gray	20	100 pcs
K	09662	violet	20	100 pcs



## Instrument Identification – Color Coding

### COLORCURLS®

ColorCurls made of polypropylene (PP) are ideal for marking instruments and are heat-resistant up to 134° C. Available on request in various colors. For single use.



REF	Color	Ring handle Ø (mm)	Qty
A 09639	light blue	up to approx. 6	500 pcs
B 09640	dark blue	up to approx. 6	500 pcs
C 09641	light green	up to approx. 6	500 pcs
D 09642	dark green	up to approx. 6	500 pcs
E 09643	white	up to approx. 6	500 pcs
F 09645	dark red	up to approx. 6	500 pcs
G 09646	light yellow	up to approx. 6	500 pcs
H 09647	orange	up to approx. 6	500 pcs
I 09648	brown	up to approx. 6	500 pcs
J 09649	black	up to approx. 6	500 pcs
K 09651	turquoise	up to approx. 6	500 pcs

ABBILDUNGEN ENTSPRECHEN DER ORIGINALGRÖSSE

## Instrument Identification – Color Coding



### FIXING RINGS

Developed with an easy-to-use lock for marking sieve baskets and instruments or for attaching basket labels. These are made of plastic and are heat resistant up to 134 °C. For single use.

REF	Color	Inside Ø (mm)	Qty
A 09418	blue	10	100 pcs
B 09419	green	10	100 pcs
C 09420	white	10	100 pcs
D 09421	red	10	100 pcs
E 09422	yellow	10	100 pcs
F 09423	orange	10	100 pcs
G 09424	violet	10	100 pcs
H 09425	black	10	100 pcs
I 09426	transparent	10	100 pcs
J 09585	pink	10	100 pcs

ABBILDUNGEN ENTSPRECHEN DER ORIGINALGRÖSSE

## Instrument Identification – Adhesive Remover



### ADHESIVE REMOVER

Our adhesive remover is designed to dissolve tape residue on instruments, trays, basins, or other surfaces. Biodegradable solution with citrus scent. Product availability and local country registration varies by market. Please contact your sales representative for information.

REF	Description	Qty
BC-200-6	adhesive remover 250ml bottle	6 bottles per case

### KEY FEATURES:

- Removes adhesive residue from most surfaces
- 250ml bottle
- Citrus scent
- CE-marked
- pH 6 - 6.5
- Storage: place the item in a cool, dry area in its original container.  
Keep container tightly closed when not in use
- Shelf life: 24 months from date of manufacture
- Transport hazard class 9



## Instrument Identification – Roll Tape



### ROLL TAPE

Available in different colors and widths. Compatible with steam sterilization up to 134 °C and H<sub>2</sub>O<sub>2</sub>.  
Single use.

REF	Color	Format (mm)	Qty
A T-01-02	blue	3.2 x 6350	1 roll
A T-02-02	blue	6.4 x 6350	1 roll
A T-03-02	blue	9.4 x 6350	1 roll
B T-01-08	brown	3.2 x 6350	1 roll
B T-02-08	brown	6.4 x 6350	1 roll
B T-03-08	brown	9.4 x 6350	1 roll
C T-01-05	yellow	3.2 x 6350	1 roll
C T-02-05	yellow	6.4 x 6350	1 roll
C T-03-05	yellow	9.4 x 6350	1 roll
D T-01-03	green	3.2 x 6350	1 roll
D T-02-03	green	6.4 x 6350	1 roll
D T-03-03	green	9.4 x 6350	1 roll
E T-01-07	orange	3.2 x 6350	1 roll
E T-02-07	orange	6.4 x 6350	1 roll
E T-03-07	orange	9.4 x 6350	1 roll
F T-01-04	red	3.2 x 6350	1 roll
F T-02-04	red	6.4 x 6350	1 roll
F T-03-04	red	9.4 x 6350	1 roll
G T-01-09	black	3.2 x 6350	1 roll
G T-02-09	black	6.4 x 6350	1 roll
G T-03-09	black	9.4 x 6350	1 roll
H T-01-06	violet	3.2 x 6350	1 roll
H T-02-06	violet	6.4 x 6350	1 roll
H T-03-06	violet	9.4 x 6350	1 roll
I T-01-01	white	3.2 x 6350	1 roll
I T-02-01	white	6.4 x 6350	1 roll
I T-03-01	white	9.4 x 6350	1 roll

## Identification Tape – Solid Color Sheet Tape

### SOLID COLOR SHEET TAPE – 3.17MM WIDTH

Compatible with steam and H<sub>2</sub>O<sub>2</sub> sterilization. Customizable.

Each 216mm x 279.4mm sheet includes:


462 pieces of 3.17mm x 25.4mm

88 pieces of 3.17mm x 38.1mm


22 pieces of 3.17mm x 50.8mm

22 pieces of 3.17mm x 127mm

(total of 1,899cm of tape)



Number	Color
A T-110-01	white
B T-110-02	blue
C T-110-03	green
D T-110-04	red
E T-110-05	yellow
F T-110-06	purple
G T-110-07	orange
H T-110-08	brown
I T-110-09	black
J T-110-10	bright orange
<b>K</b> T-110-11	pink
L T-110-12	gray
M T-110-13	lime green
N T-110-14	light blue
O T-110-15	lavender
P T-110-16	beige
Q T-110-17	plum



### SOLID COLOR SHEET TAPE – 6.35MM WIDTH

Compatible with steam and H<sub>2</sub>O<sub>2</sub> sterilization. Customizable.

Each 216mm x 279.4mm sheet includes:


231 pieces of 6.35mm x 25.4mm

44 pieces of 6.35mm x 38.1mm


11 pieces of 6.35mm x 50.8mm

11 pieces of 6.35mm x 127mm

(total of 950cm of tape)



Number	Color
A T-120-01	white
B T-120-02	blue
C T-120-03	green
D T-120-04	red
E T-120-05	yellow
F T-120-06	purple
G T-120-07	orange
H T-120-08	brown
I T-120-09	black
J T-120-10	bright orange
<b>K</b> T-120-11	pink
L T-120-12	gray
M T-120-13	lime green
N T-120-14	light blue
O T-120-15	lavender
P T-120-16	beige
Q T-120-17	plum
R T-120-21	emerald green



# Identification Tape – Patterned Sheet Tape

## PATTERNED SHEET TAPE – 6.35MM WIDTH

Compatible with steam and H<sub>2</sub>O<sub>2</sub> sterilization. Customizable. One 216mm x 279.4mm sheet pre-cut into 25.4mm, 38.1mm, 50.8mm and 127mm lengths.

T-320-0102 white/blue	T-320-0103 white/green	T-320-0104 white/red	T-320-0105 white/yellow	T-320-0106 white/purple
T-320-0107 white/orange	T-320-0108 white/brown	T-320-0109 white/black	T-320-0110 white/ bright orange	T-320-0111 white/pink
T-320-0113 white/lime green	T-320-0114 white/light blue	T-320-0115 white/lavender		
T-320-0203 blue/green	T-320-0204 blue/red	T-320-0205 blue/yellow	T-320-0206 blue/purple	T-320-0207 blue/orange
T-320-0211 blue/pink	T-320-0503 yellow/green	T-320-0504 yellow/red	T-320-0506 yellow/purple	T-320-0507 yellow/orange
T-320-0511 yellow/pink	T-320-0513 yellow/lime green	T-320-0903 black/green	T-320-0904 black/red	T-320-0905 black/yellow
T-320-0906 black/purple	T-320-0907 black/orange	T-320-0910 black/ bright orange	T-320-0911 black/pink	T-320-0912 black/gray

## PATTERNED SHEET TAPE – 6.35MM WIDTH

Compatible with steam and H<sub>2</sub>O<sub>2</sub> sterilization. Customizable. One 216mm x 279.4mm sheet pre-cut into 25.4mm, 38.1mm, 50.8mm and 127mm lengths.

T-320-0913 black/lime green	T-320-0914 black/light blue	T-320-0915 black/lavender	T-320-0916 black/beige		
T-220-0102 white/ blue squares	T-220-0103 white/ green squares	T-220-0104 white/ red squares	T-220-0105 white/ yellow squares	T-220-0106 white/ purple squares	
T-220-0107 white/ orange squares	T-220-0109 white/ black squares	T-220-0111 white/ pink squares	T-220-0113 white/ lime green squares		
T-330-010304 white/green/red	T-330-010902 white/black/blue	T-330-020503 blue/yellow/green	T-330-020504 blue/yellow/red	T-330-020703 blue/orange/green	
T-330-030104 green/white/red	T-330-030504 green/yellow/red	T-330-040102 red/white/blue	T-330-040109 red/white/black	T-330-040203 red/blue/green	
T-330-040309 red/green/black	T-330-040509 red/yellow/black	T-330-070103 orange/white/green			

# Identification Tape – Patterned Sheet Tape

## PATTERNED SHEET TAPE – 6.35MM WIDTH

Compatible with steam and H<sub>2</sub>O<sub>2</sub> sterilization. Customizable. One 216mm x 279.4mm sheet pre-cut into 25.4mm, 38.1mm, 50.8mm and 127mm lengths.

<b>CV</b> CV CV CV CV T-501-02 blue/CV	<b>CV</b> CV CV CV CV T-501-04 red/CV	<b>ER</b> ER ER ER ER T-502-02 blue/ER	<b>ER</b> ER ER ER ER T-502-03 green/ER	<b>ER</b> ER ER ER ER T-502-04 red/ER
<b>ER</b> ER ER ER ER T-502-06 purple/ER	<b>ER</b> ER ER ER ER T-502-07 orange/ER	<b>GI</b> GI GI GI GI T-503-1609 beige/GI	<b>OB</b> OB OB OB OB T-504-11 pink/OB	<b>OB</b> OB OB OB OB T-504-14 light blue/OB
<b>OR</b> OR OR OR OR T-523-03 green/OR	<b>OR</b> OR OR OR OR T-523-07 orange/OR	<b>OR</b> OR OR OR OR T-523-20 medical blue/ OR	<b>ASC</b> ASC ASC ASC ASC T-601-02 blue/ASC	<b>ASC</b> ASC ASC ASC ASC T-601-04 red/ASC
<b>ASC</b> ASC ASC ASC ASC T-601-07 orange/ASC	<b>CCU</b> CCU CCU CCU CCU T-602-1009 bright orange/ CCU	<b>DEN</b> DEN DEN DEN DEN T-603-0109 white/DEN	<b>DEN</b> DEN DEN DEN DEN T-603-04 red/DEN	<b>ENT</b> ENT ENT ENT ENT T-604-02 blue/ENT
<b>ENT</b> ENT ENT ENT ENT T-604-03 green/ENT	<b>ENT</b> ENT ENT ENT ENT T-604-04 red/ENT	<b>ENT</b> ENT ENT ENT ENT T-604-07 orange/ENT	<b>ENT</b> ENT ENT ENT ENT T-604-15 lavender/ENT	<b>TX</b> TX TX TX TX T-506-02 blue/TX
<b>EYE</b> EYE EYE EYE EYE T-605-02 blue/EYE	<b>EYE</b> EYE EYE EYE EYE T-605-03 green/EYE	<b>EYE</b> EYE EYE EYE EYE T-605-04 red/EYE	<b>EYE</b> EYE EYE EYE EYE T-605-06 purple/EYE	<b>GEN</b> GEN GEN GEN GEN T-606-02 blue/GEN
<b>GEN</b> GEN GEN GEN GEN T-606-03 green/GEN	<b>GEN</b> GEN GEN GEN GEN T-606-04 red/GEN	<b>GEN</b> GEN GEN GEN GEN T-606-06 purple/GEN	<b>GEN</b> GEN GEN GEN GEN T-606-07 orange/GEN	<b>GEN</b> GEN GEN GEN GEN T-606-09 black/GEN

## PATTERNED SHEET TAPE – 6.35MM WIDTH

Compatible with steam and H<sub>2</sub>O<sub>2</sub> sterilization. Customizable. One 216mm x 279.4mm sheet pre-cut into 25.4mm, 38.1mm, 50.8mm and 127mm lengths.


























<b>GYN</b> GYN GYN GYN GYN T-607-03 green/GYN	<b>GYN</b> GYN GYN GYN GYN T-607-04 red/GYN	<b>GYN</b> GYN GYN GYN GYN T-607-06 purple/GYN	<b>GYN</b> GYN GYN GYN GYN T-607-07 orange/GYN	<b>GYN</b> GYN GYN GYN GYN T-607-19 fuchsia/GYN
<b>GYN</b> GYN GYN GYN GYN T-607-20 medical blue/GYN	<b>ICU</b> ICU ICU ICU ICU T-608-03 green/ICU	<b>ICU</b> ICU ICU ICU ICU T-608-04 red/ICU	<b>L&amp;D</b> L&D L&D L&D L&D T-609-03 green/L&D	<b>L&amp;D</b> L&D L&D L&D L&D T-609-04 red/L&D
<b>L&amp;D</b> L&D L&D L&D L&D T-609-11 pink/L&D	<b>L&amp;D</b> L&D L&D L&D L&D T-609-14 light blue/ L&D	<b>NEU</b> NEU NEU NEU NEU T-610-02 blue/NEU	<b>NEU</b> NEU NEU NEU NEU T-610-03 green/NEU	<b>NEU</b> NEU NEU NEU NEU T-610-04 red/NEU
<b>NEU</b> NEU NEU NEU NEU T-610-06 purple/NEU	<b>NEU</b> NEU NEU NEU NEU T-610-07 orange/NEU	<b>NEU</b> NEU NEU NEU NEU T-610-11 pink/NEU	<b>PLA</b> PLA PLA PLA PLA T-612-03 green/PLA	<b>PLA</b> PLA PLA PLA PLA T-612-04 red/PLA
<b>SPD</b> SPD SPD SPD SPD T-614-03 green/SPD	<b>SPD</b> SPD SPD SPD SPD T-614-07 orange/SPD	<b>SPD</b> SPD SPD SPD SPD T-614-17 plum/SPD	<b>PED</b> PED PED PED PED T-611-14 light blue/PED	<b>PED</b> PED PED PED PED T-611-18 baby pink/PED
<b>PED</b> PED PED PED PED T-611-1309 lime green/ PED	<b>PLA</b> PLA PLA PLA PLA T-612-0509 yellow/PLA	<b>RAD</b> RAD RAD RAD RAD T-613-0709 orange/RAD	<b>SPN</b> SPN SPN SPN SPN T-614-02 blue/SPN	<b>SPN</b> SPN SPN SPN SPN T-614-04 red/SPN



# Identification Tape – Patterned Sheet Tape


## PATTERNED SHEET TAPE – 6.35MM WIDTH

Compatible with steam and H<sub>2</sub>O<sub>2</sub> sterilization. Customizable. One 216mm x 279.4mm sheet pre-cut into 25.4mm, 38.1mm, 50.8mm and 127mm lengths.

 T-616-03 green/URO	 T-616-04 red/URO	 T-616-06 purple/URO	 T-616-20 medical blue/URO	 T-617-04 red/VAS
 T-617-14 light blue/VAS	 T-622-03 green/H2O	 T-623-08 brown/BAR	 T-624-08 brown/LIV	 T-627-04 red/HIP
 T-686-03 green/LOAN	 T-686-07 orange/LOAN	 T-686-20 medical blue/LOAN	 T-687-03 green/CLNC	 T-687-07 orange/CLNC
 T-687-20 medical blue/CLNC	 T-688-03 green/ANES	 T-688-07 orange/ANES	 T-688-20 medical blue/ANES	 T-689-03 green/NICU
 T-689-07 orange/NICU	 T-689-20 medical blue/NICU	 T-690-03 green/PACU	 T-690-07 orange/PACU	 T-690-20 medical blue/PACU

## PATTERNED SHEET TAPE – 6.35MM WIDTH

Compatible with steam and H<sub>2</sub>O<sub>2</sub> sterilization. Customizable. One 216mm x 279.4mm sheet pre-cut into 25.4mm, 38.1mm, 50.8mm and 127mm lengths.

 T-701-0104 white/hearts	 T-701-02 blue/hearts	 T-701-03 green/hearts	 T-701-04 red/hearts	 T-701-06 purple/hearts
 T-701-07 orange/hearts	 T-701-09 black/hearts	 T-701-11 pink/hearts	 T-701-21 emerald green/hearts	 T-701-0509 yellow/hearts
 T-701-1309 lime green/hearts	 T-701-1509 lavender/hearts	 T-702-0104 white/bones	 T-702-02 blue/bones	 T-702-03 green/bones
 T-702-04 red/bones	 T-702-06 purple/bones	 T-702-07 orange/bones	 T-702-08 brown/bones	 T-702-09 black/bones
 T-702-11 pink/bones	 T-702-19 fuchsia/bones	 T-702-21 emerald green/bones	 T-702-0509 yellow/bones	 T-702-1309 lime green/bones
 T-702-1509 lavender/bones	 T-703-02 blue/stars	 T-703-03 green/stars	 T-703-04 red/stars	 T-703-06 purple/stars
 T-703-07 orange/stars	 T-703-19 fuchsia/stars	 T-703-20 medical blue/stars	 T-703-21 emerald green/stars	

# Identification Tape – Patterned Sheet Tape

## PATTERNED SHEET TAPE – 6.35MM WIDTH

Compatible with steam and H<sub>2</sub>O<sub>2</sub> sterilization. Customizable. One 216mm x 279.4mm sheet pre-cut into 25.4mm, 38.1mm, 50.8mm and 127mm lengths.



## PATTERNED SHEET TAPE – 6.35MM WIDTH

Compatible with steam and H<sub>2</sub>O<sub>2</sub> sterilization. Customizable. One 216mm x 279.4mm sheet pre-cut into 25.4mm, 38.1mm, 50.8mm and 127mm lengths.



# Identification Tape – Patterned Sheet Tape

## PATTERNED SHEET TAPE – 6.35MM WIDTH

Compatible with steam sterilization. Customizable. One 216mm x 279.4mm sheet pre-cut into 25.4mm, 38.1mm, 50.8mm and 127mm lengths. Each sheet contains numbers 1-44.

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44

T-920-02  
blue/1-44


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44

T-920-04  
red/1-44

## PATTERNED SHEET TAPE – 6.35MM WIDTH

Compatible with steam and H<sub>2</sub>O<sub>2</sub> sterilization. Customizable. One 216mm x 279.4mm sheet pre-cut into 25.4 and 127mm lengths. Cut as illustrated below.

Each 216mm x 279.4mm sheet includes:  
216mm x 279.4mm 08 pieces of 950cm x 6.35mm x 25.4mm  
44 pieces of 6.35mm x 38.1mm  
(total of 950cm of tape)



- T-310-0104  
white/red
- T-310-0105  
white/yellow
- T-310-0107  
white/orange
- T-310-0108  
white/brown
- T-310-0111  
white/light pink
- T-310-0114  
white/light blue
- T-310-0115  
white/lavender
- T-310-0502  
yellow/blue
- T-310-0503  
yellow/green
- T-310-0901  
white/black
- T-310-0902  
black/blue

- T-310-0903  
black/green
- T-310-0904  
black/red
- T-310-0905  
black/yellow
- T-310-0910  
black/orange
- T-310-0911  
black/light pink
- T-310-0913  
black/lime green
- T-310-0916  
black/beige
- T-310-0917  
black/plum
- T-330-040902  
red/black/blue
- T-330-040905  
red/black/yellow
- T-340-02010903  
blue/white/black/green
- T-340-04050706  
red/yellow/orange/violet
- T-320-0902  
black/blue



Instrument Identification

# Identification Tape – Patterned Sheet Tape

## PATTERNED SHEET TAPE – 6.35MM WIDTH

Compatible with steam and H<sub>2</sub>O<sub>2</sub> sterilization. Customizable. One 216mm x 279.4mm sheet pre-cut into 25.4mm and 127mm lengths.

JAN JAN JAN	FEB FEB FEB	MAR MAR MAR	T-901-01 white/Jan pink/Feb light blue/Mar	APR APR APR	MAY MAY MAY	JUN JUN JUN	T-902-01 green/Apr orange/May blue/Jun	JUL JUL JUL	AUG AUG AUG	SEP SEP SEP	T-903-01 red/Jul brown/Aug purple/Sep	OCT OCT OCT	NOV NOV NOV	DEC DEC DEC	T-904-01 lime green/Oct yellow/Nov lavender/Dec
-------------------	-------------------	-------------------	---	-------------------	-------------------	-------------------	---	-------------------	-------------------	-------------------	--	-------------------	-------------------	-------------------	--

A A A A A	B B B B B	C C C C C	D D D D D	E E E E E	F F F F F	G G G G G	H H H H H	I I I I I	J J J J J	K K K K K	L L L L L	M M M M M	N N N N N	O O O O O	P P P P P	Q Q Q Q Q	R R R R R	S S S S S	T T T T T	U U U U U	V V V V V	W W W W W	X X X X X	Y Y Y Y Y	Z Z Z Z Z
-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

T-910-02  
blue/alphabet

A A A A A	B B B B B	C C C C C	D D D D D	E E E E E	F F F F F	G G G G G	H H H H H	I I I I I	J J J J J	K K K K K	L L L L L	M M M M M	N N N N N	O O O O O	P P P P P	Q Q Q Q Q	R R R R R	S S S S S	T T T T T	U U U U U	V V V V V	W W W W W	X X X X X	Y Y Y Y Y	Z Z Z Z Z
-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

T-910-04  
red/alphabet

A A A A A	B B B B B	C C C C C	D D D D D	E E E E E	F F F F F	G G G G G	H H H H H	I I I I I	J J J J J	K K K K K	L L L L L	M M M M M	N N N N N	O O O O O	P P P P P	Q Q Q Q Q	R R R R R	S S S S S	T T T T T	U U U U U	V V V V V	W W W W W	X X X X X	Y Y Y Y Y	Z Z Z Z Z
-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

T-910-19  
fuchsia/alphabet

A A A A A	B B B B B	C C C C C	D D D D D	E E E E E	F F F F F	G G G G G	H H H H H	I I I I I	J J J J J	K K K K K	L L L L L	M M M M M	N N N N N	O O O O O	P P P P P	Q Q Q Q Q	R R R R R	S S S S S	T T T T T	U U U U U	V V V V V	W W W W W	X X X X X	Y Y Y Y Y	Z Z Z Z Z
-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

T-910-03  
green/alphabet

A A A A A	B B B B B	C C C C C	D D D D D	E E E E E	F F F F F	G G G G G	H H H H H	I I I I I	J J J J J	K K K K K	L L L L L	M M M M M	N N N N N	O O O O O	P P P P P	Q Q Q Q Q	R R R R R	S S S S S	T T T T T	U U U U U	V V V V V	W W W W W	X X X X X	Y Y Y Y Y	Z Z Z Z Z
-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

T-910-0109  
white/alphabet

## PATTERNED SHEET TAPE – 6.35MM WIDTH

Compatible with steam and H<sub>2</sub>O<sub>2</sub> sterilization. Customizable. One 216mm x 279.4mm sheet pre-cut into 25.4mm and 127mm lengths.

AAAAAA red/A	T-401-19	♣ ♣ ♣ ♣ ♣ ♥ ♥ ♥ ♥ ♥ ♠ ♠ ♠ ♠ ♠ ♦ ♦ ♦ ♦ ♦	T-720-040109 black/red/card suits
0000000 1111111 2222222 3333333 4444444 5555555 6666666 7777777 8888888	T-900-0109 white/0-8	0000000 1111111 2222222 3333333 4444444 5555555 6666666 7777777 8888888	T-900-03 green/0-8
0000000 1111111 2222222 3333333 4444444 5555555 6666666 7777777 8888888	T-900-06 purple/0-8	0000000 1111111 2222222 3333333 4444444 5555555 6666666 7777777 8888888	T-900-07 orange/0-8
0000000 1111111 2222222 3333333 4444444 5555555 6666666 7777777 8888888	T-900-19 fuchsia/0-8	0000000 1111111 2222222 3333333 4444444 5555555 6666666 7777777 8888888	T-900-20 medical blue/0-8
0000000 1111111 2222222 3333333 4444444 5555555 6666666 7777777 8888888	T-900-21 emerald green/0-8		







### HOW DOES KEYDOT WORK?

The KeyDot works like a license plate. It links a specific instrument to a data file within a software application, allowing that instrument to be tracked throughout the complete instrument processing cycle. Instruments marked with the KeyDot are scanned using a two-dimensional barcode reader. Scanners and software applications not available through Key Surgical.

### THE KEYDOT IS EFFICIENT

KeyDot provides you with the convenience to decide what to mark and when to mark it – you're in control. Since there are no equipment requirements or complicated procedures and training involved, instruments can be marked with a KeyDot on a continuous basis by anyone in your department, starting with critical instruments and expanding at an individual pace.


### KEYDOT®

With the KeyDot there is no specialized training or intricate equipment required. Applying a KeyDot to a surgical instrument is quick and easy: simply clean, lift, place, and press. The instrument then needs to be sterilized to cure the adhesive and assure firm adhesion.

1 clean application area



2 lift KeyDot from sheet



3 place KeyDot on instrument



4 apply firm pressure and sterilize to secure adhesive



**FREQUENTLY ASKED QUESTIONS**

**IS KEYDOT SAFE FOR OUR SURGICAL INSTRUMENTS?**

Yes. A licensed, independent medical testing laboratory has scientifically evaluated the KeyDot and found that the instrument surfaces under the KeyDot are completely sterilized during processing.

**HOW LONG WILL OUR KEYDOT LAST?**


The radial design of the KeyDot means there are no corners to lift up. The Data Matrix barcode is also highly redundant – even if up to 60% of the barcode is destroyed, the KeyDot is still readable. The KeyDot is designed to withstand harsh environmental and temperature conditions. If a KeyDot needs to be replaced, anyone can do it at a convenient time in a matter of seconds.

**DO I HAVE TO PROGRAM KEYDOT WITH MY OWN NUMBERS?**

No. All KeyDots are manufactured and shipped with a unique number. We guarantee that there will be no duplicate numbers in the labeling sequence. Custom sequences can also be requested. Simply apply the KeyDot and easily link it to the appropriate data file in your software application.

**KEYDOT GUARANTEE**

Key Surgical guarantees that our KeyDot labels will remain readable for at least 200 processing cycles or two years, whichever comes first. Simply send us the supporting documentation from your instrument tracking system and we will replace, free of charge, any KeyDot that does not meet our performance benchmark.



ILLUSTRATIONS ARE THE ORIGINAL SIZE

**KEYDOT®**

REF	Ø (mm)	Qty
A ID-405-01	3.2	1 sheet
A ID-405-02	3.2	2 sheets
A ID-405-05	3.2	5 sheets
A ID-405-10	3.2	10 sheets
B ID-400-01	4.8	1 sheet
B ID-400-02	4.8	2 sheets
B ID-400-05	4.8	5 sheets
B ID-400-10	4.8	10 sheets
C ID-410-01	6.4	1 sheet
C ID-410-02	6.4	2 sheets
C ID-410-05	6.4	5 sheets
C ID-410-10	6.4	10 sheets
D ID-420-01	9.5	1 sheet
D ID-420-02	9.5	2 sheets
D ID-420-05	9.5	5 sheets
D ID-420-10	9.5	10 sheets



## Instrument Identification – Printed Locking Tags



A

B

C



D

E

F

### LOCKING TAGS

Versatile, durable, and economical. Tamper-resistant. Compatible with steam and H<sub>2</sub>O<sub>2</sub> sterilization. Single use. Customizable. 25.4mm length.

REF	Details	Color	Qty
A LT-150*	CLEAN	white	100 pcs
LT-150-1000*			1000 pcs
B LT-210*	QUICK TURNOVER	blue	100 pcs
LT-210-1000*			1000 pcs
C LT-310*	LOANER	green	100 pcs
LT-310-1000*			1000 pcs
D LT-450*	REPAIR	red	100 pcs
LT-450-1000*			1000 pcs
E LT-550*	SHARPEN	yellow	100 pcs
LT-550-1000*			1000 pcs
F LT-720*	BROKEN	orange	100 pcs
LT-720-1000*			1000 pcs

PRODUCTS SHOWN ACTUAL SIZE



**\*WARNING:** This product can expose you to chemicals including titanium dioxide, which is known in the State of California to cause cancer. For more information go to [www.p65warnings.ca.gov](http://www.p65warnings.ca.gov).

## Instrument Identification – Repair Tags



A




B



C

D




E

defekt  
damaged

### REPAIR TAGS

These repair tags are available in plastic or Tyvek and are designed to mark defective instruments. We offer them blank or pre-printed (multilingual). Single use.

REF	Description	Color	Imprint	Qty
A 01260	plastic	orange	reparieren/repair	100 pcs
B 02629	plastic	red	reparieren/repair	100 pcs
C 01278	plastic	red	schärfen/sharpen	100 pcs
D 01007	made of Tyvek, washable up to 90 °C, 105 g/m <sup>2</sup> , not suitable for steam sterilizer with documentation field	white	defekt/damaged	1000 pcs
E 04132	made of Tyvek, washable up to 90 °C, 105 g/m <sup>2</sup> , not suitable for steam sterilizer	white	blank	1000 pcs
F 04121	made of Tyvek, washable up to 90 °C, not suitable for steam sterilizer	white	blank	1000 pcs
F 04151	made of PET, washable up to 90 °C, heat resistant up to 134 °C	white	blank	500 pcs



F



# Instrument Identification – Cable Binders




### CABLE BINDERS MADE OF SILICONE

Cable binders can be used to bundle different instruments. They can also be used to affix sieve basket labels or for quick visual identification of instruments, sets, and trays due to the unique properties. Our silicone products offer excellent fixation properties and at the same time protect the bundled objects. These facilitate the organization of the sieve during the packing process in the central sterile services department (CSSD) and during removal in the operating theatre. Available in different shapes, colors, lengths, and closure variants or different needs, such as in the operating theatre for marking instruments for repair or replacement. Tear-resistant. Single use. Heat resistant up to 134 °C.

REF	Color	Length (mm)	Qty
A 09246	white	60	100 pcs
B 09252	green	60	100 pcs
C 09253	blue	60	100 pcs
D 09254	yellow	60	100 pcs
E 09255	black	60	100 pcs
F 09256	red	60	100 pcs
G 09258	orange	60	100 pcs
H 09261	violet	60	100 pcs

# Instrument Identification – Cable Binders




### SILICONE CABLE BINDERS FOR BUNDLING INSTRUMENTS

Heat resistant up to 134 °C. Single use.

REF	Color	Length (mm)	Qty
A 09231	white	110	100 pcs
B 09235	red	110	100 pcs
C 09236	yellow	110	100 pcs
D 09237	green	110	100 pcs
E 09238	blue	110	100 pcs
F 09369	violet	110	100 pcs
G 09370	black	110	100 pcs
H 09373	white	110	100 pcs
I 09374	red	110	100 pcs
J 09375	yellow	110	100 pcs
K 09376	green	110	100 pcs
L 09377	blue	110	100 pcs
M 09378	orange	110	100 pcs
N 09379	black	110	100 pcs



# Instrument Identification – Cable Binders



### CABLE BINDERS MADE OF SILICONE

Heat-resistant up to 134 °C. For single use.

REF	Color	Length (mm)	Qty
A 09282	white	190	100 pcs
B 09283	red	190	100 pcs
C 09284	green	190	100 pcs
D 09285	blue	190	100 pcs
E 09286	yellow	190	100 pcs
F 09381	orange	190	100 pcs
G 09382	black	190	100 pcs
H 09239	red	210	100 pcs
I 09240	yellow	210	100 pcs
J 09241	green	210	100 pcs
K 09242	blue	210	100 pcs
L 09371	violet	210	100 pcs
M 09372	black	210	100 pcs
N 09586	white	210	100 pcs

### PLASTIC CABLE BINDERS

Heat-resistant up to 134 °C. For single use.

REF	Color	Format (mm)	Qty
O 09482	white	200 x 3.5	100 pcs



## Instrument Identification – Bundling String

Bundling strings and cable binders can be used to bundle up a wide range of instruments. They are also used to secure sieve tray labels or for the rapid visual identification of instruments, sets and sieve trays. Thanks to the unique properties of silicone, our silicone products ensure excellent fixation yet are still gentle on the bundled items. These facilitate the organization of the sieve during the packing process in the central sterile services department (CSSD) and during removal in the operating theatre. Available in different shapes, colors, lengths, and closure variants or different needs, such as in the operating theatre for marking instruments for repair or replacement. Tear-resistant. Single use.



### INSTRUMENT BUNDLING STRING

Made of silicone and heat-resistant up to 134 °C Further dimensions on request.

REF	Form	Color	Format (mm)	Qty
A 09143	flat	blue	300	100 pcs
A 09144	flat	yellow	300	100 pcs
A 09161	flat	yellow	500	100 pcs
A 09164	flat	gray	500	100 pcs
A 09039	flat	green	300	100 pcs
A 09139	flat	green	500	100 pcs
A 09146	flat	red	300	100 pcs
A 09163	flat	red	500	100 pcs
A 09145	flat	black	300	100 pcs
A 09011	round	yellow	Ø 2.5 x 700	100 pcs
A 09010	round	red-brown	Ø 3.0 x 700	100 pcs





### TUBE BUNDLERS

REF	Color	Ø (mm)	Qty
B 09158	white	25	100 pcs
C 09159	white	35	100 pcs





# Instrument Identification – Silicone Tubes



**A SILICONE TUBES**

REF	Description	Ø inside x wall thickness (mm)	Cross-section	Qty
09043	transparent	1.0 x 0.3	none	25m/reel
09029	transparent	1.5 x 0.5	none	25m/reel
09037	transparent	1.5 x 0.8	none	25m/reel
09027	transparent	1.5 x 1.0	none	25m/reel
09042	transparent	2.0 x 0.5	none	25m/reel
09028	transparent	2.0 x 0.8	none	25m/reel
09021	opaque red	2.0 x 1.0	none	25m/reel
09024	transparent	2.0 x 1.0	none	25m/reel
09149	transparent	2.5 x 1.0	none	25m/reel
09023	transparent	4.0 x 1.0	none	25m/reel
09115	transparent	4.0 x 1.0	none	25m/reel
09154	opaque blue	3.0 x 2.0	none	25m/reel
09119	colored red	5.0 x 1.0	none	25m/reel
09022	transparent	5.0 x 1.0	none	25m/reel
09015	transparent green	5.0 x 1.0	none	25m/reel
09014	transparent	5.0 x 2.0	none	25m/reel
09041	transparent	6.0 x 3.0	none	25m/reel
09018	transparent	7.0 x 2.0	none	25m/reel

# Instrument Identification – Silicone Tubes



### SILICONE TUBES

REF	Description	Ø inside x wall thickness (mm)	Cross-section	Qty
A 09116	transparent	7.0 x 3.0	none	25m/reel
A 09044	transparent	8.0 x 2.0	none	25m/reel
A 09701	transparent	8.0 x 2.0	none	25m/reel
A 09047	transparent	10 x 1.0	none	25m/reel
A 09700	transparent	10 x 2.0	none	25m/reel
B 09710	transparent green, 6 ribs of 0.5mm each	2.5 x 0.5	6	25m/reel
B 09706	transparent, 6 ribs of 0.5mm each	2.5 x 0.5	6	25m/reel
B 09183	transparent, 6 ribs of 0.5mm each	2.5 x 1.2	6	25m/reel
B 09233	transparent, 6 ribs of 1.0mm each	4.0 x 0.5	6	25m/reel
B 09150	transparent, 6 ribs of 1.0mm each	4.0 x 1.2	6	25m/reel
B 09151	transparent, 6 ribs of 1.0mm each	6.0 x 1.2	6	25m/reel
B 09712	transparent green, 6 ribs of 1.0mm each	6.0 x 1.2	6	25m/reel
B 09152	transparent, 6 ribs of 1.0mm each	8.0 x 1.2	6	25m/reel
C 09142	transparent, 8 ribs of 1.0mm each	11 x 1.2	8	25m/reel
C 09153	transparent, 8 ribs of 1.0mm each	12 x 1.2	8	25m/reel
C 09713	transparent green, 8 ribs of 1.0mm each	8.0 x 1.2	8	25m/reel
D 09705	transparent, 16 ribs of 1.0mm each	20 x 1.0	16	25m/reel





## QUALITY MONITORING & ASSURANCE

Process monitoring and documentation have grown in importance in the field of medical device reprocessing over the past years which, in turn, has led to a significant increase in quality. The use of batch controls and random tests is common practice today and helps proper processing.

Routine controls in between annual maintenance and validation cycles provide consistent procedures and help to guarantee compliance with the applicable guidelines and standards. The Key Surgical product portfolio in this segment is growing continuously to enable you to maintain high quality standards.

- Indicators for standard instrument and endoscope washer-disinfectors, and ultrasonic baths to check the cleaning efficacy of the cycles
- Ink-based seam seal integrity tests or color analysis with indicator strips
- Hollow load process challenge tests for routine monitoring – reusable and single use options
- Routine and batch control systems for long-term use
- Batch controls for all widely used sterilization methods such as steam, low temperature (EO, FO, H<sub>2</sub>O<sub>2</sub>)
- Bio-indicators for routine checks and microbiological validation of most sterilization/ disinfection procedures
- Other quality controls such as disinfection indicators, indicator dots, counting strips, control/insertion cards, sterilization protocols and documentation pads
- Test materials for quality control of medical instruments (functional capacity, cleaning outcome, information on diameter, length and weight) and for workplace optimization

Cleaning Indicators

Bowie-Dick Tests

Sterilization Monitoring

Monitoring Equipment



Unless otherwise stated, our products are not made with natural rubber latex.



## Quality Monitoring & Assurance - Cleaning & Disinfection Monitoring Blood-Based Test




Cleaning is the first and most important step in the reprocessing cycle so it must be checked with appropriate care. Cleaning indicators and monitoring systems are used to verify cleaning performance. They are used to simulate soiled surface structure, joints, cavities and complex lumens, and challenge the efficacy of the cleaning cycle in a washer-disinfectors (WD). Results are assessed based on the presence or absence of soil in the indicator after the cleaning cycle.

### A T-EZ PRO™

The T-EZ Pro "All in One" contains a sheep blood compound that correlates to human blood. It is easy to use: just remove the T-EZ Pro from its package and attach it directly to the sieve tray. Thanks to the transparency of the plastic, there is no need to remove the indicator strip from its PCD for interpretation. However, it is possible to open the test body and archive the indicator for documentation purposes.

REF	Description	Suitable to	Qty
EZ-015-100	T-EZ Pro cleaning indicator	washer-disinfectors	15 pcs

A





## Quality Monitoring & Assurance - Cleaning & Disinfection Monitoring Blood-Based Test

### CLEANING INDICATORS AND TEST BODIES

Cleaning indicators and test bodies for the verification of washer-disinfectors cleaning cycle. Indicators consist of a blood compound and a test body to meet EN 15883.

REF	Description	Machine type	Qty
<b>A</b> 08010	MIS test indicator for checking the cleaning effect	WD	1 pcs
<b>B</b> 08032	kit to control the cleaning effect of washer-disinfectors and ultrasonic baths consists on: 50x indicators Simicon RI (V3502080) 1x test body for standard instruments, yellow (REF 08033) 1x test model for simulating narrow gaps, blue (REF 08034) 1x test model MIS instruments	WD	1 Set
<b>C</b> 08009	stainless steel test body for washer disinfecter - standard instruments format: $\varnothing$ 2.0mm x 2m	WD	1 pcs
<b>D</b> 08083	test body made of stainless steel, for testing the performance of washer-disinfectors, for reprocessing of flexible endoscopes according to ISO 15883 with the cleaning indicator. SIMICON-RI or bio indicator SIMICON WD-EF format: $\varnothing$ 1.0 mm x 2 m	WD-E	1 pcs
<b>E</b> 08084	test body made of plastic, for testing the performance of washer-disinfectors, for reprocessing flexible endoscopes with the cleaning indicator. SIMICON-RI or bioindicator SIMICON WD-EF format: $\varnothing$ 1.0 mm x 2 m	WD-E	1 pcs

**A**



**B**



**C**



**D**



**E**



## Quality Monitoring & Assurance - Cleaning & Disinfection Monitoring Blood-Based Test

### CLEANING INDICATORS AND TEST BODIES

Cleaning indicators and test bodies for the verification of Endoscope Washer Disinfector (WD-E) cleaning cycle. Indicators consist of a blood compound and a test body to meet EN 15883.

REF	Description	Qty
A 08029	test body made of stainless steel to check the cleaning efficacy of endoscope washer disinfector, format: $\varnothing$ 2.0mm x 2m	1 pc
B 08030	Olympus® washer-disinfectors adapter for test body REF 08029	1 pc
C 08031	belimed and BHT adapter set for test body REF 08029 - includes pressure box system	1 pc
D 08115	control kit for the cleaning efficacy of endoscope washer-disinfectors consists of: 50x pieces of indicators Simicon RI (REF 08008) 1x test model made of plastic (REF PM-RIBI-2-PP) blue ring: for PC test models, temperature resistant up to 60 °C ring: for V2A test models, temperature resistant up to 121 °C	1 pc



## Quality Monitoring & Assurance - Sterilization Monitoring


### STEAM STERILIZATION BOWIE-DICK TEST

The Bowie-Dick test is a steam penetration test used as a routine check for the fractional vacuum process in steam sterilizers. It meets EN ISO 11140-4 tests for quality assurance of sterilization process.

REF	Description	Content	Qty
<b>A</b> 08122	BDpro set	1x test body 1x bracket 1x screw with sealing ring for self-test	1 Set
<b>A</b> 08122M	BDpro Type 2 sample set	11x test body 250 strips of 6-level indicators 1x empty box 1x bracket 2x sealing rings 1x screw	1 Set
<b>B</b> 08126	Bdpro tube	1x test body 1x bracket 1x sealing ring screw with sealing ring for self-test	1 Set
<b>C</b> 08123	indicator refill pack for 121 °C – 15 min. / 134 °C – 5 min. (suitable for REF 08122 and 08126)	250 strips of 6-level indicators 1x sealing ring	250 pcs



## Quality Monitoring & Assurance - Sterilization Monitoring




### BATCH TEST INCL. HOLLOW BODY FOR LARGE STEAM STERILIZERS

The routine control using test bodies is not only required in DIN EN ISO 17665-1, but also recommended by the Robert Koch Institute (German health organization) for information on ventilation, steam quality and steam penetration in hollow bodies. The Key Surgical LCpro serves as a batch-dependent process control for steam sterilizers.

REF	Description	Content	Qty
<b>A</b> 08120	LCpro set	1x test body 500 strips of 4-level indicators 1x bracket 2x sealing rings screw with sealing ring for self-test	1 set
<b>A</b> 08120M	LCpro type 2 sample set	1x test body 50 strips of 4-level indicators 1x bracket 2x sealing rings 1x screw	1 set
<b>B</b> 08125	LCpro tube test body	1x test body 1x bracket screw with sealing ring for self-test	1 set
<b>C</b> 08121	indicator refill pack for 134 °C-3.5 min. (suitable for REF 08120)	500 strips of 4-level indicators	500 pcs
08145	LCpro set	1x test body 400 strips of 4-level indicators 1x bracket 2x sealing rings screw with sealing ring for self-test	1 set
<b>D</b> 08130	indicator refill pack for 134 °C-18 min. (suitable for REF 08120)	200 strips of 4-level indicators 1x sealing rings	1 set




A




B



C



D



## Quality Monitoring & Assurance - Sterilization Monitoring

### BATCH CONTROL FOR SMALL STEAM STERILIZERS

The LCpro Mini Set is suitable for batch monitoring of the sterilization process of small steam sterilizers of class B. Reduce your clinical waste with the help of a reusable test body made of resistant materials. The 4-step indicator becomes black when the process has been successfully completed, enabling a quick interpretation of the result. It can be kept in your documentation for track and trace purposes.

REF	Description	Content	Qty
A 08134	LCpro Mini-Set	1x test body 250 strips of 4-level indicators 1x sealing ring	1 set
A S_08134	LCpro Mini, test system	1x test body 20 strips of 4-level indicators 1x bracket 1x sealing ring	1 set
A 08136	LCpro Mini test body	1x test body 1x sealing ring	1 pc
A 08135	LCpro Mini refill indicators	250 strips of 4-level indicators	250 pcs

### HELIX TEST

REF	Description	Properties	Qty
B 08003	Helix Test - steam control indicator - type 5	steam: 134 °C - 3.5min., 121 °C - 15 min. format: 6 x 74mm self-adhesive with color comparison	1 box
C 08087	Helix Test - test model for steam, gas and H <sub>2</sub> O <sub>2</sub> sterilization - type 2	material: 1.5m long, reusable PTFE hose (Teflon™), Inner Ø 2mm. The test body also meets the requirements of DIN 58948, EN 14180 and the EN 13060	1 pc
D 08088	Helix Test - test model for steam, gas and H <sub>2</sub> O <sub>2</sub> sterilization type 2	material: 2.0m long, reusable PTFE hose (Teflon™), Inner Ø 2mm. The test body meets the requirements of DIN 58948, EN 14180 and the EN 13060	1 pc



# Quality Monitoring & Assurance - Sterilization Monitoring



## INDICATOR POINTS AND STRIPS FOR STEAM STERILIZATION

We offer indicators in various designs for additional quality assurance. The indicator points serve as quick evidence that a sterilization process parameters have been met.



REF	Description	Properties	Qty
A 01401	indicator point, self-adhesive	with steam indicator Ø 10mm	1 roll
B 01159	indicator point, self-adhesive	with steam indicator Ø 15mm	1 roll
C 01410	indicator strips	with steam indicator format: 20 x 170mm	1000 pcs
D 08026	three-phase indicator - type 5	steam: 121 °C / 134 °C 200 strips	1 box
E 08016	steam control indicator - type 6	steam: 134 °C - 3.5 min., 121 °C - 15 min 1x test body 250 strips	1 box







## INDICATORS FOR HOT AIR STERILIZATION

The self-adhesive, pre-cut and perforated indicator makes documentation easier because it can be glued to the five documentation sheets supplied during use. The indicator strip is compatible with hot air sterilization at 180 °C for 30 minutes. The given color comparison ensures a comfortable, easy and safe evaluation.

REF	Description	Properties	Qty
F 08002	hot air indicator - type 4	thermo-control: 180 °C - 30 min format: 9 x 48mm box: 120 strips	1 box




# Quality Monitoring & Assurance - Sterilization Monitoring



## INDICATORS FOR EO, FO AND GAMMA STERILIZATION

REF	Description	Content	Qty
A 08006	Helix Test - formaldehyde Indicator - Type 4	format: 6 x 74mm self-adhesive with color comparison 1x test body box: 200 strips	1 set
B 01415	indicator point, self-adhesive	with FO indicator, color change from purple to green format: 16 x 22mm	840 pcs
C 01414	indicator point with text, self-adhesive	with EO indicator Ø 15mm	1 roll
01408	indicator point, self-adhesive	with EO indicator Ø 16mm	1080 pcs
D 01407	indicator strips, self-adhesive, with rear slit	with EO indicator format: 15 x 50mm	1000 pcs
E 01419	indicator strips	with EO indicator format: 20 x 100mm	1000 pcs
F 01405	indicator strips, self-adhesive, with rear slit	with EO indicator format: 20 x 170mm	1000 pcs
01418	gamma indicator point, self-adhesive	Ø 12.5mm dose range:> 10 kGy (> 1mrad) 5000 pieces per roll	1 roll
G 01417	gamma indicator point, self-adhesive	Ø 12.5mm dose range:> 10 kGy (> 1mrad) 1000 pieces per roll	2 rolls

# Quality Monitoring & Assurance - Sterilization Monitoring



## INDICATORS FOR H<sub>2</sub>O<sub>2</sub> STERILIZATION

REF	Description	Content	Qty
A 08102	Helix Test - batch control with H <sub>2</sub> O <sub>2</sub> indicator	color change from pink to yellow self-adhesive 1x test body box: 100 strips	1 set
B 01413	indicator point, self-adhesive	with H <sub>2</sub> O <sub>2</sub> indicator Tyvek format: 10 x 10 mm	500 pcs
C 01411	indicator strips, self-adhesive, with back slit	with H <sub>2</sub> O <sub>2</sub> indicator Tyvek, format: 20 x 170 mm	200 pcs

## QUALITY DOCUMENTATION

REF	Description	Format (mm)	Qty
D 01504	quality control card with steam indicator	140 x 100	1000 pcs
E 01517	quality control card without indicator	140 x 100	1000 pcs
F 01162	sterilization control card with steam indicator	148 x 105	1000 pcs
G 01412	sterilization protocol for the H <sub>2</sub> O <sub>2</sub> sterilization	A4 sheets	50 pcs
H 09243	counting strips suitable for 10 cycles (imprinted no. 1-10) to count reprocessing cycles. Made of plastic. Compatible with washer-disinfectors and steam sterilization	NA	200 pcs
I 09247	counting strips for 10 cycles (imprint no. 1-10) suitable for reprocessing cycles. Made of silicone. Compatible with washer-disinfectors and steam sterilization.	NA	100 pcs



## Quality Monitoring & Assurance - Monitoring Equipment



Our test equipment is designed to help you in a wide variety of areas in the CSSD to maintain a high quality standard. The test aid set is an innovative all-in-one solution designed to support routine checks of surgical instruments.

### TEST AID SET IN ACCORDANCE WITH DIN 58298

For testing the functionality of surgical instruments.

REF	Description	Qty
<b>A</b> 08500	test - equipment includes: <ul style="list-style-type: none"> <li>• for bone splitters, hollow chisel forceps and bone punches: cardboard 160 gsm</li> <li>• for traumatic clamps, paper 30 gsm, polybag 50 µm</li> <li>• for surgical scissors, latex strap, styrene-butadiene rubber</li> <li>• for chisels, raspatories, bone curettes and sharp spoons: plastic round profile</li> <li>• for needle holder, wire 0.4 / 0.6 / 0.8 / 1.0mm, PTFE strap 0.2 mm</li> <li>• for non-cutting conchotome, synthetic film with a strength of 300 µm</li> <li>• for forceps, plates made of synthetic material 1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 4.0mm,</li> <li>• for scalpels, knives and cutting conchotome, synthetic film with a strength of 100-µm test drum made of synthetic material</li> <li>• magnifying glass with 5X zoom</li> </ul>	1 set

### REFILL ITEMS FOR TEST AID SET

According to DIN 96298-3.

REF	Description	Qty
95172	cardboard, 160 gsm	50 pcs
95141	synthetic foil with a strength of 100 µm	100 pcs
95140	test drum	1 pc
08502	red latex tape, 100% latex, powdered with talc	1 pc
95169	round profile with a diameter of 6mm	1 pc
95154	plates made of synthetic material 1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 4.0mm, each	3 pcs
95143	paper pack, 30 gsm	1 pc
95155	wire 0.4 / 0.6 / 0.8 / 1.0mm each	10 pcs
95139	synthetic foil with a strength of 300 µm	50 pcs
08534	styrene-butadiene rubber NR-SBR	1 pc
09912	polybag 50 µm	1000 pcs
1904180	hand magnifying glass, 4x zoom with led	1 pc
<b>B</b> 08509	monocular magnifying glass, 10x zoom	1 pc






## REFILL ITEMS FOR TEST AID SET

According to DIN 96298-3.

REF	Description	Magnification	Properties	Qty
<b>A</b> 09973	3 LED magnifying lamp (white) 10 W	2.5 times lens: 150mm	table lamp with articulated arm (80cm). Attachment: table clamp with screw fastening. Clamping area: 6.5cm on / off switch on the lamp foldable cover for protection of the real glass lens. Easy to clean with internal springs. Light color: daylight (6500K). Operating voltage 230 V.	1 pc
09974	wall bracket	NA	for magnifying lamps REF 09973	1 pc
<b>B</b> 09988	replacement fluorescent ring 12 W	NA	for magnifying lamps REF 09978	1 pc



## Quality Monitoring & Assurance – Monitoring Equipment for Sealing Devices & Accessories



### INKCHECK® SEAL TIGHTNESS TEST

Suitable for routine testing of sealed seams in accordance with DIN EN ISO 11607-1, Annex B. Each set of InkCheck consists of 50 ampoules with 2 ml indicator solution and a magnifying glass card (REF 08529). InkCheck offers easy handling twist-off cap aiming to reduce spills and drips, suitable for all standard packaging paper/Tyvek®. The new generation of the seal seam tightness test InkCheck Plus provides simple and clean handling in one step. Single use.

REF	Description	Qty
A 08101	InkCheck	50 pcs
B 08116	InkCheck Plus	30 pcs
B 08124	InkCheck Plus Tyvek	30 pcs



### C SEAL PROOF

Seal Proof helps you validate sealers. Single use. Deviations in the sealing process, temperature and the contact pressure are shown on the indicator strip. All this in three simple steps:

1. Place Seal Proof in a cling-free clear pouch
2. Run through the sealing device once
3. Evaluate color change

REF	Description	Format (mm)	Qty
08011	for transparent bags (paper foil)	173 x 91	250 pcs
08017	for Tyvek bags (Tyvek film)	172 x 90	100 pcs





## DOCUMENTATION

Ever stricter standards mean that complete documentation is now part of everyday routine when reprocessing instruments. Key Surgical offers a vast array of labels for identification of your sterile goods. Our range includes both paper labels for single use and longlasting foil-based labels. Take advantage of our comprehensive range and label your medical devices to meet your specific requirements.

Our foil and paper labels are available in almost all formats, and for paper labels you can choose between those with and without indicators for reliable identification in ongoing production for all common sterilization processes.

In our product range you will also find labels for low-temperature processes, such as H<sub>2</sub>O<sub>2</sub> and thermo transfer foil I in a selection of qualities.

Paper Labels

Foil Labels

Thermo Transfer Foil

Pre-printed Labels Labellers and Labelling Accessories

Miscellaneous Documentation Items

Unless otherwise stated, our products are not made with natural rubber latex.





Document the contents of your packaged medical devices using our high-quality paper labels. The labels are compatible with virtually all label printers, so you can print them according to your requirements and are thus always sure of finding the most important information at a glance. In the Key Surgical portfolio you will find labels in common formats. The duplex self-adhesive labels are particularly suitable for documentation in patient files. You will also find in our portfolio labels wound on the inside or outside and on various reel cores. Labels without tear-off perforations are ideal for cut-off printers.

### SINGLE LABELS AND ENDLESS LABELS - WITHOUT INDICATOR

Blank without indicator, wound outside. For single use.

REF	Description	Self-adhesive	Tear-off perforation	Format (mm)	Core-Ø (mm)	Qty
A	roll of 1000 labels	duplex	yes	50 x 33	40	1 roll
B	suitable for non-woven materials, roll of 1000 labels	duplex	yes	70 x 33	40	1 roll
C	roll of 1000 labels	duplex	yes	60 x 34	40	1 roll
D	divided into 3 individual labels, roll of 2000 labels	duplex	yes	102 x 34 51 x 22 51 x 22	76	1 roll
D	divided into 3 individual labels, roll of 500 labels	duplex	yes	102 x 34 51 x 22 51 x 22	40	1 roll
E	roll of 2000 labels	duplex	yes	75 x 35	76	1 roll
E	with slots, heat-resistant up to 134 °C, roll of 2000 labels	duplex	no	75 x 35	76	1 roll
E	roll of 2000 labels	duplex	no	63 x 40	76	1 roll



A



B




C



D




E



A

B


C



D



E



F



G

**SINGLE LABELS - WITH STEAM INDICATOR (PINK TO BROWN)**

Wound on the outside and duplex self-adhesive. Blank with steam indicator.

REF	Description	Tear-off perforation	Format (mm)	Core-Ø (mm)	Qty
04322	upper material with horizontal slits - roll of 1000 labels	yes	60 x 33	25	1 roll
A 04010	with red colored corner - roll of 1000 labels	yes	60 x 33	40	1 roll
B 04086	roll of 1000 labels	yes	60 x 33	40	1 roll
B 04158	roll of 2000 labels	yes	60 x 33	40	1 roll
C 04214	roll of 1000 labels	yes	59 x 35	40	1 roll
D 04209	upper material with horizontal slits - roll of 1000 labels	yes	59 x 35	40	1 roll
E 04290	roll of 1000 labels	yes	58 x 38	40	1 roll
F 04141	roll of 1000 labels	yes	57 x 40	40	1 roll
G 04167	with slit in the upper material - roll of 660 labels	yes	72 x 48	40	1 roll
04287	with slit in the upper material - roll of 660 labels	yes	72 x 48	76	1 roll




A

B

C



D



E



G



H

**SINGLE LABELS - WITH STEAM INDICATOR SUITABLE FOR NON-WOVEN MATERIAL**

Blank with steam indicator (pink to brown). Wound outside and duplex self-adhesive.

REF	Description	Tear-off perforation	Format (mm)	Core-Ø (mm)	Qty
A	04160 roll of 1000 labels	yes	60 x 31	25	1 roll
B	04207 roll of 1000 labels	yes	50 x 33	40	1 roll
C	04089 roll of 1000 labels	no	70 x 33	40	1 roll
D	04301 with information on standards and color change roll of 1000 labels	yes	70 x 33	40	1 roll
C	04144 roll of 2000 labels	yes	70 x 33	40	1 roll
C	04295 roll of 1000 labels	no	70 x 33	76	1 roll
C	04169 roll of 1000 labels	yes	70 x 33	76	1 roll
E	04336 with information on standards and color change, steam indicator left - roll of 1000 labels	yes	70 x 35	40	1 roll
G	04183 steam indicator right - roll of 1000 labels	yes	70 x 35	40	1 roll
H	04182 steam indicator left - roll of 1000 labels	yes	70 x 35	40	1 roll




A



B



C



D




E



F



I



J

**SINGLE LABELS - WITH STEAM INDICATOR SUITABLE FOR NON-WOVEN MATERIAL**


Blank with steam indicator (pink to brown). Wound outside and duplex self-adhesive.

REF	Description	Tear-off perforation	Format (mm)	Core-Ø (mm)	Qty
B	04250 roll of 1000 labels	yes	70 x 35	40	1 roll
B	04242 roll of 1000 labels	yes	70 x 35	76	1 roll
C	04180 roll of 1000 labels	yes	70 x 35	40	1 roll
D	04273 with information on standards and color change, color bar red - roll of 1000 labels	yes	70 x 35	76	1 roll
D	04275 with information on standards and color change, green color bar - roll of 1000 labels	yes	70 x 35	76	1 roll
D	04276 with information on standards and color change, yellow color bar - roll of 1000 labels	yes	70 x 35	76	1 roll
D	04274 with information on standards and color change, blue color bar - roll of 1000 labels	yes	70 x 35	76	1 roll
E	04280 with information on standards and color change, vapor indicator left - roll of 1000 labels	yes	75 x 35	76	1 roll
F	04272 vapor indicator left - roll of 1000 labels	yes	70 x 35	76	1 roll
F	04328 vapor indicator left - roll of 2000 labels	yes	70 x 35	76	1 roll
H	04311 with information on standards and color change - roll of 1000 labels	yes	100 x 60	76	1 roll
I	04241 roll of 1000 labels	yes	83 x 40	76	1 roll
J	04093 endless labels, wrapped outside, double self-adhesive, also sticks to non-woven materials	no	70 x 80	50	1 roll







A



B



C



D



E



F



G



H




I

**SINGLE LABELS - WITH STEAM INDICATOR (PINK TO BROWN)**

Wound on the outside and single self-adhesive.

REF	Description	Format (mm)	Core-Ø (mm)	Qty
A	04066 for Webeco, perforated in the middle, with tear-off perforation	89 x 36	40	1 roll
B	04190 suitable for non-woven material - roll of 1000 labels	60 x 31	40	1 roll
C	04094 suitable for non-woven material - roll of 2000 labels	60 x 31	40	1 roll
D	04265 roll of 1000 labels	60 x 33	40	1 roll
E	04266 roll of 2000 labels	60 x 33	40	1 roll
C	04306 for non-woven material, indicator left - roll similar 1000 labels	70 x 33	40	1 roll
F	04198 for non-woven material - roll of 1000 labels	70 x 35	40	1 roll
F	04236 for non-woven material - roll of 2500 labels	70 x 35	40	1 roll
G	04157 for non-woven material - roll of 2500 labels	70 x 35	40	1 roll
H	04256 for non-woven material, indicator left - roll similar 1000 labels	70 x 35	76	1 roll
I	04021 red, for non-woven material - roll of 2000 labels	90 x 35	40	1 roll




**SINGLE LABELS - WITH STEAM INDICATOR (PINK TO BROWN)**

Wound on the outside and single self-adhesive. With steam indicator.

REF	Description	Tear-off perforation	Format (mm)	Core-Ø (mm)	Qty
A	04299 for non-woven material, with information on standards - roll of 2000 labels	yes	90 x 35	76	1 roll
B	04133L for non-woven material and for longer warmth indicator left - roll of 750 labels	yes	70 x 38	76	1 roll
C	04038 roll of 2000 labels		63 x 40	40	1 roll

**ENDLESS LABELS - WITH STEAM INDICATOR (PINK TO BROWN)**

Wound outside. Single use.



REF	Description	Self-adhesive	Roll length	Width (mm)	Core-Ø (mm)	Qty
D	04063 yellow	duplex	80	70	50	1 roll
D	04061 green	duplex	80	70	50	1 roll
D	04060 red	duplex	80	70	50	1 roll
E	04085 suitable for non-woven material	duplex	80	70	50	1 roll
E	04145 suitable for non-woven material	duplex	80	70	76	1 roll
F	04181 suitable for non-woven material, with free border on both sides	duplex	80	70	50	1 roll
E	04142 with special adhesive (minimizes soiling of the cutting knife in the label printer)	duplex	80	70	50	1 roll
E	04268 with special adhesive	duplex	80	70	76	1 roll
D	04062 blue bar	duplex	80	70	50	1 roll
G	04098 continuous label on reel with steam indicator	single	100	60	76	1 roll




A



B




C



D



E



F



G



H

**LABELS - WITH FO/EO AND STEAM INDICATOR**

REF	Description	Format (mm)	Core-Ø (mm)	Qty
A	04185 single labels, wound inside, double self-adhesive - roll of 1000 labels	60 x 31	40	1 roll
B	04065 individual labels for Webeco, wound outside, perforated in the middle, with tear-off perforation, with back slit - roll of 1000 labels	86 x 36	40	1 roll
C	04045 continuous labels (EO = white, DI = pink), wound outside, double self-adhesive	70	50	1 roll
D	04046 continuous labels (FO= violet, DI = pink), wound outside, double self-adhesive	70	50	1 roll

**LABELS WITH H<sub>2</sub>O<sub>2</sub> AND STEAM INDICATOR**


With tear-off perforation, for single use, folded self-adhesive.

REF	Description	Format (mm)	Core-Ø (mm)	Qty
E	04135 singel labels, wound outside	70 x 35	40	1 roll
F	04279 singel Tyvek labels, wound inside	70 x 35	76	1 roll
G	04097 continuous label, wound outside	70	50	1 roll


**OTHER SINGLE LABELS - WITH PUNCHED EDGE**

With steam indicator (pink to brown), zigzag fold, with tear-off perforation. Single use.

REF	Description	Format (mm)	Qty
H	04004 duplex self-adhesive, universal adhesive, printing: content, name, sterile date and patient.	99 x 37	2500 pcs



A



A



C

Foil labels allow you to identify your containers and sieve tray. They offer durability and adhesion to smooth surfaces, even after the cleaning and disinfection process. Key Surgical offers you different versions in numerous sizes compatible with the most common label printers.

**FOIL LABELS - BLANK - WITHOUT INDICATOR**

Heat-resistant up to 134 °C, suitable for washer-disinfectors, wound outside, single self-adhesive.

REF	Description	Tear-off perforation	Format (mm)	Core-Ø (mm)	Qty
A 04255	yellow, suitable for washer-disinfectors and dryers, strong adhesive	yes	60 x 25	40	1 roll
A 04222	green, suitable for washer-disinfectors, strong adhesive	yes	60 x 25	40	1 roll
A 04221	red, not washable, strong adhesive	yes	60 x 25	40	1 roll
B 04271	white, suitable for washer-disinfectors, strong adhesive	yes	50 x 23	25	1 roll
B 04176	white, suitable for washer-disinfectors, strong adhesive	yes	60 x 25	40	1 roll
B 04218	suitable for washer-disinfectors	no	40 x 28	25	1 roll
B 04174	suitable for washer-disinfectors and dryers, strong adhesive	yes	40 x 28	40	1 roll
B 04186	suitable for washer-disinfectors, with one-sided barrel flap, can be removed without leaving any residue		55 x 35	50	1 roll
C 04227	white, suitable for washer-disinfectors, strong adhesive	yes	50 x 23	40	1 roll


**FOIL LABELS FOR IDENTIFYING AND SEALING CONTAINERS**

Can be removed without any residue, single self-adhesive, wound outside. Single use.

REF	Description	Format (mm)	Core-Ø (mm)	Qty
01001	with steam indicator	102 x 25	76	1 roll
01002	without steam indicator	102 x 25	76	1 roll
04096	without steam indicator	75 x 35	76	1 roll



A



**A THERMO TRANSFER FOILS**


Thermal transfer reels with various coatings and features, suitable for your printer and labels. We recommend the premium resin which is particularly suitable for film carrier material (except 09858, which is only for paper). Wax/resin features are suitable for the most common requirements of the central sterile services department (CSSD) and especially for paper labels, and the wax feature is suitable for simple applications without thermal requirements. Coated on the outside or inside, so you are guaranteed to find the right foil reel for your printer in our range.

REF	Coating	Quality	Format (mm)	Sleeve length (mm)	Sleeve-Ø (mm)	Autoclave resistant	Qty
09476	outside	resin	85 x 74	110	12.5	up to 150 °C	1 roll
09213	outside	wax	85 x 74	110	12.5	yes	1 roll
09452	outside	wax/resin	85 x 74	110	12.5	no	1 roll
09212	outside	wax	110 x 74	110	25	yes	1 roll
09853	outside	wax/resin	110 x 74	110	12.5	no	1 roll
09080	outside	wax	70 x 300	70	25	yes	1 roll
09270	outside	wax/resin	70 x 300	70	25	yes	1 roll
09069	inside	wax	76 x 300	76	25	yes	1 roll
09852	inside	wax/resin	76 x 300	76	25	no	1 roll
09486	outside	resin	80 x 300	80	25	up to 150 °C	1 roll
09077	outside	wax	80 x 300	80	25	yes	1 roll
09854	outside	wax/resin	80 x 300	80	25	no	1 roll

**ADHESIVE LABELS**

Adhesive labels come in a DIN format. They are single self-adhesive.

REF	Description	Indicator	Format (mm)	Qty
<b>A</b> 04016	for laser printers, single self-adhesive - 25 x 44-label DIN A4 sheets	steam	48 x 25	1100 pcs
<b>A</b> 04017	for laser printers, single self-adhesive - 25 x 21-label DIN A4 sheets	steam	64 x 38	525 pcs



A



**PRE-PRINTED LABELS**

Pre-printed labels provide visual support for communication between the individual departments. Additionally, warning signs ensure the protection of your staff, for example for burns on hot surfaces, by changing their color when they get hot. Labels for disinfectant bottles help you to comply with labelling requirements.

REF	Description	Imprint	Color	Format (mm)	Roll width (mm)	Core-Ø (mm)	Qty
A 04326	wound outside, made of PE film	Anbruch am:____ Verwendbar bis:____	yellow	70 x 30	102	40	1 roll
B 04281	wound inside, single self-adhesive serially numbered - roll of 500 labels	Sicherheitssiegel / Security Seal	green	90 x 30	102	76	1 roll
C 04240	wound inside, single self-adhesive serially numbered - roll of 500 labels	desinfiziert, wenn Etikett intakt	red	90 x 30	102	76	1 roll
D 04156	wound outside, single self-adhesive- roll of 1000 labels	gereinigt + desinfiziert	blue	100 x 40	102	40	1 roll
E 04238	wound outside, single self-adhesive, heat-resistant up to 134 °C - roll of 1000 labels	unvollständig	orange	100 x 40	102	40	1 roll
F 04288	wound outside, single self-adhesive roll of 1000 labels	kontaminiert	red	100 x 40	102	40	1 roll



A



C




D



E

**PRE-PRINTED LABELS**

REF	Description	Imprint	Color	Format (mm)	Roll width (mm)	Core-Ø (mm)	Qty
A 04215	wound inside, single self-adhesive, sterilizable up to 134 °C - roll of 1000 labels	loan sieve	yellow	100 x 40	104	40	1 roll
C 04228	wound inside, single self-adhesive, not sterilizable - roll of 1000 labels	defect	red	40 x 50	43	76	1 roll
04229	wound inside, single self-adhesive, not sterilizable - roll of 1000 labels	not sterile	red	40 x 50	43	76	1 roll
D 04177	wound inside, single self-adhesive, not sterilizable - roll of 1000 labels	thermal disinfected	red	40 x 50	43	40	1 roll
E 04332	self-adhesive - removable adhesive, 2 lines	sterile mp	green	150 x 90	NA		250 pcs




A




B



C



D



E

**SINGLE LABELS FOR LABELLING DEVICES**

REF	Description	Color	Format (mm)	Qty
A 04034	for labelling device REF 04011, with pre-printed text: 'Sterilized on/usable until'	blue	37 x 19	1 roll
B 04072	METO - for labelling device 04019, with steam indicator	blue	29 x 28	12 rolls
B 04073	METO - for labelling device 04019, with steam indicator	yellow	29 x 28	12 rolls
B 04071	METO - for labelling device 04019, with steam indicator	green	29 x 28	12 rolls
B 04068	METO - for labelling device 04019, with steam indicator	orange	29 x 28	12 rolls
B 04070	METO - for labelling device 04019, with steam indicator	red	29 x 28	12 rolls
B 04069	METO - for labelling device 04019, with steam indicator	white	29 x 28	12 rolls
C 04054	for labelling device REF 04014, without indicator	blank	23 x 31	12 rolls
D 04041	for labelling device REF 04014, without indicator	blue	23 x 31	12 rolls
E 04052	for labelling device REF 04014, with steam indicator	blue	23 x 31	12 rolls
E 04053	for labelling device REF 04014, with steam indicator	yellow	23 x 31	12 rolls
D 04040	for labelling device REF 04014, without indicator	green	23 x 31	12 rolls
E 04051	for labelling device REF 04014, with steam indicator	green	23 x 31	12 rolls
E 04048	for labelling device REF 04014, with steam indicator	orange	23 x 31	12 rolls
E 04050	for labelling device REF 04014, with steam indicator	red	23 x 31	12 rolls
E 04049	for labelling device REF 04014, without indicator	white	23 x 31	12 rolls



**LABELLERS AND ACCESSORIES**

REF	Description	Qty
A	04018 MONARCH - ink refill for "Monarch" labeller REF 04014	2 pcs
B	04232 ink refill for labeller REF 04230 – 3 lines	1 pc
C	04119 METO ink refill for "Meto" labeller REF 04019	2 pc
D	04014 MONARCH "Monarch" labeller – 3 lines	1 pc
E	04019 METO "Meto" labeller – 3 lines (12 characters per line (figures only); optionally available with text and special characters)	1 pc
F	04231 labeller for manual marking – 2 lines (10 characters per line (figures only)	1 pc
G	04230 labeller for manual marking – 3 lines (11 characters per line (figures only)	1 pc



A



B



C



D




E



F



G





**MARKERS**

REF	Description	Ink color	Line thickness (mm)	Qty
A 05504	edding 8400 permanent marker, lightfast	black	0.5 – 1	10 pcs
05513	permanent marker, sterilization-proof	red	0.75	10 pcs
B 05505	permanent marker, sterilization-proof	black	0.75	10 pcs
C 09089	edding 8010 X-ray marker	white	0.8	10 pcs
D 09087	edding 400 permanent marker, lightfast	blue	1	10 pcs
E 09170	edding 400 permanent marker, lightfast	red	1	10 pcs
F 09086	edding 400 permanent marker, lightfast	black	1	10 pcs
G 09091	edding 8020 skin marker, with round tip, not water resistant	blue	1	10 pcs
H 09090	edding 8020 skin marker, with round tip, not water resistant	red	1	10 pcs
I 05514	SteriLiner permanent marker, sterilization-proof	black	1	10 pcs
J 05515	SteriLiner XL permanent marker, with chisel tip, sterilization-proof	black	2 – 5	10 pcs
K RT-209P	Sharpie lab marker	black		12 pcs

**BROTHER P-TOUCH**

REF	Model	Description	Qty
M 09500	PT-D600VP	<ul style="list-style-type: none"> <li>• German QWERTZ keyboard</li> <li>• color display, 3 lines x 20 characters</li> <li>• up to 24mm tape width</li> <li>• 280 displayable characters, phrase memory with 2800 characters</li> <li>• automatic saving of the last entry</li> <li>• 14 fonts, 10 print styles, 6 - 48 point size, 99 frame types and background patterns</li> <li>• vertical print, multiple printouts up to 99 times, multiline printouts up to 7 lines, mirror writing, tabulator function</li> <li>• 25 pre-programmed label templates (+ downloadable template), adjustable label length, 9 standard barcodes, multi-block printing up to 5 blocks</li> <li>• automatic cutter</li> <li>• recognizes the color of the inserted tape</li> <li>• USB Interface Layout design on the PC</li> <li>• logo and symbol printing in up to 180 x 360 dpi</li> </ul>	1 pc



**LABELLING TAPES FOR THE P-TOUCH LABELLING MACHINE**

Heat-resistant up to 134 °C, washable, only suitable for steam sterilization. Run length 8 meters.

REF	Tape width (mm)	Laminated	Ribbon color	Font color	Qty	
A	09511	18	yes	white	black	1 pc
B	09514	18	yes	yellow	black	1 pc
C	09544	18	no	white	black	1 pc
D	09543	24	no	white	black	1 pc
E	09502	24	yes	white	black	1 pc
F	09503	24	yes	red	black	1 pc
G	09505	24	yes	yellow	black	1 pc
H	09506	24	yes	green	black	1 pc

**STENCIL TAPES FOR FOR CHEMICAL ETCHING**

REF	Font color	Ribbon color	Format (mm)	Run length (m)	Qty	
J	09536	black	white	24	3	1 pc

**STATUS DOCUMENTATION**

With tear-off perforation, for single use, double self-adhesive.

REF	Description	Format (mm)	Qty
K	09072 tray documentation block with steam indicator - block of 100 sheets	100 x 100	1 block
L	09071 tray documentation pad without steam indicator made from special medical paper - pad of 100 sheets	100 x 100	1 block
M	09214 tray control card with steam indicator, reverse side printing: TIME OUT	120 x 75	1000 pcs





## CSSD EQUIPMENT

On the following pages you will find various products for equipping your CSSD.

The importance of hospital logistics should not be underestimated when it comes to the reprocessing of medical devices and instruments. Short and long distances, safe transport and the avoidance of nosocomial (hospital-acquired) infections are all issues which need to be taken into account.

Dustproof bags protect the sterile barrier, making them perfectly suited for transporting and storing sterile supplies. Key Surgical provides dustproof bags in various sizes and material strengths and with various sealing systems.

Our packing table sheets made of silicone serve, among other things, as impact protection for instruments, and they also make handling easier thanks to the non-slip properties and they also lessen the unpleasant cold, glare, and noise effects of metal surfaces by staff of your CSSD.

[Transport and Disposal](#)

[Dustproof Bags](#)

[Rinsing Guns](#)

[Packing Table Sheets](#)

Unless otherwise stated, our products are not made with natural rubber latex.





### A DISPOSAL BOXES MADE OF POLYPROPYLENE

Uncolored with clips for color coding, suitable for washer-disinfectors and leak-proof.

REF	Description	Lid	Drain	Format (mm)	Capacity (litre)	Qty
09811	for washer-disinfectors	transparent	no	325 x 256 x 100	4	1 pc
09813	for washer-disinfectors	transparent	no	530 x 325 x 100	8	1 pc
09824	for washer-disinfectors	without	no	530 x 325 x 150	15	1 pc
09844	for washer-disinfectors	transparent	no	530 x 325 x 200	20	1 pc

A



### DISPOSAL BOXES MADE OF POLYPROPYLENE

Liquid-tight, with drip tray insert, lid can be sealed on all sides, suitable for washer-disinfectors.

REF	Lid	Drop-sieve	Format (mm)	Capacity (litre)	Qty
A 09816	transparent	yes	278 x 115 x 103	2	1 pc
A 09817	transparent	yes	297 x 152 x 118	3.4	1 pc
A 09806	transparent	yes	295 x 230 x 106	4.8	1 pc
A 09807	transparent	yes	295 x 230 x 138	6.5	1 pc
A 09818	transparent	yes	295 x 230 x 203	10	1 pc
A 09890	transparent	no	361 x 274 x 212	16	1 pc
A 09891	transparent	no	456 x 300 x 225	21	1 pc



A



## DISPOSAL AND DISINFECTION TRAYS AND ACCESSORIES MADE OF POLYPROPYLENE

These containers are used for the safe transport of surgical instruments and also for longer transport routes, for example when reprocessing outside the facility. With reusable seals, the tub can be securely closed with the lid. Various cable ties and security seals can be attached for color coding. Compatible for washer-disinfectors, not autoclavable, heat-resistant up to 110 °C.

REF	Description	Color	Suitable for REF	Format (mm)	Qty
A 17209	disposal tray	yellow	17208 17210	590 x 295 x 150	1 pc
A 17211	disposal tray	white	17208 17210	590 x 295 x 150	1 pc
A 17208	lid for disposal and disinfection tub	yellow	17209 17211	590 x 295 x 30	1 pc
A 17210	lid for disposal and disinfection tub	white	17209 17211	590 x 295 x 30	1 pc
A 17212	security seal for disposal tray with lid	white	17208 17209 17210 17211	-	10 pcs
A 17213	security seal for disposal tray with lid	white	17208 17209 17210 17211	-	100 pcs

B



## SOIL SIEVES MADE OF STAINLESS STEEL

Ideal as drip inserts for trays.

REF	Description	Format (mm)	Qty
B 08956	with handles, mesh size 4.2 x 4.2	245 x 175 x 90	1 pc

### POLYPROPYLENE CONTAINERS

Transparent, made of polypropylene. Security seals available. Heat-resistant up to 75 °C, not autoclavable.

REF	Lid	Outer dimensions (mm)	Inner dimensions (mm)	Qty
<b>A</b> BGDNN71100B	blue	320 x 260 x 100	285 x 252 x 100	1 pc
BGDNN71100G	yellow	320 x 260 x 100	285 x 252 x 100	1 pc
BGDNN71100R	red	320 x 260 x 100	285 x 252 x 100	1 pc
BGDNN70100B	blue	525 x 325 x 100	483 x 285 x 100	1 pc
BGDNN70100G	yellow	525 x 325 x 100	483 x 285 x 100	1 pc
BGDNN70100R	red	525 x 325 x 100	483 x 285 x 100	1 pc
BGDNN70100	transparent	525 x 325 x 100	483 x 285 x 100	1 pc
BGDNN70200G	yellow	525 x 325 x 200	483 x 285 x 200	1 pc
BGDNN70200R	red	525 x 325 x 200	483 x 285 x 200	1 pc
BGDNN70200	transparent	525 x 325 x 200	483 x 285 x 200	1 pc





A




B



## CART IDENTIFICATION BOARD

Suitable for washer-disinfectors and with rounded corners.

REF	Description	Front	Back	Format (mm)	Qty
17996	-	green with imprint: 'aufbereitete Medizinprodukte'	red with imprint: 'GEBRAUCHTES MEDIZINISCHES INSTRUMENT'	210 x 297	10 pcs
17997	with information on UN regulation	green with imprint: 'aufbereitete Medizinprodukte'	red with imprint: 'GEBRAUCHTES MEDIZINISCHES INSTRUMENT'	210 x 297	10 pcs
A 17998	-	green with imprint: 'aufbereitete Medizinprodukte'	red with imprint: 'GEBRAUCHTES MEDIZINISCHES INSTRUMENT'	210 x 297	10 pcs
B 17999	with information on UN regulation	green with imprint: 'aufbereitete Medizinprodukte'	red with imprint: 'USED MEDICAL INSTRUMENT'	210 x 297	10 pcs



## DUSTPROOF BAGS WITH FLAP AND ADHESIVE SEAL

Solid design LDPE flat pouches. Transparent. Single use, not suitable for sterilization.

REF	Description	Format (mm)	Material thickness $\mu$	Qty
A 03004	unprinted	100 x 150	50	500 pcs
A 03023	unprinted	150 x 270	50	100 pcs
A 03025	unprinted	150 x 380	50	100 pcs
A 03029	unprinted	200 x 300	50	100 pcs
A 03028	unprinted	200 x 650	80	100 pcs
A 03007	unprinted	300 x 400	60	100 pcs
A 03030	unprinted	300 x 500	50	100 pcs
A 03032	unprinted	600 x 750	50	100 pcs
A 03037	unprinted	630 x 820	60	100 pcs
A 03049	unprinted	700 x 1050	50	50 pcs
B 03033	unprinted	245 x 345	60	100 pcs
B 03036	unprinted	300 x 600	60	100 pcs
B 03017	unprinted	400 x 600	50	100 pcs
B 03031	unprinted	420 x 700	50	100 pcs
B 03022	unprinted	450 x 480	30	100 pcs
B 03035	unprinted	460 x 750	60	100 pcs
B 03034	unprinted	640 x 770	60	100 pcs
B 03040	with printing in German, English, Italian and French	500 x 500	60	100 pcs

## DUSTPROOF BAGS WITH SLIDER, RESEALABLE - UNPRINTED

Solid design made of LDPE, flat pouch transparent. Single use. Not suitable for sterilization.

REF	Format (mm)	Material thickness $\mu$	Qty
C 03041	320 x 230	75	100 pcs
C 03046	480 x 640	70	50 pcs
C 03045	320 x 440	70	100 pcs
C 03044	170 x 120	60	100 pcs
C 03043	200 x 150	60	100 pcs


### MICROSAP BAGS - RESEALABLE - UNPRINTED

Solid design made of LDPE, flat pouch. Material thickness 50 µ. Transparent. Single use, not suitable for sterilization.



REF	Format (mm)	Qty
A 09919	90 x 670	1000 pcs
A 09906	100 x 150	1000 pcs
A 09913	120 x 170	1000 pcs
A 09903	150 x 220	1000 pcs
A 09914	180 x 250	1000 pcs
A 09900	220 x 310	1000 pcs
A 09905	300 x 400	1000 pcs
A 09911	400 x 500	500 pcs

## CSSD Equipment – Dustproof Bags



A

### LDPE SECURITY BAG

For the hygienic storage after disinfection. The security closure is 40mm high and the tear-off label 50mm, with serial number with anti-tamper closure. For single use.

REF	Format (mm)	Internal dimensions (mm)	Qty
A 03077	520 x 500	500 x 500	100 pcs
A 03078	770 x 500	750 x 500	100 pcs

### FLAT POUCHES / DUSTPROOF BAGS - UNPRINTED

For single use.

REF	Description	Format (mm)	Material thickness $\mu$	Qty
B 09916	cleanroom quality, in secondary packaging	70 x 700	50	250 pcs
C 09924	brown-opaque color	200 x 400	80	1000 pcs



B



C





**RINSING GUN**

The stainless steel cleaning gun is sterilizable and easy to disassemble. The cleaning gun was developed to clean, rinse and dry off instruments. The Hela Cleaning Kit is ideal for cleaning and drying flexible endoscopes. The cleaning gun may be used with demineralized water (deionized water), tap water or compressed air.

**CLEANING GUNS FOR HELA**

	REF	Model	Hose	Connection	Qty
A	49994	Hela	1.5 m stainless steel hose	1/2"	1 pc
A	49992	Hela	3.0 m stainless steel hose	1/2"	1 pc
A	49993	Hela	1.5 m stainless steel hose	3/4"	1 pc
A	49991	Hela	3.0 m stainless steel hose	3/4"	1 pc
B	49998	Hela	1.5 m PVC fabric hose	1/2"	1 pc
B	49996	Hela	3.0 m PVC fabric hose	1/2"	1 pc
B	49997	Hela	1.5 m PVC fabric hose	3/4"	1 pc
B	49995	Hela	3.0 m PVC fabric hose	3/4"	1 pc

**C HELA CLEANING-KIT WITH PREMIUM SET**

Cleaning kit does not include a cleaning gun.

	REF	Model	Set consists of:	Hose	Connection	Qty
	49984	Hela	6 screwable attachments angle holder	stainless steel	1/2"	1 pc
	49986	Hela	6 screwable attachments angle holder	stainless steel	1/2"	1 pc
	49985	Hela	6 screwable attachments angle holder	stainless steel	3/4"	1 pc
	49990	Hela	6 screwable attachments angle holder	1.5 m PVC fabric	1/2"	1 pc
	49983	Hela	6 screwable attachments angle holder	stainless steel	3/4"	1 pc
	49988	Hela	6 screwable attachments angle holder	3.0 m PVC fabric	1/2"	1 pc
	49989	Hela	6 screwable attachments angle holder	1.5 m PVC fabric	3/4"	1 pc
	49987	Hela	6 screwable attachments angle holder	3.0 m PVC fabric	3/4"	1 pc
	49982	Hela	6 screwable attachments angle holder	without	without	1 pc






**RINSING GUNS**

REF	Model	Description	Connection	Qty
A 49999	Dina	can be disassembled, made of aluminum	without	1 pc
A 49975	Dina	1.5 m stainless steel hose	1/2"	1 pc
A 49973	Dina	3 m stainless steel hose	1/2"	1 pc
A 49974	Dina	1.5 m stainless steel hose	3/4"	1 pc
A 49972	Dina	3 m stainless steel hose	3/4"	1 pc
B 49979	Dina	1.5 m PVC fabric hose	1/2"	1 pc
B 49977	Dina	3 m PVC fabric hose	1/2"	1 pc
B 49978	Dina	1.5 m PVC fabric hose	3/4"	1 pc
B 49976	Dina	3 m PVC fabric hose	3/4"	1 pc
C 49963	Nova	rigid, made of aluminum	without	1 pc
C 49958	Nova	1.5 m stainless steel hose	1/2"	1 pc
C 49956	Nova	3 m stainless steel hose	1/2"	1 pc
C 49957	Nova	1.5 m stainless steel hose	3/4"	1 pc
C 49955	Nova	3 m stainless steel hose	3/4"	1 pc
D 49962	Nova	1.5 m PVC fabric hose	1/2"	1 pc
D 49960	Nova	3 m PVC fabric hose	1/2"	1 pc
D 49961	Nova	1.5 m PVC fabric hose	3/4"	1 pc
D 49959	Nova	3 m PVC fabric hose	3/4"	1 pc

A



A



**A CLEANING SET WITH HOSES**

REF	Model	Set consists of:	Hose	Connection	Qty
49967	Dina	8 attachments and holders made of stainless steel	stainless steel	1/2"	1 pc
49965	Dina	8 attachments and holders made of stainless steel	stainless steel	1/2"	1 pc
49966	Dina	8 attachments and holders made of stainless steel	1.5 m stainless steel hose	3/4"	1 pc
49964	Dina	8 attachments and holders made of stainless steel	3.0 m stainless steel hose	3/4"	1 pc
49971	Dina	8 attachments and holders made of stainless steel	1.5 m PVC fabric	1/2"	1 pc
49969	Dina	8 attachments and holders made of stainless steel	3 m PVC fabric	1/2"	1 pc
49970	Dina	8 attachments and holders made of stainless steel	1.5 m PVC fabric	3/4"	1 pc
49968	Dina	8 attachments and holders made of stainless steel	3 m PVC fabric	3/4"	1 pc
49950	Nova	8 attachments and holders made of stainless steel	1.5 m stainless steel hose	1/2"	1 pc
49948	Nova	8 attachments and holders made of stainless steel	3 m stainless steel hose	1/2"	1 pc
49949	Nova	8 attachments and holders made of stainless steel	1.5 m stainless steel hose	3/4"	1 pc
49947	Nova	8 attachments and holders made of stainless steel	3 m stainless steel hose	3/4"	1 pc
49954	Nova	8 attachments and holders made of stainless steel	1.5 m PVC fabric	1/2"	1 pc
49952	Nova	8 attachments and holders made of stainless steel	3 m PVC fabric	1/2"	1 pc
49953	Nova	8 attachments and holders made of stainless steel	1.5 m PVC fabric	3/4"	1 pc
49951	Nova	8 attachments and holders made of stainless steel	3 m PVC fabric	3/4"	1 pc





## CSSD Equipment – Packing Table Sheets

### PACKING TABLE SHEETS

Reprocessing cycles are getting shorter and cycle rates are often increasing due to reductions in staffing levels. With these pressures, inattentiveness when handling instruments is a real risk. Our packing table sheets protect instruments and also aid handling thanks to their non-slip properties. Moreover, they reduce the unpleasant cold and glare of metallic surfaces for CSSD staff. The sheets are available in all formats up to a maximum of 300cm (length) x 120cm (width) and come in a range of colors. The sheets are 2mm thick and are both highly robust and durable. Suitable for washer-disinfectors, heat-resistant.

REF	Color	Thickness (mm)	Qty
<b>A</b> 08700	transparent	2	1 pc
<b>B</b> 08705	red-brown	2	1 pc
<b>C</b> 08703	blue	2	1 pc
<b>D</b> 08701	leaf green	2	1 pc



## Transport and Disposal – Transportation Boxes



### TRANSPORTATION BOXES

Stackable boxes that can be custom printed with text on the box and lid. They can withstand washer-disinfectors for decontamination purposes. BTB005 must be used with a trolley BTB005TROL.

- BTB001 suitable for transporting packing group I dangerous substances
- BTB002 suitable for transporting packing group II dangerous substances
- BTB003 suitable for transporting packing group I dangerous substances
- BTB004A suitable for transporting packing group II dangerous substances
- BTB005 suitable for transporting packing group II dangerous substances

REF	Weight (Kg)	Capacity (liters)	Color	Size (external)	Qty
A BTB001	0.6	4	blue	300 x 200 x 120mm	1 pc
B BTB002	0.9	7	blue	300 x 200 x 170mm	1 pc
C BTB003	1.4	16	blue	400 x 300 x 220mm	1 pc
D BTB004A	3.3	49	blue	600 x 400 x 320mm	1 pc
BTB005	10.2	170	blue	800 x 600 x 600mm	1 pc
E RTB002	0.9	7	red	300 x 200 x 170mm	1 pc
F RTB003	1.4	16	red	400 x 300 x 220mm	1 pc
G RTB004A	3.3	49	red	600 x 400 x 320mm	1 pc

### INNER BASKETS

Powder-coated aluminum inner baskets designed to fit transportation boxes.

REF	Description	Qty
H BTB002BASK	inner basket to fit BTB002 and RTB002	1 pc
BTB003BASK	inner basket to fit BTB003 and RTB003	1 pc
BTB004BASK	inner basket to fit BTB004A and RTB004A	1 pc

## Transport and Disposal – Transportation Boxes



### TRANSPORTATION BOX OPENER

Stainless steel opener suitable for all BTB and RTB boxes.

REF	Description	Qty
A	BTBOPENER box opener for BTB and RTB boxes, stainless steel	1 pc

### TRANSPORTATION BOX TROLLEYS

Painted steel trolley with wheels for BTB and RTB boxes. Suitable for washer-disinfectors.

REF	Description	Qty
B	BTB004TROL trolley to fit BTB004A and RTB004A	1 pc
C	BTB005TROL trolley to fit BTB005	1 pc




### TRANSPORTATION BOX LABELS

A selection of labels for 'BIOHAZARD' or 'USED MEDICAL DEVICE' to be inserted in plastic sleeves of transportation boxes. Our biohazard labels conform to the requirements for a 6.2 hazard infectious substances.

REF	Description	Size (mm)	Qty
D	BTBLABEL001 biohazard, non-laminated label	125 x 40	20 pcs
	BTBLABEL003 biohazard, laminated label	125 x 40	20 pcs
	BTBLABEL004 biohazard, laminated label	150 x 70	20 pcs
E	BTB232SML used medical device, laminated label	125 x 40	100 pcs
E	BTB232LRG used medical device, laminated label	150 x 70	100 pcs





### SECURITY CABLE TIES

Plastic cable ties in a range of colors for use during transportation and identification.

REF	Color	Size (mm)	Qty
A BTBREDTIE	red	3.6 x 145	100 pcs
B BTBYELTIE	yellow	3.6 x 145	100 pcs
C TIE001	blue	3.5 x 145	100 pcs
D TIE006	clear	1.5 x 125	500 pcs
E TIE010	red	4.8 x 300	100 pcs

### CABLE TIES

Plastic cable ties in a range of colors for use during transportation. Colored cable ties help identification, along with numbered cable ties.

REF	Description	Color	Size (mm)	Qty
F TIE003	individually numbered	green	2 x 200	100 pcs
TIE005	individually numbered	red	2 x 200	100 pcs




- A** Accessories for Adhesive Tapes 082-085  
Adhesive Remover 240-241  
Adhesive Tapes 082-083
- B** Batch Test 288-291  
Bowie-Dick Test 288-287  
Bone Reamer Brushes 038-039
- C** Cable Binders 266-271  
**Cleaning Brushes 002-049**  
Choice Blue Ultra 73gms 070-071  
Choice Wrap 068-069  
Choice Wrap 55gms 068-069  
Clamp Tag Holders 120-121  
Cleaning Agents and Accessories 054-055  
Cleaning Brushes for Instrument Cavities 040-041  
Cleaning Brushes for MIS Instruments 030-037  
Cleaning Brushes with Fan Tip 038-039  
Cleaning Brushes with Protective Head Tip 030-037  
Cleaning Indicators 280-285  
Cleaning Products 052-053  
Cleaning Sets with Hoses 358-359  
Color Coding Products 234-239  
ColorCurls 236-237  
Color Beads 234-235  
**Container Accessories 190-217**  
Container Filters 190-197  
Corner Protectors 180-181  
Crepe Wrap 074-075  
**CSSD Equipment 338-367**
- D** **Documentation 306-335**  
Double Sterilization Wrap 072-073  
Dustproof Bags 348-353  
Dustproof Bags with Slider 348-349  
LDPE Security Bag 352-353
- E** Endoscope Cleaning Brushes and Sets 044-049

- F** Face Shields and Masks 224-227  
Face Protection Set 226-227  
Foil Labels 320-321
- G** Gloves 228-231  
Heat Protection Gloves 228-229  
Nitrile Examination Gloves 230-231
- I** Indicator Tape 080-081  
Insert Labels 212-215  
Labels for Wagner Containers 212-213  
Labels for Aesculap Containers 214-215  
Labels for Martin Containers 214-215  
Instrument and Sterilizer Cleaning Brushes 006-007  
**Instrument Cleaning and Maintenance 002-065**  
**Instrument Identification 234-275**  
**Instrument Organizer 102-103**  
**Instrument Protection 090-103**  
Instrument Protection Caps Flat 096-097  
Instrument Protection Caps Round 092-095  
Instrument Sleeves 090-091  
Instrument Stringers 098-099
- K** KeyDot® 258-261  
Kogel Trays and Accessories 146-159  
Labeled Adhesive Tapes 084-085




- L** Labellers and Accessories 328-331
- M** Markers 332-333  
Metal Tags 122-123  
Miscellaneous Documentation 334-335  
Refill Items for Test Aid Set 298-299
- O** One-Loop Tags 126-131
- P** Paper Labels 306-329  
Paper Labels Without Indicator 306-307  
Single Labels With Steam Indicator Duplex 314-317  
Single Labels With Steam Indicator for Non-Woven 310-313  
Single Labels With Steam Indicator 314-317  
Labels With FO and EO Indicator 318-319  
Labels With H<sub>2</sub>O<sub>2</sub> Indicator 318-319  
**Personal Protective Equipment 220-231**  
Pipe Cleaners 050-051  
Plastic Locking Seals 198-207  
Plastic Seals for Martin Containers 206-207  
Plastic Sterilization Trays 162-163  
Plastic Tray Tags 106-119  
Tray Tags for Color Coding 106-107  
Tray Tags for Basket Identification 108-109  
Plastic Tray Tags 110-111  
Tie-On Tags 112-113  
Tray Tags With a Clip-On 114-117  
Insert Labels 118-119  
Preparation Aids 044-053  
Manifold Accessories - Luer Lock Male 060-061  
Flushing Nozzle 060-061  
Tube Connectors 060-063  
Y-Shape Tube Connectors 064-065  
Preparation Accessories 064-065  
Protective Apparel 220-223



- Q** **Quality Monitoring and Assurance 280-303**  
Quality Monitoring for Sealing Devices 302-303
- R** Reliance SOLO Wrap 072-073  
Repair Tags 264-265  
Retractor Caps 098-099  
Rinsing Guns 254-257  
Roll Tape 242-243  
Round Caps Conical 092-095
- S** Security Cable Ties 366-367  
Self-Tie Tags 132-133  
Sheet Tape- Patterned 248-257  
Sheet Tape -Solid Color 244-245  
Sheets for Packing Table 360-361  
Silicone Inserts and Sieve Organization 166-167  
Silicone Inserts 166-167  
Kogel Dividers 168-169  
Kogel Fixture Sets 170-171





Polypropylene Container and Lid 344-345  
 Transportation Boxes 338-341  
 Transport Wrap 086-087  
 Tray Liners 076-079  
 Twin Caps 100-101  
 Transportation Box Accessories 362-365

**W** Wire Baskets and Containers 147-155  
**Wraps and Liners 068-087**  
 Write-on Tag 134-137

Kogel Silicone Fixtures 172-173  
 Kogel Accessories 174-177  
 Silicone Mats 178-179  
 Grid Inserts and Mats 182-183  
 Mesh Sleeves for Kirschner Wires 184-187  
 Silicone Tubes 274-277  
 Special Sieve Trays 160-161  
 Sterilization Trays for Scopes 162-163  
 Sterilization Monitoring 288-291  
 Bowie-Dick Tests 286-287  
 Batch Test 288-291  
 Indicator Strips and Points 292-293  
 Indicators for EO, FO and Gamma 294-295  
 Indicators for Hydrogen Peroxide 296-297

**T** Tags Accessories 124-125  
 Tag Labels 216-217  
 Trays and Accessories 140-187  
 T-EZ Pro 280-281  
 Thermo Transfer Foil 322-323  
 Toothbrush-Style Brushes 002-005  
 Double Cleaning Brush 004-005  
 Transport and Disposal 338-347  
 Disposal Boxes 338-341  
 Disposal Trays 342-343



